

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/04/01 01	214.6	4.1	0.2	4.5	10.5	3.0	6.1	25.5	26.6
2020/04/01 02	269.5	4.1	1.3	2.7	11.6	6.0	5.0	25.5	27.3
2020/04/01 03	279.5	5.1	1.2	3.7	10.5	6.0	7.1	25.6	28.3
2020/04/01 04	270.6	4.1	1.2	1.5	11.6	3.0	5.9	24.4	27.4
2020/04/01 05	252.8	5.1	0.2	4.7	10.5	7.0	4.0	25.5	25.4
2020/04/01 06	234.1	4.1	1.3	3.5	10.5	4.0	6.1	25.5	28.6
2020/04/01 07	89.5	5.1	1.2	4.0	11.6	5.0	5.0	25.5	25.3
2020/04/01 08	27.5	7.0	1.3	10.2	13.6	7.0	8.5	26.5	28.1
2020/04/01 09	30.5	8.0	2.2	14.1	19.9	24.0	119.1	25.5	88.3
2020/04/01 10	31.3	8.0	4.2	11.6	24.8	26.0	207.1	31.3	105.0
2020/04/01 11	29.5	8.0	3.3	10.9	24.9	28.0	186.3	32.3	110.6
2020/04/01 12	26.6	9.0	4.2	12.1	27.1	26.0	98.5	29.3	115.3
2020/04/01 13	27.5	7.0	3.3	12.0	27.2	24.0	102.4	29.4	118.8
2020/04/01 14	29.1	9.0	4.2	10.2	28.7	24.0	141.1	29.2	116.3
2020/04/01 15	29.7	10.0	4.2	13.1	30.3	25.0	142.6	28.4	121.1
2020/04/01 16	27.5	9.0	5.2	13.0	32.1	27.0	107.4	28.3	120.5
2020/04/01 17	30.5	9.1	3.2	17.2	25.9	25.0	69.0	27.5	121.4
2020/04/01 18	34.5	7.1	4.3	11.0	20.7	19.0	11.8	26.5	117.0
2020/04/01 19	27.5	8.1	4.3	7.6	20.3	8.0	6.8	27.5	104.8
2020/04/01 20	21.6	7.1	4.2	5.6	19.2	5.0	6.1	27.5	38.6
2020/04/01 21	20.5	6.4	2.2	3.6	17.2	6.0	6.0	26.4	30.6
2020/04/01 22	19.5	4.4	0.2	5.5	15.1	4.0	6.0	27.5	27.9
2020/04/01 23	22.5	5.4	1.2	3.7	11.6	4.0	5.9	26.4	27.9
2020/04/02 00	123.6	4.4	1.3	2.6	11.5	7.0	5.3	26.4	28.0
2020/04/02 01	197.5	5.3	0.3	3.6	10.5	4.0	6.0	26.4	27.7
2020/04/02 02	255.6	4.4	1.2	3.7	10.5	5.0	5.9	27.4	28.7
2020/04/02 03	268.5	4.4	1.2	3.5	10.5	6.0	5.1	25.4	25.0
2020/04/02 04	268.5	5.1	1.2	3.7	9.6	4.0	9.2	27.4	28.6
2020/04/02 05	254.5	4.0	0.2	2.6	10.5	5.0	4.0	25.4	27.5
2020/04/02 06	228.5	4.2	1.3	4.6	10.6	6.0	5.9	27.4	26.4
2020/04/02 07	90.5	4.1	1.2	4.9	10.5	4.0	8.0	26.5	27.5
2020/04/02 08	29.6	7.0	2.2	9.1	12.6	6.0	11.6	27.5	28.8
2020/04/02 09	28.6	9.1	3.5	16.1	22.0	32.0	148.0	25.5	75.4
2020/04/02 10	28.5	7.0	2.7	10.4	25.0	41.0	235.2	30.4	114.6
2020/04/02 11	29.5	8.0	6.2	9.4	26.6	38.0	210.5	29.5	115.8
2020/04/02 12	26.5	9.0	18.2	8.2	25.8	33.0	111.1	28.4	120.2
2020/04/02 13	24.6	8.0	2.2	8.9	25.9	33.0	104.2	27.2	121.5
2020/04/02 14	28.5	10.0	11.2	12.3	29.7	25.0	83.1	27.2	124.4
2020/04/02 15	25.6	11.0	10.7	8.1	28.8	28.0	72.3	26.4	124.8
2020/04/02 16	27.5	12.0	10.9	10.2	29.8	29.0	74.3	26.4	122.1
2020/04/02 17	27.5	10.0	2.2	11.7	23.8	27.0	57.2	24.5	124.4
2020/04/02 18	29.5	9.1	3.3	10.7	21.6	23.0	9.2	25.5	125.8
2020/04/02 19	24.6	8.1	4.2	12.7	17.2	5.0	9.6	26.5	109.0
2020/04/02 20	21.6	8.1	3.2	7.6	17.5	4.0	5.1	26.5	45.4
2020/04/02 21	24.1	7.1	4.2	3.6	16.6	6.0	5.9	24.6	34.2
2020/04/02 22	19.5	5.1	3.2	4.6	15.6	6.0	7.1	25.6	30.6
2020/04/02 23	20.5	6.1	1.2	3.6	10.5	5.0	6.1	25.6	26.5
2020/04/03 00	133.2	5.2	1.3	3.7	11.6	4.0	5.1	25.6	28.9
2020/04/03 01	210.7	5.1	1.2	2.6	10.4	6.0	7.0	25.5	25.4
2020/04/03 02	259.6	5.1	0.2	4.6	10.5	5.0	5.0	25.6	29.4
2020/04/03 03	267.5	6.1	1.2	2.6	11.5	4.0	7.0	25.6	24.1
2020/04/03 04	271.2	5.1	1.2	3.7	10.5	6.0	4.2	24.6	26.8
2020/04/03 05	251.5	5.0	0.2	3.5	10.5	5.0	9.8	25.6	25.1
2020/04/03 06	233.5	6.1	1.2	3.7	11.5	6.0	6.1	25.7	26.1
2020/04/03 07	90.0	5.0	0.3	5.1	10.5	5.0	3.9	25.6	27.1
2020/04/03 08	24.9	8.0	0.3	6.0	14.6	5.0	7.6	25.6	62.0
2020/04/03 09	24.5	9.0	0.2	9.2	20.5	10.0	112.9	27.5	99.4
2020/04/03 10	31.5	9.0	7.2	9.0	24.6	14.0	134.8	28.6	114.4
2020/04/03 11	26.5	10.0	7.0	14.1	27.6	12.0	121.7	28.5	114.9
2020/04/03 12	31.5	9.0	6.9	9.9	25.5	12.0	109.6	25.5	89.6
2020/04/03 13	21.5	10.0	6.8	9.1	22.7	10.0	124.0	27.5	82.9
2020/04/03 14	23.6	10.0	6.8	11.3	26.5	13.0	184.2	27.5	84.0
2020/04/03 15	28.0	9.0	6.8	13.0	27.6	11.0	144.2	24.4	80.3
2020/04/03 16	30.8	9.0	1.8	11.7	25.5	11.0	71.0	26.5	82.0
2020/04/03 17	28.6	8.0	2.3	10.5	24.7	15.0	13.0	25.4	83.0
2020/04/03 18	30.5	8.1	3.2	6.7	18.6	11.0	7.9	25.6	83.2
2020/04/03 19	28.5	7.1	1.2	5.5	17.3	4.0	6.0	25.5	78.1
2020/04/03 20	26.3	8.1	2.2	4.6	17.3	6.0	4.0	26.6	39.5
2020/04/03 21	19.5	6.1	1.2	5.7	15.3	6.0	8.0	26.6	30.4
2020/04/03 22	23.5	5.1	1.2	5.6	12.6	3.0	6.0	25.6	27.3
2020/04/03 23	23.5	4.2	0.3	2.6	11.5	6.0	5.0	25.6	26.5
2020/04/04 00	77.4	5.1	1.2	3.6	10.6	6.0	5.0	25.6	28.0

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/04/04 01	87.5	4.1	1.2	2.6	10.5	4.0	6.0	25.6	26.2
2020/04/04 02	89.5	4.1	1.2	3.6	10.6	5.0	6.2	24.6	26.4
2020/04/04 03	88.5	5.1	0.2	4.7	10.4	5.0	7.0	25.6	26.9
2020/04/04 04	86.3	4.1	1.2	2.6	10.5	6.0	5.0	25.6	25.9
2020/04/04 05	77.5	4.1	1.3	3.6	10.5	4.0	5.9	24.7	25.0
2020/04/04 06	68.5	5.1	1.2	3.6	10.6	5.0	7.1	26.6	27.1
2020/04/04 07	43.7	4.0	0.2	2.6	11.5	6.0	3.9	25.6	25.1
2020/04/04 08	13.9	5.0	0.2	4.6	10.6	4.0	8.4	25.5	27.9
2020/04/04 09	14.5	5.0	0.2	2.7	11.5	10.0	112.0	26.5	77.6
2020/04/04 10	16.5	5.0	0.2	4.5	16.6	14.0	194.5	28.5	116.2
2020/04/04 11	12.5	4.0	0.3	3.7	16.6	11.0	106.0	26.5	112.0
2020/04/04 12	16.5	6.0	0.3	3.5	15.5	12.0	78.1	26.5	108.5
2020/04/04 13	12.6	5.0	0.2	4.7	16.5	10.0	82.0	25.5	105.7
2020/04/04 14	13.7	5.0	0.2	2.5	19.1	12.0	110.7	25.4	97.7
2020/04/04 15	11.7	6.0	0.2	3.6	17.3	10.0	99.1	25.5	77.9
2020/04/04 16	15.9	5.0	0.2	4.7	18.2	13.0	100.8	25.5	78.5
2020/04/04 17	15.6	6.0	0.2	3.5	16.2	10.0	67.1	24.5	84.8
2020/04/04 18	19.5	6.1	1.3	4.7	13.3	10.0	5.9	25.4	84.7
2020/04/04 19	22.1	6.1	1.2	5.5	13.3	5.0	6.0	26.5	74.2
2020/04/04 20	15.7	6.1	0.2	3.7	12.7	6.0	7.0	25.6	34.6
2020/04/04 21	17.5	6.1	1.2	5.6	11.6	5.0	6.0	26.5	27.5
2020/04/04 22	14.5	4.1	1.2	3.6	10.7	7.0	3.9	24.5	28.4
2020/04/04 23	20.2	4.1	1.2	4.7	9.6	4.0	7.0	24.5	26.7
2020/04/05 00	85.6	5.2	1.3	2.6	10.6	5.0	6.0	25.5	28.8
2020/04/05 01	140.5	4.1	0.2	2.6	9.5	5.0	6.1	25.5	26.6
2020/04/05 02	150.7	4.1	1.2	4.6	10.5	5.0	5.0	25.5	28.6
2020/04/05 03	149.3	5.1	1.3	2.6	9.5	5.0	6.0	24.5	25.2
2020/04/05 04	147.5	4.1	1.2	4.7	10.6	4.0	4.8	25.5	27.0
2020/04/05 05	137.5	4.1	1.2	3.5	10.5	6.0	7.2	25.6	26.0
2020/04/05 06	129.8	5.0	1.2	2.7	10.5	4.0	5.1	25.5	26.3
2020/04/05 07	63.0	4.1	0.3	4.5	9.5	8.0	6.0	24.6	26.4
2020/04/05 08	18.6	5.0	1.2	1.7	10.6	5.0	7.0	26.5	27.8
2020/04/05 09	14.5	4.0	0.2	4.5	11.8	32.0	129.2	26.6	84.4
2020/04/05 10	21.5	4.0	0.2	2.6	17.1	42.0	195.0	29.5	123.0
2020/04/05 11	16.5	5.0	0.2	1.6	18.8	42.0	175.0	29.4	132.1
2020/04/05 12	18.5	4.0	0.2	3.6	19.6	42.0	203.1	28.3	130.3
2020/04/05 13	17.5	4.0	0.3	1.7	19.6	38.0	162.8	24.5	126.2
2020/04/05 14	13.5	4.0	0.2	2.5	19.6	35.0	99.9	25.6	127.5
2020/04/05 15	16.0	4.0	0.2	3.6	19.5	35.0	101.2	24.5	122.3
2020/04/05 16	13.7	4.0	0.2	2.6	18.3	35.0	100.1	25.6	122.9
2020/04/05 17	16.6	4.0	1.3	3.6	16.3	26.0	56.9	24.5	124.0
2020/04/05 18	16.6	4.1	0.2	3.6	13.6	22.0	13.0	25.5	118.7
2020/04/05 19	17.5	6.1	1.3	4.6	11.5	6.0	10.1	25.6	105.7
2020/04/05 20	19.5	5.1	1.2	4.7	12.6	5.0	6.1	25.5	32.3
2020/04/05 21	19.5	5.1	1.2	3.6	10.5	6.0	7.0	25.6	27.5
2020/04/05 22	16.5	4.1	0.2	4.6	10.6	5.0	5.0	25.6	28.7
2020/04/05 23	29.5	4.1	1.2	3.6	9.5	5.0	6.2	24.6	26.4
2020/04/06 00	152.4	4.1	1.3	3.6	11.5	5.0	5.9	24.6	26.5
2020/04/06 01	221.5	4.1	1.3	4.6	9.5	5.0	7.1	25.6	27.3
2020/04/06 02	254.5	4.1	0.2	2.6	10.4	6.0	5.0	24.6	27.4
2020/04/06 03	270.5	4.1	1.2	3.7	10.5	4.0	7.1	25.6	25.9
2020/04/06 04	267.3	4.1	1.2	3.5	10.4	5.0	7.1	23.6	24.9
2020/04/06 05	251.5	4.1	1.2	3.7	11.4	6.0	6.1	25.6	26.0
2020/04/06 06	227.5	4.1	0.3	3.5	12.4	4.0	5.1	25.6	24.8
2020/04/06 07	88.5	4.0	1.2	2.8	12.5	6.0	8.1	25.6	26.9
2020/04/06 08	34.7	9.2	17.6	18.0	15.5	6.0	6.0	24.6	28.7
2020/04/06 09	39.9	15.1	24.1	28.5	24.3	25.0	114.1	24.6	90.8
2020/04/06 10	37.8	19.0	16.0	26.1	27.6	38.0	176.1	25.6	129.0
2020/04/06 11	38.8	23.0	6.5	30.5	27.5	35.0	201.7	24.6	128.4
2020/04/06 12	43.3	30.0	6.3	40.0	24.6	40.0	90.0	25.5	126.3
2020/04/06 13	44.3	27.0	1.3	31.1	24.7	38.0	97.9	24.5	123.5
2020/04/06 14	48.7	23.0	10.2	22.1	25.6	36.0	98.8	25.5	109.3
2020/04/06 15	53.0	25.0	5.2	19.9	26.6	32.0	88.4	24.6	109.1
2020/04/06 16	48.0	8.0	5.2	18.0	26.7	29.0	96.6	24.5	117.1
2020/04/06 17	35.2	9.1	6.2	18.9	22.9	30.0	56.8	25.6	121.0
2020/04/06 18	38.9	8.0	4.2	16.1	19.6	23.0	6.2	25.6	120.5
2020/04/06 19	29.5	8.2	4.3	11.6	18.4	12.0	5.0	24.5	108.1
2020/04/06 20	24.6	5.1	2.2	8.5	17.2	11.0	6.0	26.6	30.6
2020/04/06 21	22.8	6.1	2.3	8.7	17.2	9.0	6.1	25.5	26.0
2020/04/06 22	25.0	4.1	1.2	5.5	17.1	7.0	5.1	25.6	26.5
2020/04/06 23	26.5	5.1	0.2	3.7	12.3	4.0	5.9	23.5	26.4
2020/04/07 00	125.5	4.1	1.3	4.6	9.5	6.0	9.0	25.6	24.3

## 釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/04/07 01	197.6	4.1	1.2	2.6	10.6	6.0	5.0	24.5	28.2
2020/04/07 02	253.3	5.1	1.2	4.7	11.4	5.0	6.2	25.6	25.1
2020/04/07 03	265.5	4.2	1.2	4.5	9.5	7.0	5.1	24.6	24.8
2020/04/07 04	272.5	4.0	0.2	3.7	11.5	5.0	8.0	24.5	25.3
2020/04/07 05	250.5	5.1	1.2	4.5	9.5	7.0	3.0	25.6	24.8
2020/04/07 06	232.5	4.1	1.3	2.7	11.5	5.0	7.1	25.6	25.3
2020/04/07 07	89.6	4.0	1.2	4.6	10.5	6.0	5.9	24.6	23.9
2020/04/07 08	36.6	10.4	6.5	17.0	13.5	7.0	7.1	25.6	28.7
2020/04/07 09	44.5	24.6	10.1	24.3	19.7	9.0	11.4	26.5	81.1
2020/04/07 10	42.8	22.1	22.9	31.1	20.6	12.0	17.8	29.6	88.2
2020/04/07 11	42.7	24.0	21.0	29.1	22.7	9.0	33.5	29.5	85.8
2020/04/07 12	38.8	22.0	0.3	18.0	19.6	10.0	38.2	27.5	48.8
2020/04/07 13	37.6	23.0	0.2	12.0	17.7	9.0	10.0	28.5	69.6
2020/04/07 14	37.5	25.0	0.2	12.9	19.6	13.0	11.4	27.4	73.5
2020/04/07 15	43.7	21.0	0.2	14.1	22.1	10.0	9.9	25.5	75.1
2020/04/07 16	48.0	27.0	3.3	13.0	21.8	11.0	14.2	25.4	76.1
2020/04/07 17	53.6	24.2	4.2	9.9	18.7	13.0	10.1	25.5	76.9
2020/04/07 18	35.6	8.0	4.2	10.6	18.6	15.0	10.6	24.5	43.7
2020/04/07 19	27.5	8.2	4.2	6.6	16.5	12.0	6.2	25.6	32.3
2020/04/07 20	27.2	7.1	3.2	6.7	15.5	15.0	5.9	26.5	33.6
2020/04/07 21	23.6	6.1	1.2	4.6	16.5	9.0	5.0	25.5	31.2
2020/04/07 22	22.5	4.1	1.3	4.6	13.2	4.0	6.0	25.6	26.4
2020/04/07 23	28.5	5.1	0.2	3.6	13.1	5.0	6.2	23.5	24.0
2020/04/08 00	121.2	4.1	1.2	4.6	11.2	6.0	5.8	25.6	26.1
2020/04/08 01	194.6	4.1	1.2	3.7	11.5	5.0	5.0	24.6	26.1
2020/04/08 02	245.5	5.1	1.2	3.5	10.5	5.0	7.1	25.6	25.0
2020/04/08 03	263.5	4.1	0.2	4.6	10.5	5.0	6.9	25.5	24.9
2020/04/08 04	263.6	4.1	1.3	2.7	10.4	5.0	6.1	23.6	25.0
2020/04/08 05	249.5	5.1	1.3	4.5	10.5	5.0	5.0	25.6	23.1
2020/04/08 06	223.5	4.1	1.2	1.7	11.5	4.0	7.0	25.7	25.8
2020/04/08 07	86.5	5.0	0.2	3.5	9.5	6.0	6.0	25.6	23.7
2020/04/08 08	35.5	11.1	9.5	9.2	14.5	7.0	9.4	25.6	25.3
2020/04/08 09	37.6	21.1	15.1	14.1	18.7	12.0	100.3	26.5	101.7
2020/04/08 10	40.9	28.0	16.8	16.3	25.7	14.0	131.1	26.5	118.5
2020/04/08 11	36.9	32.0	13.1	16.2	25.7	7.0	129.3	26.4	123.1
2020/04/08 12	38.6	27.0	17.8	18.4	25.8	10.0	99.8	25.4	116.2
2020/04/08 13	39.5	21.0	16.7	20.9	21.9	13.0	104.4	27.5	113.2
2020/04/08 14	41.5	19.0	14.9	20.5	27.2	14.0	54.0	25.4	112.6
2020/04/08 15	36.2	23.0	15.5	20.6	26.2	9.0	46.0	25.4	105.8
2020/04/08 16	39.5	23.0	10.2	19.4	25.2	13.0	44.1	24.5	75.7
2020/04/08 17	45.5	20.1	9.2	16.7	24.2	12.0	42.3	25.5	78.5
2020/04/08 18	29.6	8.1	3.3	13.5	19.8	10.0	4.9	25.5	93.0
2020/04/08 19	28.3	9.1	5.2	10.7	17.8	4.0	8.1	25.5	98.4
2020/04/08 20	22.5	7.1	4.2	7.6	14.7	7.0	6.9	26.5	35.1
2020/04/08 21	21.5	6.1	2.2	4.6	13.7	5.0	5.0	25.6	32.4
2020/04/08 22	19.2	4.1	1.2	4.6	11.6	5.0	6.0	24.6	27.7
2020/04/08 23	21.8	5.1	1.2	3.6	10.6	6.0	6.1	25.5	27.7
2020/04/09 00	120.8	5.1	1.4	3.7	10.6	5.0	4.9	24.5	26.8
2020/04/09 01	195.8	4.1	1.2	3.6	10.6	5.0	5.0	24.6	28.3
2020/04/09 02	251.5	5.1	0.2	3.6	11.5	6.0	6.1	25.5	28.5
2020/04/09 03	269.6	4.1	1.2	3.7	10.5	3.0	6.8	25.6	27.2
2020/04/09 04	270.5	5.1	1.2	3.5	10.6	7.0	7.1	24.6	26.9
2020/04/09 05	256.2	4.1	1.2	3.7	10.5	5.0	4.1	24.6	26.1
2020/04/09 06	229.6	5.1	1.2	3.5	11.6	4.0	6.0	25.6	24.3
2020/04/09 07	90.6	4.1	0.3	3.8	10.5	7.0	5.9	25.6	27.2
2020/04/09 08	34.2	11.4	11.2	8.2	12.5	4.0	7.8	24.5	27.7
2020/04/09 09	43.5	24.1	17.1	14.3	20.7	35.0	35.4	25.6	95.0
2020/04/09 10	44.6	29.0	12.9	18.2	23.6	38.0	19.5	25.6	112.1
2020/04/09 11	41.5	25.0	12.3	17.7	26.6	38.0	38.4	24.5	116.9
2020/04/09 12	45.2	20.0	13.9	17.0	26.6	38.0	44.4	25.6	113.5
2020/04/09 13	43.5	21.0	16.8	17.6	21.9	41.0	45.9	25.6	114.4
2020/04/09 14	45.6	26.0	16.4	19.6	27.8	35.0	86.5	25.6	116.3
2020/04/09 15	49.5	33.0	10.2	18.7	26.8	35.0	92.1	25.5	115.9
2020/04/09 16	49.6	32.0	4.3	20.4	27.0	31.0	102.5	24.6	116.6
2020/04/09 17	49.5	27.0	4.2	17.6	22.9	21.0	58.7	25.6	116.3
2020/04/09 18	29.5	11.1	4.2	15.5	18.7	20.0	7.5	25.6	114.9
2020/04/09 19	25.6	7.2	4.2	11.6	17.6	5.0	6.9	25.6	106.9
2020/04/09 20	22.5	8.1	4.3	10.6	16.6	5.0	7.1	26.7	40.8
2020/04/09 21	22.5	5.1	1.2	5.5	14.6	6.0	5.0	25.6	33.6
2020/04/09 22	23.6	5.1	1.1	4.7	11.7	6.0	5.1	25.7	26.7
2020/04/09 23	21.3	5.1	1.3	2.6	10.5	4.0	7.0	23.6	29.6
2020/04/10 00	120.5	4.1	0.3	4.6	10.5	6.0	7.0	25.6	26.5

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/04/10 01	198.6	4.1	1.2	3.6	11.6	4.0	6.1	24.6	28.3
2020/04/10 02	241.5	5.1	1.2	3.6	10.5	7.0	6.0	25.6	26.2
2020/04/10 03	261.3	4.1	1.2	3.7	10.4	5.0	5.9	24.7	27.0
2020/04/10 04	269.5	4.1	1.2	2.5	10.5	4.0	5.2	25.6	26.2
2020/04/10 05	244.5	5.1	1.3	4.7	11.5	6.0	6.1	25.6	25.1
2020/04/10 06	226.5	4.1	0.2	3.5	10.5	4.0	5.0	25.7	27.1
2020/04/10 07	91.0	4.0	1.2	2.7	10.6	6.0	7.1	23.6	25.0
2020/04/10 08	34.9	9.5	11.8	10.0	13.5	6.0	8.0	26.6	26.6
2020/04/10 09	45.5	28.4	17.9	15.2	22.0	35.0	64.1	24.6	81.9
2020/04/10 10	49.5	27.0	15.0	18.1	24.9	42.0	95.2	25.6	128.1
2020/04/10 11	50.0	25.0	11.8	19.1	24.6	37.0	94.1	26.6	135.0
2020/04/10 12	47.6	24.0	14.1	22.3	24.7	38.0	42.4	25.5	133.2
2020/04/10 13	48.6	27.0	16.8	19.0	26.3	40.0	29.5	26.5	121.3
2020/04/10 14	47.6	28.1	15.2	23.3	28.8	37.0	26.5	26.3	123.7
2020/04/10 15	47.5	29.0	22.2	28.0	26.9	33.0	47.4	25.5	121.0
2020/04/10 16	49.5	32.0	19.1	34.9	28.4	35.0	51.6	25.6	120.4
2020/04/10 17	53.5	21.0	6.2	23.6	28.4	36.0	56.0	25.5	118.8
2020/04/10 18	32.5	8.1	3.2	13.9	19.8	25.0	11.2	24.6	118.6
2020/04/10 19	25.6	8.1	4.2	9.0	18.7	10.0	5.9	25.6	109.2
2020/04/10 20	23.5	6.1	2.3	8.9	15.9	6.0	6.1	26.6	35.6
2020/04/10 21	20.5	5.1	1.2	4.7	15.6	6.0	10.0	25.6	26.2
2020/04/10 22	24.6	5.1	0.2	4.5	12.6	5.0	5.1	24.6	27.7
2020/04/10 23	17.5	4.1	1.2	3.7	11.6	6.0	5.1	24.6	26.5
2020/04/11 00	73.5	4.1	1.2	3.7	10.5	6.0	9.0	25.6	26.3
2020/04/11 01	90.6	4.2	1.2	3.5	11.5	4.0	4.0	24.6	27.3
2020/04/11 02	92.5	4.1	1.2	3.7	10.5	6.0	6.1	25.6	27.1
2020/04/11 03	89.5	4.1	1.3	3.5	9.5	5.0	8.0	24.6	26.0
2020/04/11 04	93.5	5.0	0.2	3.7	11.5	5.0	5.1	24.6	26.0
2020/04/11 05	78.5	4.1	1.2	3.5	11.5	5.0	7.1	25.6	25.2
2020/04/11 06	74.5	4.1	1.2	2.7	10.5	5.0	7.0	25.6	26.8
2020/04/11 07	40.6	4.0	0.3	2.6	10.5	6.0	5.1	24.6	23.9
2020/04/11 08	17.5	9.0	0.2	3.6	10.6	4.0	9.3	25.5	52.7
2020/04/11 09	10.6	15.0	0.3	4.6	12.5	10.0	124.1	26.6	99.6
2020/04/11 10	15.5	16.0	0.2	4.6	14.5	14.0	249.5	27.6	119.6
2020/04/11 11	12.5	18.0	0.2	4.6	15.5	12.0	111.0	25.5	121.5
2020/04/11 12	10.5	17.0	0.2	5.6	14.5	19.0	91.2	26.6	122.1
2020/04/11 13	12.5	14.0	0.2	6.8	14.6	17.0	80.3	26.5	121.3
2020/04/11 14	20.5	15.0	0.2	3.8	15.6	18.0	95.3	25.6	107.6
2020/04/11 15	11.5	14.0	0.2	6.5	14.6	11.0	104.2	24.6	80.6
2020/04/11 16	16.5	10.0	0.3	5.7	14.7	11.0	87.1	25.6	79.3
2020/04/11 17	14.7	5.0	0.2	6.2	13.7	12.0	37.1	25.6	99.3
2020/04/11 18	23.5	6.1	1.2	6.7	12.6	8.0	6.1	24.6	109.4
2020/04/11 19	18.5	6.1	1.3	4.6	12.7	6.0	5.0	25.6	104.5
2020/04/11 20	22.5	10.1	0.2	4.6	12.6	5.0	7.0	26.6	42.3
2020/04/11 21	18.5	5.1	1.2	3.7	11.6	5.0	7.0	25.6	27.5
2020/04/11 22	18.5	4.1	1.3	4.6	11.6	6.0	6.2	24.5	27.5
2020/04/11 23	23.6	4.1	0.2	4.6	11.5	5.0	5.0	25.6	29.4
2020/04/12 00	88.6	4.2	1.2	2.6	10.5	4.0	7.9	24.6	26.5
2020/04/12 01	145.5	4.1	2.2	4.7	11.5	6.0	5.1	25.6	26.3
2020/04/12 02	148.5	4.1	0.2	2.6	11.5	5.0	6.1	24.6	27.3
2020/04/12 03	152.5	5.1	1.2	4.6	11.4	4.0	7.1	24.6	26.1
2020/04/12 04	147.6	4.1	1.3	3.7	12.5	6.0	7.0	24.6	25.2
2020/04/12 05	135.5	4.1	1.3	2.5	11.4	5.0	7.0	25.6	25.1
2020/04/12 06	135.5	4.0	0.1	4.7	12.5	3.0	4.2	24.6	26.9
2020/04/12 07	56.5	4.0	0.3	1.5	12.5	8.0	7.9	25.6	27.0
2020/04/12 08	18.6	4.0	0.2	2.7	12.6	5.0	11.5	25.5	46.6
2020/04/12 09	13.5	4.0	0.2	2.7	13.6	30.0	37.1	24.6	96.9
2020/04/12 10	15.5	4.0	0.3	2.5	15.6	28.0	29.1	25.6	110.0
2020/04/12 11	13.6	4.0	0.2	2.7	17.5	31.0	42.3	24.5	112.2
2020/04/12 12	13.5	5.0	0.2	2.5	16.6	29.0	34.3	25.6	116.6
2020/04/12 13	13.5	4.0	0.2	2.7	16.6	27.0	44.3	25.6	117.6
2020/04/12 14	24.5	4.0	0.2	2.5	16.7	26.0	44.3	25.5	113.6
2020/04/12 15	14.5	4.0	0.3	2.7	15.7	28.0	45.2	24.5	117.4
2020/04/12 16	20.5	4.0	1.3	3.6	15.8	30.0	45.3	24.5	117.2
2020/04/12 17	18.5	4.0	0.2	4.6	12.7	28.0	46.9	24.6	116.5
2020/04/12 18	21.5	5.1	1.2	4.6	10.6	12.0	5.0	25.5	112.1
2020/04/12 19	19.6	5.1	1.2	5.6	11.6	8.0	8.0	25.6	105.2
2020/04/12 20	18.6	6.2	0.2	3.7	12.6	7.0	6.1	25.6	39.4
2020/04/12 21	18.5	5.1	1.2	5.5	11.6	4.0	5.0	25.5	27.8
2020/04/12 22	19.5	4.1	1.3	3.7	10.6	5.0	5.0	24.6	27.5
2020/04/12 23	30.5	4.1	1.2	4.7	12.6	6.0	5.0	24.6	27.8
2020/04/13 00	154.5	5.1	0.2	3.5	10.5	4.0	7.0	25.5	27.4

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/04/13 01	221.5	4.1	1.3	2.7	11.6	6.0	4.2	24.6	26.4
2020/04/13 02	249.5	4.1	1.2	4.5	12.5	4.0	6.9	24.5	28.4
2020/04/13 03	269.6	4.1	1.2	2.7	12.4	5.0	5.0	24.5	26.1
2020/04/13 04	258.5	4.1	1.3	4.6	11.5	6.0	8.1	25.6	26.3
2020/04/13 05	247.6	4.1	0.2	3.6	12.4	4.0	5.0	24.5	25.3
2020/04/13 06	223.5	4.1	1.2	2.7	12.5	5.0	5.0	25.6	25.2
2020/04/13 07	86.5	4.1	2.2	3.5	11.5	7.0	5.9	24.5	27.1
2020/04/13 08	47.5	13.6	15.5	13.3	15.6	4.0	7.6	24.6	27.8
2020/04/13 09	53.6	21.9	24.1	20.2	22.9	28.0	135.2	25.5	94.7
2020/04/13 10	62.5	23.8	26.9	24.2	31.1	45.0	207.9	24.5	127.2
2020/04/13 11	66.1	23.7	25.5	26.1	32.8	48.0	89.4	24.6	134.7
2020/04/13 12	60.7	22.7	27.1	26.2	34.7	45.0	86.9	24.5	135.4
2020/04/13 13	55.6	21.7	23.8	25.3	29.1	45.0	165.2	25.5	135.5
2020/04/13 14	66.6	24.7	23.8	26.1	34.8	46.0	249.3	24.5	131.6
2020/04/13 15	61.5	24.9	32.0	28.2	34.9	43.0	207.3	24.5	129.3
2020/04/13 16	41.5	33.3	28.9	26.2	34.8	46.0	192.0	25.6	130.3
2020/04/13 17	29.5	22.1	13.3	23.2	27.7	43.0	99.8	24.5	129.9
2020/04/13 18	32.5	11.1	7.2	18.2	20.5	32.0	13.9	24.5	130.4
2020/04/13 19	25.6	9.1	6.2	19.1	17.6	15.0	6.1	26.6	119.3
2020/04/13 20	22.6	8.1	3.2	17.2	13.8	7.0	8.2	25.5	46.6
2020/04/13 21	15.5	5.1	1.3	11.0	12.7	4.0	7.1	25.5	30.4
2020/04/13 22	16.5	5.1	1.2	7.2	10.8	7.0	7.1	24.5	27.5
2020/04/13 23	21.5	4.1	1.2	6.1	12.7	5.0	7.2	24.5	27.5
2020/04/14 00	125.6	5.1	1.3	5.2	10.7	3.0	9.0	25.5	27.3
2020/04/14 01	203.5	4.1	1.2	5.1	11.7	6.0	5.2	24.4	26.1
2020/04/14 02	245.6	4.1	0.2	6.2	11.6	6.0	6.0	24.5	26.2
2020/04/14 03	260.5	5.1	1.2	7.2	11.7	3.0	7.2	24.5	25.9
2020/04/14 04	263.5	4.1	1.2	5.0	12.6	6.0	6.1	25.5	25.0
2020/04/14 05	243.5	4.1	1.2	5.2	11.7	5.0	7.1	24.5	26.1
2020/04/14 06	223.6	5.1	1.3	5.0	13.7	5.0	10.2	24.6	25.6
2020/04/14 07	87.5	4.0	1.2	7.1	13.7	6.0	4.0	25.5	26.0
2020/04/14 08	36.5	14.6	12.6	16.1	15.7	5.0	8.0	25.5	26.4
2020/04/14 09	42.5	27.2	16.1	24.2	22.5	40.0	11.7	23.4	103.6
2020/04/14 10	44.5	27.1	16.8	27.1	25.7	41.0	13.9	26.5	121.5
2020/04/14 11	40.6	27.0	13.3	27.3	24.5	40.0	14.3	26.4	123.9
2020/04/14 12	36.6	33.0	17.6	29.6	25.1	36.0	11.3	26.4	126.3
2020/04/14 13	38.5	30.0	16.9	24.3	18.6	26.0	10.2	24.4	127.5
2020/04/14 14	50.5	28.0	23.8	23.6	22.2	23.0	13.3	25.3	121.9
2020/04/14 15	51.5	27.0	19.7	15.9	21.3	24.0	11.2	25.5	113.3
2020/04/14 16	41.5	32.0	18.5	13.2	22.2	24.0	11.6	24.5	91.9
2020/04/14 17	33.5	23.0	17.5	14.2	18.6	23.0	12.4	25.4	123.1
2020/04/14 18	31.7	7.0	5.4	12.9	18.6	27.0	9.4	24.6	113.8
2020/04/14 19	27.5	8.1	3.1	12.0	16.5	9.0	5.1	25.5	100.5
2020/04/14 20	22.5	6.1	3.2	5.6	14.8	5.0	6.0	25.5	33.9
2020/04/14 21	23.5	6.1	3.2	5.6	14.8	5.0	6.1	25.6	33.5
2020/04/14 22	20.5	4.2	3.2	5.7	11.8	6.0	6.1	25.5	32.1
2020/04/14 23	23.5	5.1	3.2	3.5	10.7	5.0	7.1	24.6	32.5
2020/04/15 00	120.6	4.1	3.3	3.7	11.7	6.0	6.9	24.5	29.3
2020/04/15 01	87.6	4.1	3.3	3.6	10.7	4.0	6.0	24.5	26.3
2020/04/15 02	91.5	5.1	3.2	3.6	11.6	5.0	5.1	25.6	26.2
2020/04/15 03	90.5	4.1	3.2	4.6	11.6	7.0	7.1	25.5	27.1
2020/04/15 04	87.5	4.1	3.2	3.7	10.6	3.0	4.0	23.6	24.6
2020/04/15 05	77.5	5.0	3.2	3.6	11.7	5.0	10.1	25.6	24.0
2020/04/15 06	70.6	4.1	3.2	3.6	10.6	6.0	6.0	25.5	27.0
2020/04/15 07	47.5	4.0	2.3	4.8	11.7	5.0	5.2	23.6	25.0
2020/04/15 08	34.5	12.3	13.0	10.2	14.7	5.0	7.1	25.5	28.6
2020/04/15 09	39.6	25.2	17.8	25.5	22.4	33.0	135.6	27.5	104.7
2020/04/15 10	40.5	23.0	17.8	25.3	27.3	33.0	212.7	26.5	118.0
2020/04/15 11	42.6	18.0	12.9	28.7	26.4	34.0	157.1	25.5	128.1
2020/04/15 12	46.5	19.0	12.2	23.2	26.9	29.0	95.4	26.5	127.5
2020/04/15 13	41.5	21.0	10.2	20.3	26.6	27.0	124.4	25.4	121.4
2020/04/15 14	45.5	26.0	10.2	22.1	26.9	24.0	158.6	26.4	94.8
2020/04/15 15	44.6	28.0	10.3	25.0	24.7	24.0	151.3	24.4	85.2
2020/04/15 16	32.6	29.0	12.2	24.5	25.7	22.0	163.0	25.4	86.5
2020/04/15 17	28.5	22.1	8.2	19.3	20.7	28.0	48.5	24.5	92.4
2020/04/15 18	28.5	7.0	5.2	16.5	17.6	25.0	11.0	25.5	110.1
2020/04/15 19	23.5	10.1	3.2	14.4	15.9	6.0	4.8	24.5	106.1
2020/04/15 20	16.5	8.1	2.2	11.5	14.9	5.0	6.1	26.6	37.5
2020/04/15 21	12.5	5.2	1.2	6.8	12.7	6.0	7.1	25.5	30.4
2020/04/15 22	11.5	4.1	0.3	4.6	11.9	5.0	4.9	24.6	27.5
2020/04/15 23	9.7	5.1	1.2	3.6	11.7	6.0	6.1	24.5	26.5
2020/04/16 00	8.5	4.1	1.2	4.5	9.7	4.0	6.1	25.6	27.3

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/04/16 01	9.5	4.1	1.2	2.7	11.7	5.0	7.0	24.5	26.2
2020/04/16 02	9.5	4.1	0.2	3.5	10.6	6.0	5.0	24.6	25.1
2020/04/16 03	8.5	4.1	1.2	3.7	9.7	3.0	7.1	25.6	26.1
2020/04/16 04	10.5	4.1	1.3	3.5	11.7	6.0	7.2	24.6	25.7
2020/04/16 05	9.5	4.1	1.2	1.6	10.7	5.0	5.9	25.6	24.9
2020/04/16 06	8.5	4.0	0.3	4.6	10.7	4.0	5.0	24.6	26.1
2020/04/16 07	12.5	4.0	1.2	3.7	10.8	6.0	8.0	25.6	24.9
2020/04/16 08	26.5	15.1	6.3	8.2	13.7	6.0	6.4	24.6	31.3
2020/04/16 09	36.6	28.0	18.1	17.7	20.7	5.0	124.5	25.6	88.8
2020/04/16 10	35.6	24.1	20.0	25.9	23.4	6.0	234.6	25.6	124.1
2020/04/16 11	36.5	20.0	15.8	23.9	23.3	5.0	244.6	24.6	130.8
2020/04/16 12	38.5	22.0	11.3	20.4	24.4	5.0	245.3	25.7	126.6
2020/04/16 13	38.5	21.0	11.2	25.0	22.9	5.0	100.7	25.6	126.5
2020/04/16 14	38.6	24.0	13.2	27.4	27.0	5.0	102.5	25.7	127.0
2020/04/16 15	35.5	24.0	9.2	26.8	27.4	5.0	161.7	25.6	124.3
2020/04/16 16	40.6	26.1	6.2	22.1	25.1	5.0	151.9	24.7	122.6
2020/04/16 17	35.5	21.0	1.2	17.0	23.7	5.0	76.1	25.6	124.0
2020/04/16 18	31.6	8.1	2.3	15.7	19.7	6.0	11.2	24.7	122.8
2020/04/16 19	20.5	12.1	3.2	13.0	15.6	5.0	4.1	26.6	101.8
2020/04/16 20	16.5	9.1	1.3	9.8	14.6	7.0	8.0	25.7	34.0
2020/04/16 21	12.5	7.1	1.2	6.6	13.6	4.0	4.9	25.7	32.5
2020/04/16 22	9.6	4.1	1.2	5.5	10.6	7.0	6.0	24.7	34.7
2020/04/16 23	7.6	5.1	1.2	2.7	10.5	5.0	6.2	25.6	32.7
2020/04/17 00	11.5	5.2	0.2	3.7	11.6	3.0	6.1	24.7	33.3
2020/04/17 01	9.5	4.1	1.3	4.5	10.5	6.0	5.9	25.7	30.1
2020/04/17 02	8.5	5.1	1.2	2.7	10.5	5.0	6.1	24.7	27.3
2020/04/17 03	9.5	4.1	1.2	4.6	10.5	4.0	4.1	25.7	26.1
2020/04/17 04	10.7	5.1	1.2	1.6	11.5	6.0	8.9	24.6	26.2
2020/04/17 05	9.5	4.1	1.2	3.6	10.5	5.0	5.0	25.7	25.2
2020/04/17 06	9.5	5.0	0.2	4.6	10.5	5.0	6.0	25.7	25.0
2020/04/17 07	13.5	4.0	0.4	4.0	11.6	5.0	7.1	24.7	26.1
2020/04/17 08	24.5	13.1	8.6	8.1	12.5	5.0	7.5	25.7	26.6
2020/04/17 09	33.5	26.0	15.0	14.2	21.7	14.0	132.0	25.6	75.4
2020/04/17 10	33.6	23.0	14.9	17.8	25.8	19.0	233.1	27.6	122.0
2020/04/17 11	34.5	21.0	14.4	19.5	31.9	16.0	202.0	25.7	122.8
2020/04/17 12	33.5	18.0	6.3	18.1	28.8	16.0	96.4	26.6	124.0
2020/04/17 13	33.6	18.0	10.2	18.5	23.0	23.0	85.4	25.6	126.8
2020/04/17 14	42.5	22.0	12.2	25.3	29.6	26.0	80.5	25.6	122.0
2020/04/17 15	43.6	21.0	10.2	27.2	32.3	24.0	76.7	25.7	99.0
2020/04/17 16	30.5	17.0	12.2	21.3	28.8	25.0	79.4	25.6	87.2
2020/04/17 17	21.5	21.0	6.2	14.2	25.6	27.0	70.4	24.6	103.8
2020/04/17 18	20.5	8.1	3.3	12.3	17.5	29.0	19.2	24.6	119.2
2020/04/17 19	17.6	9.1	2.2	9.9	15.6	24.0	6.0	26.7	103.4
2020/04/17 20	14.5	6.1	2.2	6.7	12.6	27.0	7.0	26.7	32.7
2020/04/17 21	15.6	5.1	2.2	4.7	10.7	24.0	6.1	25.7	27.6
2020/04/17 22	12.5	5.1	1.2	4.6	11.6	28.0	5.0	24.6	27.7
2020/04/17 23	9.5	5.1	1.2	3.6	10.5	27.0	7.0	25.7	27.6
2020/04/18 00	8.5	4.1	1.2	3.6	10.6	14.0	5.1	24.7	27.5
2020/04/18 01	10.5	5.2	0.3	3.6	11.4	7.0	5.0	25.7	26.1
2020/04/18 02	12.6	4.0	1.2	2.7	10.5	3.0	6.9	24.6	25.2
2020/04/18 03	9.6	4.1	1.3	4.5	10.5	6.0	6.2	25.7	27.1
2020/04/18 04	12.5	5.1	1.1	3.7	11.4	6.0	6.0	24.6	23.7
2020/04/18 05	10.5	4.1	1.3	3.5	10.5	3.0	2.9	24.6	26.0
2020/04/18 06	11.5	5.2	0.2	3.7	10.5	7.0	6.9	25.7	26.0
2020/04/18 07	10.5	4.0	1.3	1.5	12.5	6.0	6.2	25.6	26.1
2020/04/18 08	11.5	4.1	1.2	5.7	9.6	4.0	4.9	25.6	26.5
2020/04/18 09	10.5	5.2	0.2	5.6	12.8	15.0	29.4	27.6	52.4
2020/04/18 10	17.7	5.0	1.2	4.6	16.2	38.0	47.2	27.6	80.7
2020/04/18 11	12.5	6.0	0.2	4.6	16.2	36.0	75.3	26.6	127.5
2020/04/18 12	11.5	6.0	0.2	3.6	14.7	33.0	89.4	27.6	125.0
2020/04/18 13	10.5	6.0	0.2	4.6	13.8	33.0	213.0	28.6	125.4
2020/04/18 14	15.5	6.0	1.3	5.6	14.8	35.0	216.7	26.6	123.8
2020/04/18 15	11.5	5.1	1.2	4.7	15.7	37.0	174.4	27.5	122.1
2020/04/18 16	9.5	6.2	0.2	5.7	17.8	37.0	138.5	25.6	83.0
2020/04/18 17	11.7	5.4	1.2	4.5	13.8	35.0	49.9	24.6	49.4
2020/04/18 18	10.5	6.1	1.2	6.7	11.6	33.0	8.0	24.6	39.5
2020/04/18 19	10.5	8.2	0.3	4.5	11.5	12.0	6.1	25.5	27.4
2020/04/18 20	12.5	5.4	1.3	5.7	12.5	4.0	4.1	25.6	25.2
2020/04/18 21	11.5	6.3	1.2	4.5	11.5	6.0	8.1	25.6	26.0
2020/04/18 22	10.5	4.3	1.2	4.6	11.4	7.0	6.1	24.5	25.4
2020/04/18 23	10.6	5.1	0.2	3.7	11.5	4.0	5.0	24.6	26.3
2020/04/19 00	12.5	4.2	1.2	3.5	11.5	5.0	6.2	24.5	27.3

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/04/19 01	9.6	4.1	1.2	4.7	12.4	7.0	6.2	24.6	26.1
2020/04/19 02	12.5	5.2	0.3	3.5	10.5	3.0	8.1	24.5	26.2
2020/04/19 03	10.5	4.1	1.2	4.7	12.4	5.0	6.2	25.5	23.8
2020/04/19 04	11.5	4.1	1.2	4.5	10.4	7.0	3.9	23.6	26.0
2020/04/19 05	11.6	5.2	0.2	2.7	12.4	4.0	7.2	25.5	25.1
2020/04/19 06	11.5	4.3	1.2	5.5	12.4	6.0	6.3	23.6	27.1
2020/04/19 07	11.5	5.4	1.2	2.7	12.5	5.0	5.9	25.6	25.0
2020/04/19 08	13.6	4.3	0.2	4.7	11.5	6.0	7.3	24.5	45.4
2020/04/19 09	13.5	4.1	1.4	4.5	14.7	40.0	47.3	25.6	82.4
2020/04/19 10	14.5	5.0	0.2	2.6	20.1	49.0	23.2	24.6	115.5
2020/04/19 11	10.6	5.0	0.2	3.6	21.2	46.0	52.0	25.6	129.5
2020/04/19 12	11.5	5.0	0.2	2.6	21.0	42.0	79.9	25.6	129.9
2020/04/19 13	9.5	6.0	0.2	3.6	19.1	45.0	77.4	25.6	124.3
2020/04/19 14	10.5	5.0	0.2	2.6	20.0	50.0	77.6	25.6	127.7
2020/04/19 15	13.5	5.1	0.3	4.7	17.9	44.0	77.4	25.6	118.8
2020/04/19 16	10.5	5.0	0.2	2.5	17.6	39.0	79.7	24.7	51.6
2020/04/19 17	10.7	4.0	1.2	3.7	13.7	19.0	37.7	25.6	44.2
2020/04/19 18	12.5	5.1	1.2	3.5	14.5	8.0	5.2	24.6	36.5
2020/04/19 19	11.5	5.1	0.3	3.7	15.5	6.0	7.0	25.7	27.4
2020/04/19 20	12.5	6.1	1.2	6.5	14.5	6.0	6.9	25.6	26.4
2020/04/19 21	11.5	6.1	1.3	3.7	13.5	5.0	6.3	25.7	26.2
2020/04/19 22	12.5	4.2	1.2	5.7	14.5	7.0	9.0	24.6	26.3
2020/04/19 23	10.7	5.1	0.2	3.5	15.5	4.0	4.0	24.7	27.5
2020/04/20 00	13.5	4.1	1.2	3.7	13.5	4.0	6.0	24.6	27.3
2020/04/20 01	9.5	4.1	1.2	3.6	14.5	7.0	6.1	25.6	26.1
2020/04/20 02	9.5	5.1	0.4	3.7	14.5	4.0	7.2	24.7	26.3
2020/04/20 03	10.6	4.1	1.2	3.5	13.5	5.0	6.0	24.6	26.1
2020/04/20 04	7.5	4.1	1.2	4.7	15.4	6.0	5.9	25.6	26.1
2020/04/20 05	10.6	5.1	1.2	2.6	15.4	4.0	8.1	23.6	26.2
2020/04/20 06	10.5	4.1	0.2	3.6	14.5	5.0	7.0	25.6	24.8
2020/04/20 07	19.6	5.1	2.2	7.2	15.5	7.0	5.1	24.6	27.1
2020/04/20 08	31.5	15.9	15.0	10.1	18.6	4.0	8.4	25.6	32.6
2020/04/20 09	51.8	35.1	22.9	25.3	28.0	37.0	82.6	27.6	80.0
2020/04/20 10	52.8	31.9	26.0	29.0	37.5	42.0	131.1	25.6	123.1
2020/04/20 11	55.4	31.8	35.9	27.2	37.4	38.0	124.5	24.6	135.6
2020/04/20 12	55.5	32.5	33.9	24.2	33.0	38.0	127.9	24.6	133.7
2020/04/20 13	50.8	38.1	22.0	23.3	27.1	38.0	127.4	25.5	135.6
2020/04/20 14	57.3	41.0	34.5	30.2	37.0	38.0	155.5	24.6	133.1
2020/04/20 15	53.8	37.0	38.0	29.1	33.0	34.0	168.9	24.5	129.8
2020/04/20 16	58.0	40.1	20.9	25.3	26.9	36.0	72.6	24.5	85.8
2020/04/20 17	54.6	34.2	7.2	19.0	24.0	17.0	22.6	24.5	57.5
2020/04/20 18	28.6	8.1	5.2	18.3	18.8	10.0	7.6	24.5	51.1
2020/04/20 19	20.5	8.1	3.2	14.3	16.4	4.0	8.1	26.5	33.6
2020/04/20 20	16.5	8.1	2.4	8.6	13.6	6.0	5.9	24.5	34.6
2020/04/20 21	12.5	5.1	1.2	7.6	12.5	5.0	5.0	26.5	30.5
2020/04/20 22	12.6	5.2	1.2	5.6	10.5	5.0	6.0	23.4	23.8
2020/04/20 23	10.6	5.1	1.2	4.6	9.5	5.0	4.0	25.5	26.3
2020/04/21 00	8.5	4.1	1.2	2.6	11.5	5.0	6.0	23.5	26.5
2020/04/21 01	8.5	5.1	0.2	4.7	10.5	5.0	4.0	24.4	27.4
2020/04/21 02	10.5	5.1	1.3	3.6	10.5	5.0	6.0	24.4	28.6
2020/04/21 03	8.6	4.1	1.2	2.6	10.5	5.0	9.0	24.5	24.1
2020/04/21 04	14.5	5.1	1.2	4.7	9.4	5.0	4.0	24.4	27.2
2020/04/21 05	7.5	4.1	1.2	1.5	11.5	5.0	4.9	24.5	26.4
2020/04/21 06	10.6	5.0	1.2	4.7	9.5	6.0	7.0	24.5	25.1
2020/04/21 07	13.5	4.0	1.2	2.5	11.5	5.0	4.0	24.5	27.1
2020/04/21 08	28.5	12.4	13.1	9.3	13.5	5.0	5.9	25.4	25.8
2020/04/21 09	39.5	27.5	19.9	17.2	19.5	12.0	10.9	24.5	85.1
2020/04/21 10	47.6	28.7	24.8	25.9	22.6	33.0	18.4	24.4	81.5
2020/04/21 11	53.4	25.3	29.7	21.7	23.7	29.0	19.1	18.5	84.0
2020/04/21 12	48.7	24.0	24.4	29.8	23.7	31.0	18.6	17.4	83.4
2020/04/21 13	50.4	28.0	22.8	27.3	19.9	27.0	15.5	19.4	79.8
2020/04/21 14	53.6	29.0	35.8	28.0	28.0	27.0	18.8	17.4	83.4
2020/04/21 15	49.6	24.0	26.7	22.8	26.2	27.0	18.6	18.4	73.1
2020/04/21 16	45.6	30.0	22.2	20.6	23.0	30.0	19.0	17.5	72.7
2020/04/21 17	46.5	23.0	7.2	14.6	23.8	27.0	18.7	18.4	72.6
2020/04/21 18	25.5	9.1	5.2	10.6	18.5	20.0	11.5	18.5	46.9
2020/04/21 19	16.5	13.1	5.2	11.6	18.6	5.0	8.9	18.5	33.6
2020/04/21 20	14.5	11.1	3.3	4.7	16.6	6.0	7.0	19.5	32.5
2020/04/21 21	13.6	6.1	2.2	4.5	13.6	5.0	4.9	18.5	29.3
2020/04/21 22	10.6	5.1	0.2	4.7	12.6	5.0	6.0	17.5	27.1
2020/04/21 23	9.5	4.1	1.2	2.6	10.5	7.0	8.1	19.5	26.3
2020/04/22 00	8.5	5.1	1.2	4.6	10.5	3.0	5.0	17.5	26.5

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/04/22 01	9.5	4.1	1.2	2.7	11.5	5.0	6.0	17.5	26.3
2020/04/22 02	11.5	5.1	1.2	3.5	10.5	7.0	7.0	18.5	26.3
2020/04/22 03	11.7	4.1	0.3	3.7	11.5	3.0	6.9	18.4	26.4
2020/04/22 04	7.5	5.1	1.2	3.6	10.4	5.0	7.1	17.5	26.1
2020/04/22 05	9.5	4.1	1.2	4.6	11.5	7.0	6.0	18.5	24.2
2020/04/22 06	8.5	5.0	0.2	2.7	10.5	3.0	6.0	17.5	27.1
2020/04/22 07	10.5	4.0	1.2	3.7	10.5	6.0	6.9	18.5	26.3
2020/04/22 08	28.5	10.0	11.7	8.2	13.5	7.0	6.3	18.5	27.0
2020/04/22 09	39.5	17.0	21.8	15.1	20.6	12.0	20.4	19.4	58.1
2020/04/22 10	42.7	17.0	18.8	14.2	25.3	23.0	21.8	17.5	112.3
2020/04/22 11	40.5	15.0	16.8	16.2	26.3	32.0	23.6	19.4	125.5
2020/04/22 12	39.5	16.0	15.2	18.3	22.9	35.0	28.7	17.4	124.1
2020/04/22 13	40.5	18.0	16.2	21.0	20.9	32.0	18.5	18.5	123.4
2020/04/22 14	38.5	20.0	15.2	23.2	21.7	11.0	15.7	17.4	115.3
2020/04/22 15	38.5	23.0	17.4	20.3	21.8	10.0	17.6	17.5	104.6
2020/04/22 16	41.6	17.0	14.2	23.6	21.8	11.0	18.8	19.4	48.4
2020/04/22 17	43.6	20.1	6.2	14.5	19.8	11.0	16.7	17.5	42.5
2020/04/22 18	29.5	7.0	6.2	12.0	17.8	13.0	10.0	18.6	41.9
2020/04/22 19	20.5	8.1	3.2	13.2	16.6	10.0	6.0	19.5	34.4
2020/04/22 20	16.5	7.1	2.2	7.7	14.6	7.0	8.1	19.6	29.8
2020/04/22 21	15.6	7.1	1.3	4.5	12.5	5.0	4.1	19.6	27.1
2020/04/22 22	14.5	4.1	1.2	4.7	11.5	5.0	5.9	17.6	26.4
2020/04/22 23	10.6	5.1	1.2	3.5	10.6	5.0	7.1	17.5	26.6
2020/04/23 00	9.5	4.2	1.2	4.7	10.5	6.0	7.0	19.6	27.4
2020/04/23 01	12.5	5.1	1.2	2.6	11.5	4.0	6.0	17.6	26.2
2020/04/23 02	8.5	4.1	0.2	4.6	10.5	5.0	6.2	18.5	27.5
2020/04/23 03	10.6	4.0	1.2	2.7	11.4	6.0	6.0	17.6	26.0
2020/04/23 04	7.5	5.1	1.3	4.6	10.5	5.0	5.1	19.6	26.1
2020/04/23 05	9.5	4.1	1.2	3.6	10.5	4.0	6.0	17.6	25.1
2020/04/23 06	9.6	5.1	1.2	1.6	11.4	6.0	6.9	19.5	25.8
2020/04/23 07	11.5	4.0	0.2	3.7	10.6	6.0	6.0	17.6	25.1
2020/04/23 08	28.5	11.0	13.4	8.1	12.5	5.0	6.1	18.5	27.6
2020/04/23 09	37.5	30.6	21.9	20.3	21.6	7.0	23.8	18.6	73.4
2020/04/23 10	37.6	32.2	24.8	19.7	22.7	9.0	25.9	18.5	114.5
2020/04/23 11	38.1	28.3	30.8	22.1	25.8	28.0	20.9	18.6	127.3
2020/04/23 12	40.6	26.0	23.9	22.2	25.8	28.0	23.1	18.5	128.2
2020/04/23 13	37.2	20.0	14.4	21.1	23.0	29.0	16.7	18.5	121.5
2020/04/23 14	38.5	20.0	11.2	21.1	22.8	28.0	15.6	18.4	119.5
2020/04/23 15	43.5	23.0	7.2	22.2	23.8	26.0	17.6	18.5	111.3
2020/04/23 16	33.6	25.0	5.2	19.1	21.8	28.0	16.8	17.4	85.9
2020/04/23 17	32.1	19.0	5.3	18.1	20.0	28.0	18.7	17.5	64.0
2020/04/23 18	33.8	9.1	3.2	15.0	19.5	21.0	13.2	19.6	66.0
2020/04/23 19	23.5	9.1	4.2	12.1	16.6	4.0	5.0	18.5	39.3
2020/04/23 20	15.5	7.1	2.2	7.7	15.6	6.0	7.0	19.6	32.5
2020/04/23 21	16.5	7.1	1.2	4.7	12.6	6.0	3.1	18.5	30.1
2020/04/23 22	11.6	6.1	1.2	5.5	12.5	3.0	7.1	17.6	25.8
2020/04/23 23	15.5	4.1	1.2	3.7	12.6	7.0	5.9	19.6	26.5
2020/04/24 00	7.6	4.2	0.3	2.7	10.5	5.0	8.2	17.6	27.2
2020/04/24 01	10.5	4.1	1.2	4.5	10.5	5.0	5.0	18.6	26.3
2020/04/24 02	9.6	4.1	1.2	3.7	11.5	5.0	5.9	17.6	26.3
2020/04/24 03	10.4	5.1	1.2	4.5	10.4	5.0	5.1	18.6	24.9
2020/04/24 04	9.5	4.0	0.3	4.7	10.5	5.0	7.1	18.6	26.1
2020/04/24 05	8.5	4.2	1.2	3.5	11.5	5.0	5.1	18.7	25.1
2020/04/24 06	8.6	4.0	1.3	4.7	10.5	4.0	7.0	17.6	25.8
2020/04/24 07	13.6	4.0	0.6	2.6	11.5	6.0	6.9	19.6	24.1
2020/04/24 08	28.8	12.4	16.5	9.1	13.6	6.0	4.1	18.6	26.6
2020/04/24 09	36.5	24.1	16.9	17.1	18.7	7.0	27.9	18.6	67.3
2020/04/24 10	38.2	22.0	19.8	17.1	24.8	23.0	23.8	19.6	119.6
2020/04/24 11	36.0	20.0	16.1	19.2	27.0	26.0	17.7	20.5	127.9
2020/04/24 12	36.7	21.0	15.7	17.1	26.8	26.0	16.6	18.5	122.9
2020/04/24 13	38.2	21.0	10.2	19.2	20.0	23.0	18.7	18.5	123.9
2020/04/24 14	36.9	22.0	14.3	23.1	22.8	25.0	17.4	18.5	117.0
2020/04/24 15	45.0	18.0	24.2	22.2	25.9	23.0	16.5	17.5	96.1
2020/04/24 16	50.7	28.0	22.2	20.1	24.9	24.0	18.3	18.6	67.3
2020/04/24 17	44.4	27.0	8.3	18.1	22.0	28.0	16.7	18.5	58.7
2020/04/24 18	23.5	8.1	2.2	12.1	18.9	24.0	9.7	18.6	82.1
2020/04/24 19	19.5	7.1	2.2	11.0	14.4	6.0	6.0	19.6	37.4
2020/04/24 20	14.5	7.1	1.2	3.7	13.6	5.0	5.1	18.6	33.2
2020/04/24 21	20.4	5.1	2.2	4.5	13.6	5.0	7.0	18.6	32.2
2020/04/24 22	14.5	5.1	1.2	4.7	10.5	6.0	6.0	18.6	31.3
2020/04/24 23	12.2	4.1	1.3	2.6	9.6	4.0	6.1	18.7	32.3
2020/04/25 00	8.5	5.1	2.2	4.6	11.5	7.0	5.9	18.6	31.2



釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/04/25 01	10.6	4.1	1.2	2.6	11.6	4.0	6.2	18.7	27.9
2020/04/25 02	10.5	4.1	1.2	4.6	10.5	5.0	7.0	18.6	26.1
2020/04/25 03	13.3	5.1	1.3	2.7	10.4	6.0	3.9	18.7	25.9
2020/04/25 04	12.7	4.1	2.2	3.5	10.5	4.0	7.1	17.6	25.0
2020/04/25 05	9.5	4.1	1.3	4.7	12.5	4.0	5.2	18.7	25.0
2020/04/25 06	12.5	5.1	1.2	2.6	10.5	7.0	8.0	19.7	24.9
2020/04/25 07	8.7	4.0	1.2	2.6	11.5	4.0	6.0	17.6	24.8
2020/04/25 08	7.5	5.0	0.2	3.6	12.5	5.0	5.0	19.6	25.7
2020/04/25 09	7.5	4.0	0.2	4.6	11.6	29.0	5.0	18.6	73.2
2020/04/25 10	12.5	6.0	0.2	3.6	13.5	37.0	5.9	18.5	98.1
2020/04/25 11	9.5	5.0	0.3	3.6	11.6	37.0	5.9	20.6	115.1
2020/04/25 12	12.5	7.0	1.2	3.6	13.6	38.0	6.1	18.6	122.1
2020/04/25 13	11.5	6.0	1.3	3.7	13.6	39.0	8.2	18.6	120.1
2020/04/25 14	9.5	5.0	0.2	3.5	13.6	36.0	2.9	18.6	117.7
2020/04/25 15	11.5	5.0	0.2	2.7	11.7	15.0	7.0	18.5	103.5
2020/04/25 16	7.6	5.0	0.2	4.5	12.7	13.0	5.9	17.6	52.0
2020/04/25 17	9.6	5.0	0.3	3.7	10.6	10.0	5.0	18.5	44.9
2020/04/25 18	10.5	4.0	1.2	2.5	11.7	5.0	6.1	18.5	41.5
2020/04/25 19	12.5	5.2	1.2	4.6	9.6	7.0	7.1	18.6	28.4
2020/04/25 20	14.5	6.0	2.2	4.7	10.5	6.0	5.9	19.6	27.6
2020/04/25 21	11.5	5.2	1.2	4.6	11.6	3.0	6.0	18.6	26.1
2020/04/25 22	11.5	5.0	2.2	5.6	9.5	7.0	7.1	18.5	25.4
2020/04/25 23	9.5	4.2	1.4	2.6	10.5	5.0	5.0	18.6	27.5
2020/04/26 00	12.5	4.1	2.2	3.7	10.5	5.0	5.0	17.6	26.3
2020/04/26 01	11.7	5.1	1.2	3.5	11.4	5.0	6.9	19.5	26.2
2020/04/26 02	10.5	4.1	1.2	3.7	10.5	5.0	5.1	17.5	26.3
2020/04/26 03	10.5	4.1	2.2	1.6	11.4	5.0	6.0	17.6	25.9
2020/04/26 04	12.5	5.1	1.2	4.6	10.5	5.0	5.0	18.5	24.1
2020/04/26 05	9.5	4.1	2.3	3.6	10.4	5.0	5.9	18.5	26.8
2020/04/26 06	11.5	4.0	1.2	1.6	12.5	5.0	7.1	17.5	23.7
2020/04/26 07	8.5	5.0	0.2	3.6	11.5	6.0	4.0	18.4	24.9
2020/04/26 08	8.5	4.0	0.2	1.5	11.4	5.0	4.7	18.5	25.5
2020/04/26 09	7.5	5.0	0.2	2.7	11.6	7.0	6.0	17.4	46.6
2020/04/26 10	8.6	4.0	0.3	3.6	10.5	11.0	4.9	19.4	105.0
2020/04/26 11	6.6	5.0	0.3	1.6	11.6	9.0	8.0	17.4	110.2
2020/04/26 12	8.5	4.0	0.2	2.7	10.5	9.0	5.9	18.4	108.6
2020/04/26 13	6.5	4.0	0.2	2.5	9.6	10.0	5.0	18.4	108.8
2020/04/26 14	6.5	5.0	0.2	2.6	9.7	11.0	5.0	18.4	106.8
2020/04/26 15	9.5	4.0	0.2	4.5	9.6	9.0	5.9	19.4	68.9
2020/04/26 16	6.5	5.0	0.2	2.6	9.5	9.0	6.8	18.3	50.6
2020/04/26 17	8.5	4.0	0.2	3.5	9.6	9.0	3.9	18.4	45.5
2020/04/26 18	9.5	4.1	1.3	2.5	9.6	6.0	6.0	18.4	36.1
2020/04/26 19	14.6	6.1	1.2	3.6	10.6	6.0	7.0	19.4	29.0
2020/04/26 20	11.6	5.1	2.3	5.5	9.5	6.0	7.0	19.5	26.7
2020/04/26 21	9.5	6.1	1.2	3.6	10.6	6.0	5.0	19.5	26.2
2020/04/26 22	10.5	5.1	1.2	5.6	9.6	3.0	6.0	18.5	26.6
2020/04/26 23	9.5	4.1	2.2	3.6	9.5	6.0	5.0	18.5	27.5
2020/04/27 00	12.5	5.1	1.3	2.6	10.5	6.0	6.0	19.6	26.2
2020/04/27 01	9.5	4.1	2.2	4.6	9.5	5.0	5.0	18.5	26.2
2020/04/27 02	7.5	4.1	1.2	2.7	9.5	5.0	7.0	19.6	28.8
2020/04/27 03	9.5	5.1	2.2	3.6	10.4	6.0	5.1	18.5	26.1
2020/04/27 04	8.6	4.1	1.2	4.6	9.5	5.0	6.0	19.6	25.3
2020/04/27 05	9.6	5.1	1.2	2.5	10.4	4.0	5.0	18.6	26.3
2020/04/27 06	8.5	4.0	1.3	2.7	9.5	5.0	7.0	18.6	25.1
2020/04/27 07	11.5	5.0	2.0	2.7	10.5	7.0	5.1	19.6	25.2
2020/04/27 08	27.5	13.0	12.6	9.2	13.5	4.0	6.0	18.6	27.8
2020/04/27 09	38.5	28.0	18.9	18.5	18.6	35.0	21.5	19.5	55.1
2020/04/27 10	45.5	30.7	20.8	19.1	22.7	41.0	24.7	18.6	115.3
2020/04/27 11	47.2	28.6	19.0	18.3	28.0	37.0	20.3	19.6	129.2
2020/04/27 12	48.0	31.0	11.2	19.2	23.9	22.0	16.6	17.5	128.6
2020/04/27 13	45.2	30.0	9.2	19.2	20.9	25.0	16.6	18.6	128.9
2020/04/27 14	49.9	31.1	25.3	25.8	27.8	22.0	20.6	18.5	125.6
2020/04/27 15	47.0	30.0	26.2	19.9	26.8	19.0	20.8	18.5	127.6
2020/04/27 16	43.6	34.0	13.3	14.6	27.7	19.0	18.5	17.6	67.6
2020/04/27 17	43.5	27.0	5.2	12.7	24.9	23.0	20.6	19.5	53.8
2020/04/27 18	28.5	9.0	3.2	10.6	19.6	17.0	9.6	17.6	70.9
2020/04/27 19	20.6	8.1	3.2	9.6	15.6	11.0	7.0	19.6	38.3
2020/04/27 20	14.6	8.1	3.3	8.6	14.6	12.0	6.0	19.6	30.4
2020/04/27 21	12.5	5.2	2.2	6.7	11.6	13.0	5.1	19.7	27.2
2020/04/27 22	11.5	5.1	2.2	3.6	11.5	10.0	7.0	17.7	27.7
2020/04/27 23	10.5	5.1	2.2	4.6	10.5	7.0	7.1	19.6	26.6
2020/04/28 00	8.5	4.0	1.2	2.6	10.5	4.0	4.2	17.7	26.5

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シープラザ釜石
2020/04/28 01	9.5	5.1	0.2	4.6	11.5	6.0	6.9	18.7	28.5
2020/04/28 02	8.5	4.1	1.3	3.6	10.4	5.0	7.9	18.7	27.5
2020/04/28 03	9.6	4.1	1.2	3.7	10.5	5.0	5.1	18.6	25.0
2020/04/28 04	8.6	5.1	1.2	3.6	11.4	5.0	7.1	18.8	26.3
2020/04/28 05	8.5	4.2	1.3	3.6	10.5	5.0	6.0	17.7	25.1
2020/04/28 06	8.5	4.0	0.2	2.6	11.5	5.0	6.1	19.7	25.2
2020/04/28 07	12.5	5.0	1.1	2.6	11.5	6.0	4.1	18.6	27.0
2020/04/28 08	26.5	12.0	9.4	9.0	13.5	5.0	9.5	18.6	26.9
2020/04/28 09	37.5	28.0	16.9	17.1	20.6	24.0	20.3	19.6	69.0
2020/04/28 10	39.6	29.0	17.8	20.2	23.7	26.0	19.0	19.5	114.2
2020/04/28 11	38.5	27.0	12.2	19.3	26.7	26.0	11.3	20.6	121.2
2020/04/28 12	40.6	27.0	14.2	20.2	27.9	25.0	12.1	19.5	112.5
2020/04/28 13	38.5	27.0	14.3	21.1	20.8	7.0	10.2	18.4	112.3
2020/04/28 14									
2020/04/28 15									
2020/04/28 16									
2020/04/28 17									
2020/04/28 18									
2020/04/28 19									
2020/04/28 20									
2020/04/28 21									
2020/04/28 22									
2020/04/28 23									
2020/04/29 00									
2020/04/29 01									
2020/04/29 02									
2020/04/29 03									
2020/04/29 04									
2020/04/29 05									
2020/04/29 06									
2020/04/29 07									
2020/04/29 08									
2020/04/29 09									
2020/04/29 10									
2020/04/29 11									
2020/04/29 12									
2020/04/29 13									
2020/04/29 14									
2020/04/29 15									
2020/04/29 16									
2020/04/29 17									
2020/04/29 18									
2020/04/29 19									
2020/04/29 20									
2020/04/29 21									
2020/04/29 22									
2020/04/29 23									
2020/04/30 00									
2020/04/30 01									
2020/04/30 02									
2020/04/30 03									
2020/04/30 04									
2020/04/30 05									
2020/04/30 06									
2020/04/30 07									
2020/04/30 08									
2020/04/30 09									
2020/04/30 10									
2020/04/30 11									
2020/04/30 12									
2020/04/30 13									
2020/04/30 14									
2020/04/30 15									
2020/04/30 16									
2020/04/30 17									
2020/04/30 18									
2020/04/30 19									
2020/04/30 20									
2020/04/30 21									
2020/04/30 22									
2020/04/30 23									
2020/05/01 00									