

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/08/01 01	6.4	4.1	3.0	3.4	10.6	5.0	5.7		31.7
2020/08/01 02	10.5	3.1	3.0	3.5	9.6	4.0	3.9		29.9
2020/08/01 03	7.4	3.1	3.0	3.5	9.6	5.0	7.0		29.5
2020/08/01 04	9.4	4.1	3.1	3.5	10.6	6.0	4.9		28.6
2020/08/01 05	8.8	3.1	3.1	3.4	9.7	3.0	5.8		28.0
2020/08/01 06	7.8	3.1	2.0	3.5	9.6	6.0	5.8		29.7
2020/08/01 07	7.7	4.0	3.0	2.5	9.6	5.0	5.9		30.8
2020/08/01 08	12.6	3.0	2.1	2.5	9.6	6.0	4.8		52.1
2020/08/01 09	13.4	3.0	2.1	3.5	14.7	13.0	31.3		130.2
2020/08/01 10	19.0	4.0	2.0	5.4	17.7	18.0	25.3		144.6
2020/08/01 11	20.8	3.0	2.0	5.5	18.7	14.0	42.1		156.6
2020/08/01 12	18.2	3.0	2.1	3.4	18.8	17.0	43.8		165.3
2020/08/01 13	12.5	4.0	2.1	3.6	17.7	15.0	48.2		161.1
2020/08/01 14	8.4	3.0	2.0	3.5	17.8	15.0	44.3		163.1
2020/08/01 15	7.5	3.0	2.1	3.4	16.9	15.0	44.2		159.7
2020/08/01 16	5.4	4.0	2.0	2.5	15.7	8.0	42.2		162.1
2020/08/01 17	4.5	3.0	3.0	4.4	12.8	8.0	43.5		156.3
2020/08/01 18	10.4	4.0	3.1	4.6	9.9	7.0	6.9		154.8
2020/08/01 19	7.5	6.2	3.1	3.4	9.9	7.0	5.8		135.8
2020/08/01 20	8.5	37.3	3.0	7.5	10.9	4.0	6.8		35.4
2020/08/01 21	8.5	42.3	3.0	7.4	9.9	5.0	5.0		32.0
2020/08/01 22	7.3	16.4	3.1	4.6	9.8	6.0	3.9		29.5
2020/08/01 23	7.5	3.1	3.1	3.5	9.8	4.0	6.8		29.4
2020/08/02 00	8.5	3.1	3.0	5.4	9.7	4.0	5.8		32.1
2020/08/02 01	6.5	4.1	3.0	2.5	10.6	5.0	4.9		28.8
2020/08/02 02	8.4	3.1	3.1	4.4	8.6	5.0	6.0		29.6
2020/08/02 03	6.5	3.1	3.1	3.6	9.7	5.0	5.6		28.8
2020/08/02 04	9.4	4.0	3.0	2.4	9.6	4.0	5.0		28.3
2020/08/02 05	6.5	3.1	3.0	4.5	9.6	5.0	6.9		29.2
2020/08/02 06	7.4	3.1	3.1	2.5	9.7	4.0	5.9		30.9
2020/08/02 07	6.5	4.0	2.0	2.4	9.5	7.0	4.9		29.9
2020/08/02 08	6.5	3.0	3.0	3.6	9.6	3.0	5.9		31.1
2020/08/02 09	5.5	3.0	4.2	2.4	10.7	11.0	68.7		129.0
2020/08/02 10	6.4	4.0	10.0	1.5	14.7	15.0	90.2		159.5
2020/08/02 11	6.4	3.0	11.0	3.5	15.7	12.0	91.0		155.7
2020/08/02 12	5.5	4.0	10.0	2.5	15.7	16.0	54.6		158.1
2020/08/02 13	4.5	3.0	6.2	2.5	14.7	13.0	42.7		151.5
2020/08/02 14	5.5	3.0	2.0	2.4	15.7	17.0	57.9		149.2
2020/08/02 15	5.5	3.0	2.0	2.5	14.6	15.0	108.1		156.6
2020/08/02 16	4.3	4.0	2.1	3.5	14.8	10.0	92.4		149.4
2020/08/02 17	5.5	3.0	2.0	2.5	11.8	11.0	85.1		150.9
2020/08/02 18	8.5	3.0	3.1	2.4	10.9	7.0	5.7		151.7
2020/08/02 19	12.5	4.1	3.0	4.5	10.0	6.0	5.9		133.5
2020/08/02 20	11.5	3.1	3.1	4.4	9.9	5.0	4.9		30.0
2020/08/02 21	10.4	4.1	4.0	5.6	10.9	4.0	6.8		32.0
2020/08/02 22	7.5	3.1	3.0	4.5	9.8	5.0	5.9		29.8
2020/08/02 23	7.4	4.1	3.1	4.4	9.8	5.0	6.9		29.6
2020/08/03 00	8.5	3.1	3.1	2.6	9.7	5.0	6.0		31.2
2020/08/03 01	7.5	3.1	3.0	3.4	9.6	5.0	4.8		31.0
2020/08/03 02	6.4	3.1	3.0	4.5	9.7	5.0	4.9		30.8
2020/08/03 03	5.5	4.1	4.1	2.4	9.6	4.0	6.9		31.0
2020/08/03 04	7.4	3.1	3.0	3.6	9.7	6.0	5.0		28.4
2020/08/03 05	5.5	3.1	3.1	4.5	9.6	4.0	5.9		27.0
2020/08/03 06	6.4	4.0	3.0	1.4	9.7	4.0	4.9		31.1
2020/08/03 07	8.5	3.0	2.0	2.5	9.6	6.0	6.9		29.9
2020/08/03 08	12.5	6.0	2.0	5.9	10.7	5.0	4.7		31.3
2020/08/03 09	21.5	21.0	2.3	7.4	19.6	7.0	30.2		140.2
2020/08/03 10	32.0	22.0	6.7	7.0	27.1	9.0	37.4		159.2
2020/08/03 11	27.9	21.0	11.2	8.1	28.0	9.0	91.8		164.2
2020/08/03 12	22.2	16.0	9.5	8.3	28.1	9.0	91.6		171.0
2020/08/03 13	20.9	12.0	3.6	5.8	24.2	14.0	82.0		172.2
2020/08/03 14	32.0	7.0	3.5	9.2	27.2	19.0	85.0		177.9
2020/08/03 15	32.0	7.0	4.7	8.1	28.2	20.0	97.8		176.6
2020/08/03 16	15.9	6.0	3.6	11.1	28.3	17.0	82.0		177.7
2020/08/03 17	14.5	7.0	5.0	11.0	21.8	16.0	45.8		171.1
2020/08/03 18	17.5	4.0	2.9	8.7	17.7	10.0	9.2		170.9
2020/08/03 19	19.5	5.1	3.1	8.5	14.8	5.0	4.8		162.2
2020/08/03 20	21.5	11.1	4.0	9.4	13.0	6.0	7.8		53.1
2020/08/03 21	17.4	13.1	3.0	9.6	9.9	7.0	5.0		38.4
2020/08/03 22	11.5	8.1	3.0	6.4	10.9	4.0	6.0		39.0
2020/08/03 23	6.5	4.1	3.0	4.5	9.8	8.0	5.8		38.0
2020/08/04 00	8.5	4.1	2.9	3.6	10.8	4.0	5.9		38.7

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/08/04 01	10.4	3.1	3.1	3.4	10.7	6.0	4.9		39.4
2020/08/04 02	8.5	3.1	4.0	3.5	9.6	5.0	7.7		37.1
2020/08/04 03	7.5	4.1	3.0	4.5	9.7	5.0	4.9		37.2
2020/08/04 04	7.5	3.1	3.0	2.5	10.8	4.0	2.9		33.7
2020/08/04 05	7.4	4.1	3.9	4.4	9.7	5.0	5.8		30.6
2020/08/04 06	6.5	3.1	3.1	2.5	10.7	5.0	6.0		31.2
2020/08/04 07	8.4	3.0	2.0	2.5	9.7	4.0	5.9		31.4
2020/08/04 08	12.5	7.0	2.0	3.6	10.7	7.0	6.8		32.7
2020/08/04 09	25.5	15.3	2.0	8.4	18.8	41.0	11.0		104.8
2020/08/04 10	36.5	31.8	4.0	10.0	23.7	33.0	12.7		128.5
2020/08/04 11	31.5	26.2	12.0	8.3	23.7	39.0	10.1		123.5
2020/08/04 12	29.4	18.0	11.2	8.3	23.8	37.0	12.0		136.3
2020/08/04 13	17.7	16.0	4.0	6.4	20.9	33.0	10.1		142.5
2020/08/04 14	20.7	7.0	2.0	7.2	24.9	35.0	40.6		142.4
2020/08/04 15	20.1	6.0	5.0	6.3	24.9	35.0	183.4		147.1
2020/08/04 16	19.0	6.0	5.0	7.2	23.3	31.0	100.1		145.8
2020/08/04 17	27.5	6.0	4.0	6.2	20.0	29.0	11.0		142.0
2020/08/04 18	19.2	5.0	3.0	8.9	16.8	23.0	7.3		87.4
2020/08/04 19	23.3	4.1	11.0	7.4	15.1	20.0	6.8		40.6
2020/08/04 20	19.5	11.1	16.0	5.6	13.0	13.0	6.8		38.4
2020/08/04 21	10.5	13.1	9.0	7.5	12.0	5.0	4.9		38.5
2020/08/04 22	7.5	7.1	3.0	5.4	11.9	6.0	6.9		32.3
2020/08/04 23	5.5	4.1	3.0	3.6	10.9	5.0	5.9		32.0
2020/08/05 00	7.4	4.1	3.1	4.4	9.8	6.0	5.0		32.9
2020/08/05 01	5.4	4.1	3.0	3.5	10.7	6.0	5.8		32.8
2020/08/05 02	7.5	4.1	3.0	4.4	9.7	5.0	5.9		32.4
2020/08/05 03	5.5	4.1	4.0	2.6	10.7	6.0	4.9		31.3
2020/08/05 04	8.5	4.1	2.9	3.5	9.7	6.0	5.7		30.1
2020/08/05 05	5.5	3.1	3.0	5.4	10.7	4.0	4.9		32.0
2020/08/05 06	5.4	4.0	2.1	2.5	9.8	5.0	6.8		31.4
2020/08/05 07	10.5	4.0	3.0	1.5	10.7	5.0	6.8		31.8
2020/08/05 08	11.4	5.0	2.5	6.0	11.8	6.0	6.2		33.3
2020/08/05 09	30.0	18.0	3.3	7.0	18.8	38.0	91.1		127.9
2020/08/05 10	59.9	21.0	12.5	9.1	27.1	28.0	137.3		178.5
2020/08/05 11	53.5	20.0	13.6	10.3	28.2	30.0	138.1		177.1
2020/08/05 12	45.9	16.0	7.1	12.1	29.3	30.0	135.8		176.3
2020/08/05 13	31.9	11.0	3.5	12.3	22.0	66.0	94.4		178.9
2020/08/05 14	35.6	6.0	4.4	10.2	27.2	66.0	40.1		176.3
2020/08/05 15	43.8	6.1	7.4	12.4	26.3	47.0	37.0		180.8
2020/08/05 16	29.1	6.0	7.1	11.0	28.3	38.0	48.0		174.0
2020/08/05 17	19.1	6.0	6.0	13.0	24.4	20.0	45.0		180.6
2020/08/05 18	18.5	5.0	3.0	5.6	17.8	21.0	9.4		178.1
2020/08/05 19	20.5	16.2	3.0	5.4	14.0	15.0	6.8		168.3
2020/08/05 20	24.5	42.3	3.0	7.6	14.0	13.0	5.7		67.2
2020/08/05 21	26.4	32.3	3.0	6.4	15.0	6.0	4.9		38.4
2020/08/05 22	8.4	13.4	3.0	4.5	13.9	6.0	6.9		31.3
2020/08/05 23	7.5	4.1	4.0	5.6	12.8	5.0	5.8		31.1
2020/08/06 00	6.5	4.0	3.0	2.4	11.8	6.0	6.9		32.8
2020/08/06 01	8.5	4.1	3.1	4.5	11.7	6.0	5.9		33.6
2020/08/06 02	6.4	4.1	3.0	4.4	11.7	5.0	4.9		31.4
2020/08/06 03	7.5	4.1	3.0	2.6	10.7	6.0	4.8		31.5
2020/08/06 04	6.5	4.1	2.9	5.5	10.7	6.0	4.9		32.2
2020/08/06 05	8.4	4.1	3.0	3.4	10.8	5.0	6.9		31.2
2020/08/06 06	6.5	3.1	3.1	4.6	9.7	6.0	6.7		32.7
2020/08/06 07	9.4	4.0	2.0	1.4	10.8	6.0	4.8		31.4
2020/08/06 08	10.5	5.0	2.0	4.8	10.7	7.0	11.4		63.5
2020/08/06 09	24.2	18.0	4.0	9.3	20.0	26.0	96.5		153.4
2020/08/06 10	48.5	19.0	5.0	9.5	26.1	29.0	130.2		177.4
2020/08/06 11	45.7	18.1	15.1	8.8	26.2	25.0	131.8		179.8
2020/08/06 12	41.1	16.0	15.0	10.1	27.2	49.0	150.7		179.5
2020/08/06 13	31.1	11.0	5.9	12.2	23.0	42.0	147.8		177.4
2020/08/06 14	37.1	7.0	3.0	14.9	32.3	42.0	147.4		176.5
2020/08/06 15	34.3	6.0	4.0	14.4	25.3	34.0	116.1		178.8
2020/08/06 16	22.0	6.0	6.0	11.2	27.2	24.0	99.4		180.4
2020/08/06 17	24.5	6.0	5.1	14.0	24.4	23.0	45.5		178.5
2020/08/06 18	20.0	5.1	6.0	10.3	17.7	13.0	7.5		175.7
2020/08/06 19	19.5	16.1	15.1	7.1	15.0	6.0	7.9		163.8
2020/08/06 20	23.4	37.1	16.0	10.1	15.0	5.0	4.7		56.5
2020/08/06 21	23.5	44.1	8.0	6.4	14.9	8.0	5.9		38.7
2020/08/06 22	9.5	10.1	3.1	5.6	13.9	4.0	7.8		38.7
2020/08/06 23	9.4	5.1	3.0	4.5	10.9	6.0	4.9		38.5
2020/08/07 00	6.5	4.1	3.1	3.4	9.8	5.0	5.9		38.0

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/08/07 01	7.4	4.1	3.0	4.5	10.7	7.0	5.8		41.0
2020/08/07 02	6.5	4.1	3.1	2.5	9.8	4.0	5.8		37.9
2020/08/07 03	7.5	4.1	3.0	5.5	10.7	6.0	5.9		39.9
2020/08/07 04	6.5	4.1	3.0	3.4	9.8	6.0	4.8		36.4
2020/08/07 05	7.4	4.1	3.0	4.5	10.8	6.0	4.9		38.3
2020/08/07 06	5.4	3.0	3.1	1.6	9.7	4.0	6.9		38.9
2020/08/07 07	8.5	4.0	2.0	4.4	10.8	7.0	6.8		39.0
2020/08/07 08	11.5	6.0	5.1	5.9	10.8	6.0	4.9		43.4
2020/08/07 09	34.3	19.0	5.0	9.3	19.8	9.0	61.5		162.6
2020/08/07 10	49.9	19.1	8.1	7.5	26.2	16.0	98.7		186.1
2020/08/07 11	51.7	19.0	16.2	8.3	31.1	20.0	102.9		185.3
2020/08/07 12	38.0	20.0	18.0	9.5	31.2	19.0	81.7		184.5
2020/08/07 13	26.5	10.0	8.1	9.4	25.9	18.0	60.2		182.7
2020/08/07 14	20.6	8.0	4.0	8.5	29.2	16.0	58.9		178.4
2020/08/07 15	19.4	7.0	5.1	11.7	26.2	15.0	58.9		174.2
2020/08/07 16	18.8	6.0	6.0	11.4	24.2	15.0	58.1		172.1
2020/08/07 17	21.2	6.0	5.2	11.6	20.2	14.0	50.0		173.3
2020/08/07 18	22.5	4.1	3.0	11.1	17.9	12.0	82.4		171.5
2020/08/07 19	20.0	7.1	3.1	10.1	12.8	12.0	114.3		160.2
2020/08/07 20	19.4	40.1	12.0	9.5	12.0	10.0	112.8		53.8
2020/08/07 21	13.5	45.1	16.1	7.5	10.9	11.0	90.9		33.7
2020/08/07 22	8.5	8.1	15.1	6.6	10.9	8.0	4.8		28.4
2020/08/07 23	6.5	3.1	4.1	2.4	9.8	4.0	7.8		29.2
2020/08/08 00	7.5	4.1	3.0	5.5	10.8	6.0	4.9		30.0
2020/08/08 01	10.4	4.1	3.1	3.4	9.7	6.0	3.9		29.7
2020/08/08 02	8.4	4.1	3.0	3.6	10.7	3.0	6.8		28.3
2020/08/08 03	8.5	3.1	3.1	3.5	9.7	5.0	6.0		28.4
2020/08/08 04	7.5	4.1	3.1	4.4	10.8	5.0	5.0		28.2
2020/08/08 05	7.5	4.1	3.0	4.6	9.8	5.0	4.9		26.8
2020/08/08 06	8.4	3.1	3.1	3.4	9.8	3.0	7.8		31.7
2020/08/08 07	7.5	4.0	3.0	3.5	10.7	8.0	5.9		28.5
2020/08/08 08	7.5	4.0	3.1	3.5	9.8	4.0	7.1		28.8
2020/08/08 09	7.4	3.1	3.1	3.5	9.7	7.0	86.8		114.5
2020/08/08 10	8.4	4.0	2.1	4.5	12.9	8.0	87.1		148.9
2020/08/08 11	6.5	3.0	2.0	5.4	15.8	5.0	95.2		147.8
2020/08/08 12	7.5	4.0	2.0	6.6	15.9	11.0	85.3		163.2
2020/08/08 13	6.5	4.0	2.1	3.4	15.8	9.0	38.7		154.3
2020/08/08 14	8.4	3.0	2.1	4.5	14.9	8.0	43.9		155.7
2020/08/08 15	6.4	4.0	3.1	6.4	16.9	7.0	40.9		157.1
2020/08/08 16	7.5	4.0	3.0	5.5	15.8	7.0	43.0		155.5
2020/08/08 17	6.5	3.0	3.0	4.5	13.9	8.0	40.8		146.9
2020/08/08 18	7.4	4.1	2.2	4.5	10.9	7.0	10.0		148.7
2020/08/08 19	7.5	5.2	3.0	3.5	10.0	5.0	4.8		136.4
2020/08/08 20	8.4	12.3	14.1	10.4	10.9	5.0	7.9		35.6
2020/08/08 21	8.5	12.3	15.0	9.5	10.9	4.0	4.8		33.8
2020/08/08 22	7.4	11.3	15.1	6.5	9.8	6.0	5.9		29.3
2020/08/08 23	7.5	4.1	7.1	3.5	10.8	3.0	5.0		29.2
2020/08/09 00	12.5	3.1	3.0	3.5	9.8	4.0	7.9		31.0
2020/08/09 01	7.5	4.2	3.1	3.4	10.8	5.0	5.8		29.6
2020/08/09 02	8.3	3.1	3.1	4.5	9.7	5.0	4.9		30.7
2020/08/09 03	7.5	4.0	3.0	3.4	9.7	3.0	5.0		29.4
2020/08/09 04	9.5	3.1	3.0	4.6	9.7	6.0	6.0		28.4
2020/08/09 05	10.5	4.1	3.1	3.4	9.8	3.0	4.8		28.1
2020/08/09 06	7.4	3.1	3.0	4.5	9.7	4.0	4.9		29.7
2020/08/09 07	8.5	4.1	3.0	3.5	10.7	6.0	7.9		31.0
2020/08/09 08	7.4	3.1	2.2	3.4	9.8	5.0	8.0		31.6
2020/08/09 09	7.5	4.1	7.0	4.6	9.8	5.0	54.8		90.5
2020/08/09 10	10.5	3.0	14.0	4.4	14.9	9.0	47.9		135.9
2020/08/09 11	7.4	4.0	14.1	4.5	14.9	7.0	49.6		151.2
2020/08/09 12	7.5	4.0	14.1	3.4	14.8	17.0	60.4		147.4
2020/08/09 13	4.5	4.0	9.1	3.6	14.9	15.0	76.1		155.6
2020/08/09 14	7.4	4.0	2.0	3.5	15.8	21.0	40.1		157.8
2020/08/09 15	5.5	4.0	2.0	1.4	14.8	26.0	41.7		157.6
2020/08/09 16	6.4	3.0	2.2	4.5	14.9	26.0	39.9		158.3
2020/08/09 17	5.5	4.0	2.0	2.4	13.9	24.0	43.7		162.4
2020/08/09 18	8.5	3.0	3.0	4.5	10.9	19.0	6.0		156.0
2020/08/09 19	11.5	4.1	3.0	3.5	10.1	5.0	5.9		140.0
2020/08/09 20	12.3	4.1	3.1	4.5	11.0	6.0	7.8		34.0
2020/08/09 21	7.5	3.1	3.1	5.5	11.0	5.0	4.8		32.1
2020/08/09 22	7.5	4.1	3.0	4.4	9.9	6.0	6.0		30.0
2020/08/09 23	8.5	3.1	3.1	4.6	9.9	5.0	3.8		31.9
2020/08/10 00	8.4	4.1	3.0	4.4	10.9	4.0	6.8		31.1

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/08/10 01	6.4	3.1	3.1	2.5	9.7	6.0	5.9		31.1
2020/08/10 02	6.5	4.1	3.1	3.4	9.7	4.0	5.8		30.9
2020/08/10 03	7.4	3.1	3.0	4.5	9.7	3.0	5.9		29.9
2020/08/10 04	6.5	4.1	3.0	3.5	9.7	5.0	5.9		28.6
2020/08/10 05	6.5	3.1	3.0	4.4	10.8	5.0	5.8		30.4
2020/08/10 06	11.4	4.1	3.1	3.6	9.7	4.0	5.9		31.0
2020/08/10 07	9.4	3.0	2.0	4.4	9.7	5.0	5.8		30.9
2020/08/10 08	9.5	4.0	3.1	1.5	9.7	5.0	7.0		31.4
2020/08/10 09	11.5	3.0	2.0	3.4	9.7	44.0	122.7		132.1
2020/08/10 10	7.5	4.0	2.0	2.5	15.8	36.0	69.0		161.3
2020/08/10 11	8.5	4.0	2.1	3.5	14.8	40.0	52.1		168.4
2020/08/10 12	8.3	4.0	2.1	1.5	15.8	43.0	84.4		170.8
2020/08/10 13	9.5	5.0	2.0	3.5	15.9	58.0	178.5		172.3
2020/08/10 14	12.5	4.0	2.0	2.4	16.0	49.0	269.7		173.8
2020/08/10 15	11.5	4.0	2.0	2.5	16.0	53.0	298.1		174.0
2020/08/10 16	8.5	4.0	2.1	2.4	16.1	53.0	177.4		170.2
2020/08/10 17	8.4	3.0	2.0	3.6	11.0	37.0	46.1		170.8
2020/08/10 18	11.5	4.0	3.0	3.4	11.0	16.0	6.0		168.7
2020/08/10 19	12.5	4.1	3.1	4.5	11.1	6.0	5.7		161.2
2020/08/10 20	7.4	4.1	3.0	5.5	10.1	7.0	5.8		41.3
2020/08/10 21	7.5	4.1	3.0	4.5	11.1	4.0	5.8		32.3
2020/08/10 22	6.4	4.1	3.0	5.5	9.9	4.0	6.0		32.1
2020/08/10 23	7.5	4.1	3.1	3.4	11.0	7.0	6.8		32.3
2020/08/11 00	7.5	4.1	3.0	4.6	10.8	5.0	4.7		33.8
2020/08/11 01	7.5	4.1	3.0	4.5	9.8	5.0	6.9		32.7
2020/08/11 02	5.5	4.1	3.0	3.4	9.8	5.0	6.0		32.3
2020/08/11 03	7.3	3.1	3.0	3.5	10.7	6.0	4.7		32.4
2020/08/11 04	6.5	4.1	3.0	4.5	9.8	5.0	6.9		32.1
2020/08/11 05	6.5	4.1	3.1	4.5	9.8	6.0	4.9		31.1
2020/08/11 06	6.5	3.1	3.0	1.4	9.7	5.0	4.9		32.8
2020/08/11 07	6.5	4.0	2.0	3.5	10.8	6.0	6.8		32.5
2020/08/11 08	9.4	4.0	2.0	3.6	10.8	5.0	6.7		66.2
2020/08/11 09	8.4	3.0	2.0	3.4	18.2	43.0	9.2		162.9
2020/08/11 10	8.5	4.0	2.0	4.5	24.1	31.0	14.0		173.7
2020/08/11 11	9.5	4.0	2.1	5.4	23.0	35.0	13.7		178.0
2020/08/11 12	8.5	3.0	2.0	6.6	25.1	32.0	11.1		182.0
2020/08/11 13	8.5	4.0	1.9	5.4	21.3	79.0	9.7		182.0
2020/08/11 14	8.5	4.0	2.0	5.5	25.1	72.0	11.0		182.6
2020/08/11 15	8.4	4.0	2.0	5.5	26.2	45.0	9.9		182.5
2020/08/11 16	8.5	3.0	2.0	6.5	24.2	46.0	8.9		178.5
2020/08/11 17	11.5	4.0	2.0	8.5	23.4	41.0	13.0		180.3
2020/08/11 18	10.5	4.0	3.0	6.4	16.0	25.0	8.4		181.7
2020/08/11 19	9.5	3.1	3.0	7.5	13.3	6.0	4.8		169.0
2020/08/11 20	6.5	13.1	3.1	7.5	13.2	5.0	6.8		87.2
2020/08/11 21	7.4	13.2	3.0	7.5	11.2	6.0	6.8		37.5
2020/08/11 22	7.5	7.1	3.0	5.5	11.0	5.0	6.9		31.6
2020/08/11 23	5.4	3.1	4.0	4.5	11.0	7.0	4.8		33.8
2020/08/12 00	7.5	4.1	3.0	3.5	9.9	5.0	8.9		34.1
2020/08/12 01	6.5	4.1	3.0	4.4	10.9	6.0	4.8		32.5
2020/08/12 02	7.5	3.1	3.0	3.5	9.8	6.0	2.9		32.6
2020/08/12 03	6.5	4.1	3.0	4.6	10.8	5.0	7.9		32.7
2020/08/12 04	6.3	4.1	3.1	4.4	9.8	6.0	3.9		31.0
2020/08/12 05	7.5	3.1	3.0	3.5	10.8	5.0	6.7		32.7
2020/08/12 06	6.5	4.1	2.9	3.4	9.9	6.0	5.7		33.7
2020/08/12 07	7.5	4.1	3.0	3.6	10.8	6.0	7.9		31.7
2020/08/12 08	10.5	3.1	3.0	4.4	11.8	7.0	5.0		57.0
2020/08/12 09	9.4	4.1	2.0	3.5	17.9	32.0	145.9		160.8
2020/08/12 10	10.4	4.0	2.0	6.4	25.0	50.0	287.7		174.2
2020/08/12 11	8.5	3.0	2.1	6.6	26.0	51.0	279.1		177.4
2020/08/12 12	8.5	4.0	2.0	5.5	23.0	41.0	191.4		181.8
2020/08/12 13	8.5	4.0	2.0	2.4	21.2	49.0	188.5		180.6
2020/08/12 14	8.4	3.0	2.0	5.5	23.0	53.0	194.2		179.0
2020/08/12 15	8.5	4.0	2.0	4.4	23.0	36.0	195.8		174.1
2020/08/12 16	8.5	4.0	2.0	5.5	23.1	53.0	195.8		173.0
2020/08/12 17	8.5	3.0	3.0	6.4	22.1	36.0	80.4		171.0
2020/08/12 18	19.4	4.1	3.0	7.6	16.0	26.0	19.3		171.7
2020/08/12 19	12.5	4.1	3.0	7.5	14.0	21.0	4.8		168.2
2020/08/12 20	11.4	4.1	3.1	6.4	12.2	20.0	6.8		72.4
2020/08/12 21	10.5	3.1	3.0	5.5	11.0	18.0	5.8		40.2
2020/08/12 22	7.5	4.1	3.0	4.5	10.0	14.0	5.9		39.0
2020/08/12 23	7.5	4.1	3.0	4.5	11.0	7.0	7.9		39.2
2020/08/13 00	6.5	3.1	3.0	4.4	10.9	6.0	4.9		38.5

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/08/13 01	6.3	4.1	3.0	3.6	9.8	5.0	5.8		40.6
2020/08/13 02	7.5	3.1	3.0	4.5	10.8	6.0	3.7		39.1
2020/08/13 03	7.5	4.1	3.1	3.4	9.8	7.0	5.9		38.1
2020/08/13 04	5.5	4.1	3.0	4.5	9.8	4.0	6.0		37.6
2020/08/13 05	7.4	3.1	3.0	2.5	10.8	6.0	4.8		39.3
2020/08/13 06	4.5	4.1	3.0	4.5	9.7	7.0	7.9		40.5
2020/08/13 07	8.4	4.0	2.0	2.4	10.8	6.0	5.8		39.1
2020/08/13 08	8.5	3.0	1.9	2.5	11.9	5.0	7.3		43.0
2020/08/13 09	8.5	4.0	2.2	2.6	16.2	34.0	168.6		162.2
2020/08/13 10	8.5	4.0	1.9	4.4	22.4	35.0	233.1		173.5
2020/08/13 11	8.4	4.0	2.0	3.5	21.4	33.0	197.8		178.0
2020/08/13 12	8.5	4.0	2.0	3.4	21.3	36.0	199.4		178.3
2020/08/13 13	8.5	3.0	2.0	1.5	20.3	38.0	198.4		178.8
2020/08/13 14	8.5	4.0	2.0	3.5	22.6	36.0	198.9		178.3
2020/08/13 15	8.5	4.0	2.0	2.5	22.5	36.0	218.7		181.3
2020/08/13 16	7.5	4.0	2.0	3.5	20.5	40.0	243.4		179.8
2020/08/13 17	8.5	4.0	2.0	3.5	20.5	32.0	125.8		180.6
2020/08/13 18	10.4	4.0	3.1	3.5	12.3	17.0	9.6		175.0
2020/08/13 19	8.5	11.1	4.0	4.4	12.2	6.0	6.8		163.5
2020/08/13 20	6.4	25.1	3.0	8.6	11.1	6.0	5.8		41.5
2020/08/13 21	7.5	4.2	3.0	5.4	11.0	6.0	5.8		34.5
2020/08/13 22	9.5	4.1	3.0	6.5	10.9	5.0	6.9		32.3
2020/08/13 23	7.5	4.1	3.0	4.5	10.8	6.0	7.0		33.7
2020/08/14 00	8.4	3.0	3.0	3.5	9.8	6.0	5.9		33.0
2020/08/14 01	9.4	4.1	3.0	3.5	10.7	6.0	4.7		33.7
2020/08/14 02	7.5	3.1	3.1	4.4	10.8	4.0	5.9		33.5
2020/08/14 03	6.5	4.1	3.0	4.6	9.7	6.0	4.9		32.6
2020/08/14 04	6.5	4.1	3.0	3.5	10.7	5.0	6.8		32.1
2020/08/14 05	7.4	3.1	4.0	3.4	9.8	3.0	5.0		33.6
2020/08/14 06	5.5	4.1	3.0	4.5	10.7	6.0	6.9		32.4
2020/08/14 07	9.5	4.0	2.0	3.5	10.7	6.0	5.7		32.4
2020/08/14 08	8.4	3.0	2.1	2.5	9.7	4.0	9.3		35.1
2020/08/14 09	8.5	4.0	2.0	2.4	15.9	17.0	133.0		148.1
2020/08/14 10	10.4	4.0	2.0	3.5	22.1	18.0	232.3		157.2
2020/08/14 11	11.5	3.0	2.0	2.5	20.1	17.0	136.3		165.2
2020/08/14 12	11.5	4.0	2.0	2.5	21.1	20.0	143.5		161.5
2020/08/14 13	8.5	4.0	2.0	2.5	18.9	17.0	137.9		166.2
2020/08/14 14	9.3	3.0	2.1	4.4	20.1	15.0	138.8		173.8
2020/08/14 15	9.5	4.1	3.0	2.5	21.1	16.0	137.7		174.3
2020/08/14 16	7.5	4.0	3.0	3.4	20.8	15.0	141.6		166.8
2020/08/14 17	7.5	3.0	2.0	3.5	20.2	14.0	68.9		164.7
2020/08/14 18	10.4	4.2	3.0	6.6	12.8	12.0	11.0		155.2
2020/08/14 19	8.5	4.1	4.0	8.4	10.9	4.0	6.7		142.7
2020/08/14 20	5.4	4.1	3.1	7.5	11.0	6.0	4.9		37.1
2020/08/14 21	7.5	4.1	3.0	6.4	10.8	5.0	6.9		31.2
2020/08/14 22	6.4	3.1	3.0	6.6	10.8	5.0	5.9		31.6
2020/08/14 23	8.5	4.1	3.0	2.4	9.8	4.0	6.9		33.4
2020/08/15 00	7.5	4.1	3.0	4.5	10.7	5.0	3.9		31.5
2020/08/15 01	6.5	3.1	3.1	3.5	9.7	4.0	5.9		30.7
2020/08/15 02	12.3	4.1	3.0	5.4	9.6	6.0	6.9		32.8
2020/08/15 03	7.5	4.1	3.0	2.6	10.7	5.0	2.8		30.1
2020/08/15 04	10.5	3.1	3.0	4.4	9.7	4.0	6.9		30.9
2020/08/15 05	8.5	4.1	3.1	3.5	10.7	6.0	4.8		31.2
2020/08/15 06	8.4	3.1	3.0	2.4	9.7	4.0	5.9		32.2
2020/08/15 07	6.4	4.0	3.0	4.5	9.7	6.0	7.0		29.5
2020/08/15 08	7.5	4.0	3.0	3.5	10.7	4.0	8.1		33.7
2020/08/15 09	4.5	3.0	2.0	3.5	10.9	19.0	141.5		142.4
2020/08/15 10	5.4	4.0	2.0	1.5	15.0	20.0	204.3		164.8
2020/08/15 11	4.5	4.0	2.1	3.4	16.0	21.0	140.8		168.3
2020/08/15 12	5.5	4.0	2.1	3.5	15.1	24.0	169.2		172.8
2020/08/15 13	5.4	3.0	2.0	2.4	16.1	22.0	236.6		174.4
2020/08/15 14	6.4	4.0	2.0	2.5	16.2	24.0	231.2		173.8
2020/08/15 15	4.5	4.0	2.1	2.5	15.1	26.0	232.9		173.3
2020/08/15 16	5.5	4.0	2.0	3.5	16.2	30.0	213.6		167.5
2020/08/15 17	5.5	3.0	2.1	3.5	15.2	27.0	125.1		169.1
2020/08/15 18	7.4	4.1	3.0	3.4	11.0	19.0	10.3		164.7
2020/08/15 19	7.4	7.2	3.0	4.5	11.1	13.0	4.8		154.7
2020/08/15 20	7.5	13.3	4.2	7.4	11.1	13.0	6.8		40.8
2020/08/15 21	8.5	12.4	3.0	8.6	11.1	14.0	6.9		32.2
2020/08/15 22	7.4	9.2	3.0	4.4	10.9	11.0	4.7		32.3
2020/08/15 23	6.5	4.1	3.1	3.5	10.9	10.0	5.9		33.6
2020/08/16 00	9.4	4.1	3.0	4.5	9.9	11.0	4.9		31.5

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/08/16 01	6.4	3.1	3.0	3.4	10.8	12.0	5.8		31.9
2020/08/16 02	8.5	4.1	3.1	4.5	9.8	10.0	3.9		32.6
2020/08/16 03	7.5	4.1	3.1	3.5	10.8	11.0	6.9		32.5
2020/08/16 04	7.5	3.1	3.0	4.5	9.8	11.0	4.8		31.5
2020/08/16 05	7.3	4.1	3.0	4.4	10.7	12.0	5.9		33.6
2020/08/16 06	10.5	4.1	3.0	2.5	9.8	8.0	5.9		32.5
2020/08/16 07	6.5	3.0	2.1	3.4	10.7	13.0	5.8		32.0
2020/08/16 08	6.5	4.0	2.1	2.5	9.8	14.0	7.0		43.1
2020/08/16 09	9.3	4.0	2.0	2.6	11.0	17.0	83.3		145.5
2020/08/16 10	11.2	3.0	2.0	2.4	14.1	16.0	225.8		167.4
2020/08/16 11	11.6	4.0	2.0	4.5	15.0	21.0	210.5		171.6
2020/08/16 12	8.7	4.0	2.1	4.4	15.1	23.0	205.9		173.8
2020/08/16 13	8.6	4.0	2.0	3.5	16.2	26.0	234.9		172.4
2020/08/16 14	8.7	5.0	2.0	2.4	15.1	26.0	237.2		174.2
2020/08/16 15	9.0	4.0	2.1	3.6	15.3	26.0	236.5		173.7
2020/08/16 16	9.7	5.0	2.1	2.4	16.3	22.0	231.0		170.7
2020/08/16 17	7.6	4.0	2.0	3.5	13.1	22.0	72.2		169.6
2020/08/16 18	11.5	4.0	3.0	4.6	11.0	14.0	5.9		164.4
2020/08/16 19	9.5	4.1	4.0	4.4	11.2	6.0	6.8		152.3
2020/08/16 20	8.5	4.2	3.0	4.5	11.1	6.0	4.9		42.7
2020/08/16 21	7.5	4.0	3.1	4.4	11.0	5.0	6.8		36.8
2020/08/16 22	8.4	4.1	3.0	6.6	10.0	6.0	5.9		38.6
2020/08/16 23	8.5	4.1	3.1	3.4	10.9	6.0	6.9		35.9
2020/08/17 00	7.5	4.1	3.0	4.5	9.8	5.0	3.8		37.5
2020/08/17 01	7.4	3.1	3.0	2.6	10.8	6.0	5.8		36.0
2020/08/17 02	6.5	4.1	3.0	5.4	9.8	6.0	5.9		35.0
2020/08/17 03	6.4	4.1	3.1	3.5	10.7	6.0	3.9		37.0
2020/08/17 04	6.5	4.1	3.0	4.4	9.7	5.0	7.9		34.8
2020/08/17 05	6.5	4.1	3.1	3.6	9.8	6.0	3.8		35.0
2020/08/17 06	7.5	4.1	4.0	5.8	10.8	5.0	4.9		36.9
2020/08/17 07	9.6	4.1	2.0	7.5	9.7	8.0	6.9		33.6
2020/08/17 08	47.6	15.6	3.0	6.5	11.8	6.0	7.0		40.0
2020/08/17 09	53.3	24.9	6.6	10.7	19.8	16.0	77.5		155.9
2020/08/17 10	62.5	23.8	9.9	13.1	26.3	15.0	129.2		172.3
2020/08/17 11	71.0	28.0	8.8	14.0	25.2	16.0	137.3		175.8
2020/08/17 12	62.3	22.4	7.7	12.7	26.3	16.0	139.1		180.0
2020/08/17 13	53.1	13.4	8.6	11.4	22.0	14.0	147.1		178.1
2020/08/17 14	70.9	10.0	7.6	19.5	26.3	11.0	182.1		179.4
2020/08/17 15	72.3	9.0	6.6	18.7	26.3	11.0	170.9		177.5
2020/08/17 16	59.1	9.1	6.2	12.5	26.2	12.0	162.1		174.0
2020/08/17 17	53.3	8.0	6.2	10.6	23.3	12.0	47.3		171.7
2020/08/17 18	35.5	8.1	3.2	9.4	16.8	10.0	6.9		170.3
2020/08/17 19	22.1	21.1	3.1	7.1	12.9	8.0	5.7		153.3
2020/08/17 20	27.9	46.1	3.2	4.5	12.9	8.0	5.0		33.1
2020/08/17 21	22.7	37.2	3.2	6.5	11.9	8.0	4.8		32.2
2020/08/17 22	9.5	10.2	3.3	4.5	9.8	6.0	7.8		31.4
2020/08/17 23	7.4	4.1	3.1	5.5	10.8	6.0	4.9		33.4
2020/08/18 00	6.5	4.1	3.2	2.5	9.7	4.0	4.8		32.3
2020/08/18 01	7.5	4.1	3.2	5.5	9.7	6.0	7.1		30.2
2020/08/18 02	6.5	4.1	3.2	3.5	10.6	4.0	4.8		29.8
2020/08/18 03	7.3	4.1	4.1	4.4	9.7	5.0	5.0		30.8
2020/08/18 04	6.5	4.1	3.3	3.5	9.7	3.0	5.8		32.0
2020/08/18 05	7.5	4.1	3.2	5.6	10.7	7.0	5.9		31.2
2020/08/18 06	5.5	4.1	3.1	3.4	9.8	4.0	6.9		30.8
2020/08/18 07	6.5	4.0	2.2	5.0	9.7	5.0	5.8		30.3
2020/08/18 08	40.1	9.8	7.0	11.6	10.8	9.0	3.9		31.6
2020/08/18 09	52.7	15.7	5.2	25.6	16.7	24.0	10.9		123.9
2020/08/18 10	56.2	16.6	4.3	22.5	27.2	25.0	18.3		139.8
2020/08/18 11	51.5	17.8	7.4	27.6	26.3	19.0	10.6		137.4
2020/08/18 12	49.1	17.9	7.3	25.7	26.2	21.0	9.4		141.8
2020/08/18 13	47.5	18.2	11.2	9.3	21.9	21.0	7.9		134.4
2020/08/18 14	52.5	17.5	9.2	12.5	28.2	18.0	7.7		139.5
2020/08/18 15	53.6	20.7	10.5	16.6	28.2	17.0	10.6		139.8
2020/08/18 16	37.1	20.3	14.5	15.6	25.8	18.0	7.2		129.0
2020/08/18 17	28.8	25.3	11.2	13.5	23.0	16.0	6.8		128.6
2020/08/18 18	19.1	7.0	6.3	13.7	18.0	14.0	7.2		58.0
2020/08/18 19	19.1	6.2	8.2	13.2	15.0	11.0	3.8		35.7
2020/08/18 20	24.0	11.2	19.2	10.0	13.9	4.0	7.0		34.0
2020/08/18 21	14.6	12.4	11.1	8.6	11.8	5.0	6.8		33.9
2020/08/18 22	11.5	6.2	3.3	4.4	12.8	6.0	5.9		29.2
2020/08/18 23	10.5	5.1	3.2	5.6	10.8	3.0	5.9		29.2
2020/08/19 00	6.5	4.1	4.2	3.4	9.6	5.0	4.8		28.2

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/08/19 01	7.5	4.0	3.1	4.5	10.7	5.0	4.9		29.1
2020/08/19 02	7.3	4.1	3.3	3.5	9.6	5.0	7.9		30.9
2020/08/19 03	6.5	4.1	3.2	3.5	10.6	4.0	5.0		28.2
2020/08/19 04	7.5	4.1	3.1	5.5	9.7	6.0	5.8		28.4
2020/08/19 05	7.5	4.1	3.2	3.5	9.7	5.0	5.0		29.1
2020/08/19 06	5.5	4.1	3.2	3.5	10.7	3.0	4.9		30.3
2020/08/19 07	7.4	4.0	2.3	6.0	9.7	7.0	4.9		29.2
2020/08/19 08	36.9	9.4	12.9	9.5	11.7	6.0	6.8		28.7
2020/08/19 09	47.5	25.6	20.6	22.5	17.9	50.0	83.3		151.9
2020/08/19 10	51.8	25.4	25.8	21.2	26.2	33.0	191.0		168.6
2020/08/19 11	51.4	19.2	38.4	20.0	27.0	29.0	216.9		172.4
2020/08/19 12	52.8	19.3	34.1	17.7	24.0	33.0	182.0		171.6
2020/08/19 13	51.6	17.3	26.7	22.7	22.0	32.0	161.7		175.2
2020/08/19 14	54.6	18.0	18.3	30.7	27.0	30.0	168.4		176.3
2020/08/19 15	72.1	32.5	12.9	37.9	27.5	34.0	178.5		171.6
2020/08/19 16	73.1	23.0	23.9	24.6	25.4	24.0	166.6		173.0
2020/08/19 17	37.4	25.4	15.4	15.5	23.4	24.0	64.5		171.0
2020/08/19 18	29.9	9.2	10.5	12.3	18.1	19.0	8.0		171.2
2020/08/19 19	29.0	19.1	7.2	10.6	19.3	6.0	3.8		162.2
2020/08/19 20	35.0	41.3	3.3	7.8	15.0	5.0	5.9		56.0
2020/08/19 21	27.7	35.4	4.2	8.5	10.9	6.0	5.7		35.9
2020/08/19 22	18.4	7.1	3.2	5.5	10.9	5.0	6.9		37.0
2020/08/19 23	14.4	5.1	3.2	3.5	9.8	7.0	4.8		36.4
2020/08/20 00	12.1	4.1	3.1	4.5	10.8	4.0	4.9		37.2
2020/08/20 01	7.5	4.1	3.3	3.4	9.7	5.0	6.9		35.1
2020/08/20 02	5.4	4.1	3.2	4.5	10.7	7.0	4.0		36.1
2020/08/20 03	7.4	4.1	3.2	3.6	9.7	5.0	5.8		29.0
2020/08/20 04	7.5	4.1	3.2	3.4	10.8	5.0	6.9		30.1
2020/08/20 05	7.5	4.1	3.1	5.5	9.7	6.0	3.9		30.3
2020/08/20 06	6.5	4.0	3.2	2.5	10.8	4.0	5.7		29.9
2020/08/20 07	15.4	4.0	11.6	2.8	9.7	5.0	6.9		29.0
2020/08/20 08	45.1	8.6	12.3	11.5	11.8	5.0	5.8		30.6
2020/08/20 09	59.6	12.9	27.7	24.7	18.1	6.0	95.8		145.3
2020/08/20 10	73.7	23.5	33.3	29.5	24.9	6.0	174.6		164.4
2020/08/20 11	89.2	17.9	33.7	31.8	28.7	6.0	186.7		177.0
2020/08/20 12	78.9	19.9	34.6	30.5	26.6	6.0	232.1		183.2
2020/08/20 13	92.1	22.3	36.3	34.9	22.2	4.0	246.9		187.5
2020/08/20 14	98.9	23.7	40.8	48.9	27.8	6.0	192.3		195.2
2020/08/20 15	98.6	27.4	37.2	48.7	27.7	5.0	201.0		193.4
2020/08/20 16	94.8	27.8	24.8	38.1	28.7	6.0	202.7		186.4
2020/08/20 17	86.1	25.4	19.0	18.8	24.7	6.0	94.7		179.8
2020/08/20 18	32.8	8.3	18.9	11.4	19.1	5.0	8.6		177.5
2020/08/20 19	19.8	16.1	20.0	10.5	16.2	6.0	6.7		167.6
2020/08/20 20	26.2	41.3	15.1	5.6	15.1	6.0	5.8		74.2
2020/08/20 21	24.5	37.3	12.0	5.5	12.1	5.0	6.0		43.8
2020/08/20 22	12.5	6.2	3.0	4.5	10.0	6.0	6.9		37.0
2020/08/20 23	7.5	4.1	3.1	4.5	10.9	6.0	6.8		39.3
2020/08/21 00	7.5	4.1	3.1	4.5	10.8	5.0	2.9		37.9
2020/08/21 01	10.3	4.1	3.1	3.4	10.7	5.0	6.8		36.6
2020/08/21 02	7.5	4.1	3.0	4.6	9.7	7.0	5.8		36.2
2020/08/21 03	6.5	4.1	3.0	3.4	10.7	4.0	4.9		36.5
2020/08/21 04	6.5	4.1	3.1	3.5	9.7	7.0	4.9		37.4
2020/08/21 05	8.5	4.1	3.0	5.5	10.8	3.0	6.8		36.4
2020/08/21 06	5.4	4.0	3.0	2.5	10.8	5.0	5.0		36.7
2020/08/21 07	8.5	5.0	11.1	3.8	9.7	7.0	4.8		38.0
2020/08/21 08	44.2	9.0	12.0	9.4	10.8	6.0	10.2		44.4
2020/08/21 09	53.7	15.5	25.5	26.6	16.9	41.0	150.8		159.0
2020/08/21 10	55.0	20.6	29.3	22.2	26.0	33.0	292.5		171.2
2020/08/21 11	54.2	19.6	36.2	33.3	27.9	32.0	295.7		182.4
2020/08/21 12	42.3	14.3	37.4	35.0	24.9	28.0	286.7		183.2
2020/08/21 13	59.7	16.5	31.8	35.0	22.0	29.0	176.9		185.5
2020/08/21 14	53.7	16.9	43.9	29.6	23.6	25.0	185.9		185.9
2020/08/21 15	54.7	24.8	33.5	37.1	29.0	19.0	189.7		183.6
2020/08/21 16	67.5	15.9	36.5	26.7	27.0	17.0	216.8		183.2
2020/08/21 17	52.0	21.9	34.0	12.7	23.3	17.0	77.8		178.6
2020/08/21 18	29.5	8.2	11.0	13.5	16.8	15.0	10.8		177.1
2020/08/21 19	30.8	17.5	8.6	11.3	14.0	3.0	5.9		166.7
2020/08/21 20	31.2	47.4	12.8	8.4	11.9	2.0	6.8		52.4
2020/08/21 21	21.5	44.1	15.0	6.6	11.0	3.0	5.9		41.5
2020/08/21 22	11.5	9.1	12.1	5.5	10.9	4.0	3.9		36.8
2020/08/21 23	8.5	4.1	3.0	3.4	10.8	2.0	5.9		39.0
2020/08/22 00	6.4	4.1	3.0	4.6	9.7	3.0	5.9		35.5

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/08/22 01	7.5	4.1	3.0	3.4	10.7	3.0	5.8		37.2
2020/08/22 02	8.5	4.1	3.0	3.5	9.7	2.0	6.9		34.9
2020/08/22 03	6.4	4.1	3.1	3.4	10.7	1.0	3.9		34.9
2020/08/22 04	9.4	4.1	4.0	5.6	9.8	3.0	6.9		36.1
2020/08/22 05	6.5	4.1	3.1	3.5	10.7	1.0	4.7		35.0
2020/08/22 06	8.5	4.1	3.0	3.4	9.8	2.0	5.0		36.8
2020/08/22 07	12.5	4.1	3.0	3.6	10.7	3.0	6.9		34.8
2020/08/22 08	7.4	5.0	2.1	4.4	9.8	2.0	7.1		77.2
2020/08/22 09	19.5	14.1	3.0	3.5	11.7	6.0	67.8		148.4
2020/08/22 10	23.4	15.0	3.0	3.4	14.8	6.0	143.2		164.8
2020/08/22 11	18.5	15.1	2.1	4.6	13.8	6.0	132.3		159.5
2020/08/22 12	8.5	11.0	3.1	4.5	14.8	8.0	128.3		160.5
2020/08/22 13	7.4	7.0	2.0	4.4	14.8	8.0	125.9		169.4
2020/08/22 14	6.5	7.0	4.0	3.6	15.8	9.0	130.6		166.2
2020/08/22 15	7.5	7.0	3.0	4.4	15.9	6.0	133.3		158.6
2020/08/22 16	5.5	4.0	2.2	3.5	15.8	7.0	122.1		159.3
2020/08/22 17	8.3	4.0	14.0	4.5	15.8	7.0	51.0		156.6
2020/08/22 18	9.5	5.1	14.0	4.5	10.9	6.0	6.9		158.6
2020/08/22 19	12.5	4.2	12.1	6.6	11.0	3.0	6.8		140.6
2020/08/22 20	18.5	13.3	14.0	6.4	10.9	2.0	2.9		35.4
2020/08/22 21	12.5	13.4	16.1	7.5	11.9	2.0	5.8		30.7
2020/08/22 22	8.4	9.2	15.1	5.4	9.8	1.0	7.0		31.8
2020/08/22 23	8.5	4.1	7.0	5.6	10.7	3.0	6.8		32.3
2020/08/23 00	7.4	4.1	3.0	3.4	10.7	1.0	4.9		31.1
2020/08/23 01	8.5	4.1	3.1	2.5	9.7	2.0	4.8		31.8
2020/08/23 02	7.4	4.1	4.1	4.5	10.7	2.0	5.9		31.9
2020/08/23 03	8.5	4.1	3.0	3.4	9.7	3.0	6.9		29.6
2020/08/23 04	7.5	4.1	3.0	4.6	10.6	1.0	2.9		29.7
2020/08/23 05	8.3	4.1	3.1	3.4	9.8	3.0	6.9		32.2
2020/08/23 06	6.5	4.0	3.0	4.5	9.7	1.0	4.9		31.8
2020/08/23 07	6.5	4.0	2.0	2.4	10.6	3.0	8.0		30.9
2020/08/23 08	8.0	4.0	2.2	1.6	9.7	1.0	12.0		34.0
2020/08/23 09	11.1	4.0	2.0	3.5	11.8	10.0	126.0		147.4
2020/08/23 10	12.4	4.0	2.0	2.4	13.8	11.0	163.3		156.5
2020/08/23 11	11.5	4.0	2.1	4.5	14.8	14.0	134.6		160.1
2020/08/23 12	11.5	4.0	2.0	5.4	15.8	17.0	129.2		155.6
2020/08/23 13	6.4	4.0	2.0	4.5	15.9	20.0	129.4		154.9
2020/08/23 14	6.5	4.0	2.2	2.5	15.9	19.0	134.0		157.6
2020/08/23 15	5.4	4.0	2.0	1.5	15.1	24.0	152.7		158.5
2020/08/23 16	4.5	3.0	2.0	3.5	16.1	21.0	181.2		163.9
2020/08/23 17	6.4	4.0	2.1	2.4	13.0	23.0	70.5		163.5
2020/08/23 18	9.5	4.1	3.0	5.5	10.0	12.0	5.9		157.5
2020/08/23 19	10.5	4.1	4.1	4.5	11.0	4.0	4.8		148.3
2020/08/23 20	11.5	4.1	3.1	3.5	11.0	2.0	6.9		41.1
2020/08/23 21	7.3	4.1	3.1	5.4	11.0	2.0	6.9		32.1
2020/08/23 22	7.5	4.1	3.0	6.5	10.9	4.0	3.9		32.1
2020/08/23 23	8.5	4.1	3.0	2.6	9.8	2.0	6.8		32.8
2020/08/24 00	7.5	3.1	3.1	4.4	10.7	3.0	5.9		32.4
2020/08/24 01	7.4	4.1	3.0	3.5	9.7	3.0	5.9		31.1
2020/08/24 02	5.5	4.1	4.1	4.4	9.7	2.0	3.9		32.5
2020/08/24 03	9.4	4.1	3.0	3.5	10.6	3.0	6.8		29.7
2020/08/24 04	8.4	4.1	3.1	4.4	9.7	2.0	4.9		30.6
2020/08/24 05	6.5	4.1	3.0	3.6	9.8	2.0	3.8		31.4
2020/08/24 06	6.5	3.1	3.0	2.4	10.7	1.0	6.8		30.9
2020/08/24 07	9.4	5.0	6.0	4.5	9.7	4.0	6.0		31.0
2020/08/24 08	47.5	10.4	15.6	9.5	10.6	3.0	8.4		32.8
2020/08/24 09	52.1	21.7	21.5	22.6	18.8	13.0	90.0		118.3
2020/08/24 10	51.4	22.0	27.0	27.5	26.8	14.0	177.7		177.7
2020/08/24 11	44.1	25.2	30.8	24.6	27.9	22.0	195.2		177.0
2020/08/24 12	42.4	24.2	34.1	23.7	27.7	20.0	168.2		179.6
2020/08/24 13	51.6	25.2	29.7	24.5	24.9	24.0	139.4		178.5
2020/08/24 14	58.8	26.2	35.3	28.5	27.0	26.0	138.4		180.1
2020/08/24 15	65.0	22.2	27.9	28.8	27.1	24.0	140.9		181.1
2020/08/24 16	58.3	22.4	21.5	30.0	28.3	22.0	141.7		176.0
2020/08/24 17	36.0	19.0	19.6	16.4	23.1	18.0	72.1		178.8
2020/08/24 18	35.4	8.1	13.8	15.6	17.9	12.0	7.3		175.9
2020/08/24 19	29.8	8.1	7.3	12.6	17.1	5.0	7.0		165.0
2020/08/24 20	32.2	14.3	4.1	13.0	13.9	2.0	4.8		68.5
2020/08/24 21	26.3	15.4	3.1	9.5	13.9	3.0	5.9		40.9
2020/08/24 22	15.5	9.2	4.0	6.4	10.8	3.0	5.8		40.8
2020/08/24 23	8.5	5.1	2.9	4.6	10.8	3.0	6.9		39.1
2020/08/25 00	6.4	4.1	3.1	2.4	10.6	2.0	3.9		33.5

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/08/25 01	7.4	4.1	3.0	5.5	9.7	3.0	6.9		33.8
2020/08/25 02	5.5	4.1	2.9	4.6	10.6	1.0	4.8		33.4
2020/08/25 03	7.5	4.1	3.0	3.4	9.6	2.0	6.0		33.3
2020/08/25 04	7.5	4.1	4.0	3.5	9.7	2.0	4.9		32.1
2020/08/25 05	6.4	4.0	2.9	4.4	10.7	2.0	3.8		34.7
2020/08/25 06	5.4	4.1	3.1	3.6	9.8	1.0	6.9		32.2
2020/08/25 07	15.5	4.0	7.9	2.5	10.6	2.0	5.9		33.9
2020/08/25 08	42.4	10.8	13.8	13.5	10.8	7.0	5.7		82.9
2020/08/25 09	61.1	13.8	24.8	27.5	18.8	22.0	11.0		154.8
2020/08/25 10	67.3	13.2	22.9	30.6	23.6	25.0	12.4		177.0
2020/08/25 11	69.6	18.2	28.3	26.4	25.8	21.0	13.2		176.5
2020/08/25 12	47.3	15.5	24.8	35.9	25.8	19.0	17.2		177.0
2020/08/25 13	58.9	14.7	29.9	37.8	22.0	48.0	6.0		177.4
2020/08/25 14	56.1	18.8	30.2	36.5	27.8	42.0	8.8		177.9
2020/08/25 15	59.7	17.7	25.6	35.3	26.7	29.0	11.6		176.4
2020/08/25 16	57.7	24.0	27.1	24.7	25.8	25.0	8.4		171.3
2020/08/25 17	40.8	16.5	18.5	16.7	24.8	24.0	9.7		171.8
2020/08/25 18	29.0	8.1	7.8	19.3	19.8	18.0	9.4		171.2
2020/08/25 19	26.2	7.1	5.0	14.1	17.8	15.0	7.2		149.6
2020/08/25 20	23.3	12.3	3.9	8.4	14.8	14.0	9.3		48.4
2020/08/25 21	17.9	13.4	3.9	6.6	13.9	12.0	9.3		38.4
2020/08/25 22	14.5	7.1	4.0	5.5	11.8	11.0	5.9		39.2
2020/08/25 23	12.3	4.1	2.9	4.4	10.8	3.0	5.8		31.6
2020/08/26 00	6.3	5.1	3.0	4.6	10.6	1.0	5.9		32.4
2020/08/26 01	9.5	4.1	2.9	2.4	9.6	2.0	5.8		32.2
2020/08/26 02	7.5	4.1	2.9	5.5	10.7	1.0	6.7		31.1
2020/08/26 03	6.8	4.1	2.9	3.4	9.6	3.0	4.0		30.0
2020/08/26 04	7.5	4.1	3.0	3.5	9.6	2.0	6.9		29.5
2020/08/26 05	6.5	4.1	3.0	4.5	10.6	2.0	6.0		32.1
2020/08/26 06	5.4	4.0	2.9	3.4	9.7	2.0	4.8		30.8
2020/08/26 07	16.4	4.0	7.3	2.6	9.7	3.0	6.9		31.1
2020/08/26 08	39.9	8.4	6.0	12.6	11.6	2.0	8.4		31.8
2020/08/26 09	52.8	11.5	17.4	26.6	17.7	29.0	172.4		160.6
2020/08/26 10	64.6	11.3	19.3	29.3	23.9	20.0	218.1		170.0
2020/08/26 11	58.4	15.5	21.6	26.4	22.7	34.0	243.4		169.8
2020/08/26 12	67.0	13.6	24.2	36.1	23.0	35.0	212.8		175.2
2020/08/26 13	72.5	17.7	28.5	42.7	21.0	26.0	189.4		173.2
2020/08/26 14	71.5	16.9	39.4	35.8	27.3	31.0	192.4		174.7
2020/08/26 15	62.7	18.0	34.2	39.7	27.4	31.0	193.1		173.9
2020/08/26 16	65.8	24.9	33.1	38.2	28.5	29.0	188.6		168.4
2020/08/26 17	60.5	15.5	23.3	25.5	25.5	24.0	94.6		177.6
2020/08/26 18	41.8	8.1	13.5	20.7	19.0	20.0	11.9		176.9
2020/08/26 19	26.4	7.2	9.5	12.6	16.6	7.0	8.6		167.9
2020/08/26 20	31.4	9.1	6.1	7.7	15.8	5.0	5.7		53.5
2020/08/26 21	24.8	14.1	4.0	6.5	14.9	4.0	5.8		39.5
2020/08/26 22	7.5	10.1	2.9	6.5	12.9	2.0	5.0		39.1
2020/08/26 23	8.6	4.1	2.9	4.5	11.9	3.0	6.8		39.8
2020/08/27 00	7.3	4.1	2.9	2.4	10.7	3.0	6.0		40.4
2020/08/27 01	7.4	4.0	3.1	4.6	9.7	2.0	4.9		37.3
2020/08/27 02	6.4	3.1	3.9	4.5	10.7	5.0	5.8		33.6
2020/08/27 03	6.5	4.1	2.9	3.4	9.7	2.0	6.8		31.2
2020/08/27 04	6.5	4.1	2.9	3.5	10.7	1.0	3.9		32.1
2020/08/27 05	7.5	4.1	2.9	4.5	9.7	3.0	3.8		32.5
2020/08/27 06	6.4	3.1	3.0	3.5	10.8	1.0	7.9		32.0
2020/08/27 07	16.5	4.0	7.9	2.5	10.7	3.0	4.8		33.2
2020/08/27 08	34.0	10.8	11.2	10.6	11.7	3.0	7.8		80.7
2020/08/27 09	46.9	14.1	22.8	24.5	17.0	41.0	171.6		157.9
2020/08/27 10	38.1	8.2	32.3	29.1	25.2	68.0	258.2		171.0
2020/08/27 11	44.6	8.1	34.2	29.1	25.4	72.0	236.5		182.3
2020/08/27 12	41.8	9.0	40.2	28.8	26.4	77.0	206.1		184.0
2020/08/27 13	62.6	15.1	39.1	41.4	21.6	73.0	200.1		184.9
2020/08/27 14	58.9	15.0	41.4	49.6	27.4	70.0	206.3		183.6
2020/08/27 15	84.6	22.4	25.0	48.9	25.4	37.0	198.2		184.0
2020/08/27 16	58.0	14.3	12.2	33.4	26.4	36.0	193.3		179.5
2020/08/27 17	67.7	10.3	12.7	22.9	23.5	31.0	62.8		177.7
2020/08/27 18	29.0	8.0	13.9	18.4	18.2	20.0	8.6		176.1
2020/08/27 19	26.2	7.2	19.9	9.9	17.2	2.0	5.7		166.7
2020/08/27 20	25.8	9.1	19.9	9.6	15.1	4.0	4.8		68.7
2020/08/27 21	21.5	14.1	13.9	8.4	14.1	2.0	7.9		38.5
2020/08/27 22	16.3	5.1	6.9	5.5	15.0	3.0	4.9		41.3
2020/08/27 23	7.5	4.1	5.9	3.5	12.9	3.0	7.8		39.9
2020/08/28 00	11.5	4.1	3.0	4.5	11.8	2.0	5.8		35.6

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/08/28 01	6.5	4.1	3.9	4.5	10.8	4.0	4.8		32.5
2020/08/28 02	8.1	4.0	2.9	4.4	9.7	1.0	6.0		33.6
2020/08/28 03	6.4	4.1	2.9	3.6	10.8	3.0	4.9		31.5
2020/08/28 04	7.5	4.1	3.9	4.4	9.7	2.0	4.7		33.3
2020/08/28 05	6.4	4.1	2.9	2.5	10.7	4.0	5.9		32.6
2020/08/28 06	5.5	4.1	2.9	4.4	9.8	2.0	7.9		32.4
2020/08/28 07	15.2	4.0	8.6	2.7	11.8	4.0	4.8		32.5
2020/08/28 08	46.1	11.1	15.2	13.6	13.9	5.0	6.9		79.8
2020/08/28 09	65.6	18.6	28.2	29.5	21.0	36.0	203.9		159.6
2020/08/28 10	73.4	20.3	34.3	36.9	27.4	36.0	271.7		177.3
2020/08/28 11	85.3	17.2	47.9	35.4	27.4	40.0	275.3		188.5
2020/08/28 12	88.4	19.1	45.4	33.1	28.4	42.0	205.2		191.1
2020/08/28 13	85.3	19.4	39.3	46.7	22.4	39.0	205.0		184.7
2020/08/28 14	91.1	23.1	47.7	48.0	25.1	40.0	200.0		184.5
2020/08/28 15	74.4	11.0	45.1	46.9	28.2	36.0	204.6		184.9
2020/08/28 16	72.6	11.0	42.0	27.4	28.1	38.0	204.2		187.8
2020/08/28 17	37.6	9.0	25.4	17.4	25.1	36.0	120.1		187.2
2020/08/28 18	27.2	7.1	12.4	16.3	19.2	23.0	18.3		181.7
2020/08/28 19	25.0	5.1	9.9	8.7	16.2	16.0	4.7		175.6
2020/08/28 20	24.9	13.4	17.9	8.5	14.3	14.0	6.9		75.8
2020/08/28 21	17.5	14.4	16.9	4.4	12.1	12.0	4.8		47.9
2020/08/28 22	8.5	7.2	6.8	5.6	11.1	13.0	7.8		46.4
2020/08/28 23	7.5	5.1	3.9	3.4	11.0	10.0	5.8		43.0
2020/08/29 00	9.0	4.1	3.0	4.5	9.8	10.0	4.9		40.5
2020/08/29 01	9.5	4.1	2.9	3.5	10.8	9.0	6.8		38.5
2020/08/29 02	9.5	4.1	2.9	4.5	10.8	10.0	5.8		39.6
2020/08/29 03	9.5	4.1	2.9	3.5	9.8	9.0	6.9		40.7
2020/08/29 04	8.4	4.1	2.9	4.4	10.9	9.0	3.9		38.3
2020/08/29 05	8.5	4.1	2.9	3.5	10.8	7.0	5.9		39.9
2020/08/29 06	12.5	4.1	3.0	4.5	9.8	9.0	5.8		41.7
2020/08/29 07	20.5	4.0	1.9	1.5	10.9	10.0	5.8		39.5
2020/08/29 08	29.3	12.1	1.9	3.5	9.9	12.0	5.9		79.6
2020/08/29 09	47.2	13.8	1.9	4.4	11.1	18.0	177.4		160.8
2020/08/29 10	65.2	12.3	5.0	3.6	15.1	19.0	291.8		178.7
2020/08/29 11	43.5	11.9	10.7	4.4	14.2	22.0	207.5		184.9
2020/08/29 12	46.3	13.5	2.9	3.5	15.1	22.0	201.2		180.3
2020/08/29 13	55.0	11.8	4.8	4.4	16.2	17.0	192.3		181.6
2020/08/29 14	48.7	8.0	2.9	3.5	15.1	19.0	189.8		182.1
2020/08/29 15	25.1	8.1	3.0	4.4	15.1	18.0	186.6		180.6
2020/08/29 16	20.2	10.0	2.9	2.6	16.1	17.0	174.3		174.0
2020/08/29 17	17.4	7.0	2.9	5.5	13.2	17.0	58.7		173.4
2020/08/29 18	23.6	5.1	2.9	5.4	11.2	11.0	9.0		173.0
2020/08/29 19	17.3	6.1	2.9	8.5	11.2	4.0	5.8		158.0
2020/08/29 20	14.4	37.1	13.9	6.5	12.2	3.0	3.9		43.2
2020/08/29 21	11.5	39.1	14.9	7.5	11.0	3.0	5.8		32.5
2020/08/29 22	9.5	6.1	16.0	5.4	11.0	3.0	6.8		33.5
2020/08/29 23	8.4	5.1	7.9	5.5	10.0	2.0	7.0		34.8
2020/08/30 00	10.5	4.1	3.0	2.6	10.9	3.0	5.9		32.4
2020/08/30 01	8.4	4.1	2.9	4.4	10.7	3.0	4.8		31.6
2020/08/30 02	9.5	4.1	2.9	4.5	9.8	3.0	6.9		33.4
2020/08/30 03	8.4	4.1	2.9	3.4	10.7	1.0	5.9		32.4
2020/08/30 04	9.5	4.1	2.9	3.6	10.8	5.0	3.9		33.4
2020/08/30 05	9.5	3.1	2.9	4.4	9.8	2.0	6.8		31.7
2020/08/30 06	8.5	4.1	2.9	4.5	10.8	2.0	6.9		32.5
2020/08/30 07	7.3	4.1	4.0	3.5	9.8	3.0	6.0		33.2
2020/08/30 08	9.5	4.0	1.9	2.5	10.7	2.0	7.1		34.9
2020/08/30 09	7.5	4.1	7.0	4.6	10.9	11.0	127.8		154.4
2020/08/30 10	9.5	3.0	11.9	3.4	14.8	12.0	182.1		157.8
2020/08/30 11	10.4	4.0	11.9	5.5	16.0	12.0	174.9		168.4
2020/08/30 12	11.4	4.0	13.0	6.3	14.9	13.0	156.4		166.6
2020/08/30 13	10.5	4.0	7.9	4.8	14.9	11.0	76.5		167.2
2020/08/30 14	13.3	4.0	2.0	1.5	15.8	12.0	65.5		163.6
2020/08/30 15	9.4	4.0	2.9	4.5	14.9	8.0	64.9		163.7
2020/08/30 16	7.5	3.1	2.9	3.5	15.8	10.0	54.6		152.8
2020/08/30 17	9.5	4.1	3.0	5.4	12.8	10.0	46.7		156.3
2020/08/30 18	11.5	4.1	2.9	4.5	10.9	8.0	6.9		152.3
2020/08/30 19	14.4	4.2	3.0	4.6	11.0	5.0	4.8		147.0
2020/08/30 20	14.5	4.0	2.9	5.4	11.9	7.0	6.0		43.9
2020/08/30 21	8.5	4.2	3.9	4.5	10.8	3.0	6.9		29.8
2020/08/30 22	7.4	4.1	3.0	4.4	9.9	5.0	7.0		30.3
2020/08/30 23	8.4	4.0	3.0	5.6	10.7	4.0	4.0		31.8
2020/08/31 00	12.5	3.1	2.9	3.4	10.7	3.0	6.9		29.8

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シープラザ釜石
2020/08/31 01	6.5	4.1	2.9	3.5	9.6	4.0	4.8		30.9
2020/08/31 02	7.5	4.1	3.0	3.5	10.7	4.0	7.1		30.7
2020/08/31 03	5.4	3.2	2.9	3.4	9.6	3.0	5.9		30.7
2020/08/31 04	7.4	4.1	3.0	3.6	10.6	1.0	4.9		28.2
2020/08/31 05	6.5	4.1	2.9	4.4	9.7	4.0	6.8		30.8
2020/08/31 06	7.5	3.2	2.9	4.5	9.7	3.0	4.0		29.5
2020/08/31 07	7.4	4.1	5.6	3.5	10.6	4.0	7.0		30.8
2020/08/31 08	5.5	7.1	10.6	12.4	10.7	2.0	8.1		31.0
2020/08/31 09	7.5	14.2	21.0	24.4	19.7	8.0	23.4		129.7
2020/08/31 10	8.4	17.1	22.8	18.2	25.5	6.0	16.2		157.6
2020/08/31 11	7.5	15.0	28.6	26.6	25.7	6.0	15.5		152.7
2020/08/31 12	4.4	16.0	23.6	19.7	26.6	7.0	15.9		149.9
2020/08/31 13	8.5	14.0	18.6	18.2	22.7	7.0	25.8		147.7
2020/08/31 14	9.5	15.1	28.3	26.3	24.9	6.0	26.0		151.7
2020/08/31 15	10.4	14.1	28.3	24.7	25.9	8.0	13.9		149.2
2020/08/31 16	6.4	10.0	24.2	35.5	24.9	6.0	37.0		142.4
2020/08/31 17	7.5	4.1	13.1	33.3	22.9	6.0	26.0		140.2
2020/08/31 18	14.5	4.1	8.1	22.2	16.8	6.0	6.9		136.9
2020/08/31 19	16.5	4.1	6.0	11.0	13.7	2.0	6.7		134.1
2020/08/31 20	20.4	12.3	6.0	10.5	13.7	3.0	6.0		42.9
2020/08/31 21	16.4	12.3	6.9	10.5	12.7	2.0	6.0		30.5
2020/08/31 22	8.5	11.3	3.9	6.4	10.6	1.0	5.9		30.8
2020/08/31 23	5.5	3.1	3.0	6.6	9.6	3.0	5.9		29.7
2020/09/01 00	7.5	4.1	3.0	5.4	10.6	2.0	6.0		30.4