

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/10/01 01	10.5	5.1	0.2	5.6	9.4	3.0	6.0		31.1
2020/10/01 02	8.5	4.1	1.1	6.5	9.4	2.0	5.9		32.9
2020/10/01 03	9.5	4.1	1.1	5.6	9.4	2.0	5.0		33.2
2020/10/01 04	10.5	4.1	1.1	5.6	10.5	3.0	5.9		31.8
2020/10/01 05	8.5	4.1	1.2	6.6	9.4	3.0	5.1		29.7
2020/10/01 06	9.4	4.1	1.1	3.5	9.6	1.0	5.9		25.8
2020/10/01 07	16.5	3.0	1.1	3.6	10.5	4.0	6.0		25.9
2020/10/01 08	28.5	11.1	7.1	10.5	11.4	3.0	7.0		30.4
2020/10/01 09	37.5	15.0	25.1	19.7	20.6	5.0	21.0		62.6
2020/10/01 10	41.4	17.0	29.2	20.6	24.4	5.0	39.9		76.3
2020/10/01 11	40.5	16.0	28.1	21.5	25.4	5.0	40.9		84.3
2020/10/01 12	37.5	17.0	16.1	21.6	24.4	4.0	41.2		86.1
2020/10/01 13	36.5	17.1	18.1	20.6	21.7	6.0	38.9		84.7
2020/10/01 14	41.5	17.0	25.2	26.6	23.4	4.0	41.9		85.8
2020/10/01 15	42.4	17.0	18.1	20.5	23.5	4.0	41.9		90.3
2020/10/01 16	44.5	30.2	11.1	20.5	24.4	5.0	44.0		88.4
2020/10/01 17	45.5	25.2	7.1	12.5	20.5	5.0	43.9		87.2
2020/10/01 18	33.5	9.1	11.2	12.6	16.3	11.0	18.1		80.8
2020/10/01 19	20.4	11.1	15.1	12.6	14.4	10.0	6.9		74.6
2020/10/01 20	25.4	14.3	15.1	11.6	17.5	10.0	6.9		37.2
2020/10/01 21	23.5	13.4	8.1	7.6	13.5	5.0	5.0		34.6
2020/10/01 22	17.5	6.1	1.2	8.5	11.6	3.0	5.9		34.4
2020/10/01 23	16.5	4.1	0.1	5.7	12.5	2.0	5.0		34.1
2020/10/02 00	8.5	5.1	1.1	6.5	11.5	1.0	7.0		29.8
2020/10/02 01	10.4	4.1	1.1	5.6	9.4	4.0	5.0		26.3
2020/10/02 02	8.4	4.1	1.2	5.5	9.4	1.0	6.0		28.1
2020/10/02 03	10.5	4.1	1.1	6.7	10.5	2.0	4.0		28.3
2020/10/02 04	9.5	4.1	0.1	5.6	9.4	2.0	5.9		27.1
2020/10/02 05	9.5	4.1	1.1	6.5	10.4	3.0	7.9		25.9
2020/10/02 06	10.5	4.1	1.2	3.6	8.5	0.0	5.0		24.8
2020/10/02 07	13.4	5.0	0.1	2.5	10.4	4.0	4.9		25.1
2020/10/02 08	27.5	7.0	4.1	9.7	11.5	2.0	7.9		27.5
2020/10/02 09	35.5	21.0	9.1	14.5	18.4	7.0	40.0		60.5
2020/10/02 10	32.5	21.0	12.2	16.6	25.4	8.0	46.0		79.0
2020/10/02 11	33.5	19.0	19.1	18.6	24.4	7.0	42.8		82.1
2020/10/02 12	32.4	19.0	12.1	16.5	23.4	8.0	37.9		96.4
2020/10/02 13	33.5	15.0	9.1	19.5	21.5	7.0	40.0		140.6
2020/10/02 14	38.5	19.1	20.2	23.4	25.4	7.0	39.1		136.0
2020/10/02 15	40.4	23.0	15.1	23.6	28.6	7.0	39.9		135.4
2020/10/02 16	43.5	23.1	16.1	25.4	31.5	8.0	40.9		110.3
2020/10/02 17	48.5	28.0	9.1	20.5	27.5	5.0	43.0		83.5
2020/10/02 18	43.5	15.2	8.2	13.4	17.5	6.0	7.1		82.0
2020/10/02 19	29.5	10.1	8.1	9.6	13.3	6.0	5.8		75.5
2020/10/02 20	25.3	39.1	16.1	5.5	11.6	5.0	6.1		37.1
2020/10/02 21	20.5	44.1	13.1	4.5	11.5	3.0	6.8		35.6
2020/10/02 22	10.5	10.1	7.2	7.6	9.6	2.0	4.1		34.4
2020/10/02 23	8.5	4.1	1.1	5.4	10.5	2.0	6.8		34.0
2020/10/03 00	11.5	4.1	1.1	6.6	9.6	3.0	5.9		30.2
2020/10/03 01	11.4	4.1	1.1	5.4	10.4	1.0	5.0		27.0
2020/10/03 02	7.4	4.1	0.1	5.6	9.5	3.0	5.0		28.7
2020/10/03 03	9.5	4.1	1.2	6.4	9.5	2.0	7.8		28.4
2020/10/03 04	8.5	4.1	1.1	5.6	10.5	2.0	5.0		27.1
2020/10/03 05	7.4	4.0	1.1	6.5	10.5	2.0	5.9		26.6
2020/10/03 06	9.5	4.1	1.1	3.5	9.5	2.0	6.0		27.3
2020/10/03 07	8.5	3.0	1.2	2.5	9.5	3.0	5.0		26.4
2020/10/03 08	7.5	6.0	0.1	3.5	9.5	3.0	5.8		29.6
2020/10/03 09	13.5	15.1	1.1	3.6	11.5	7.0	24.9		57.9
2020/10/03 10	17.4	16.0	0.1	2.4	14.5	7.0	31.0		68.5
2020/10/03 11	19.4	16.0	0.2	3.6	14.5	8.0	40.8		78.9
2020/10/03 12	15.5	15.0	0.1	4.5	15.6	8.0	40.2		85.7
2020/10/03 13	15.5	13.0	0.0	2.5	14.7	8.0	31.9		87.9
2020/10/03 14	18.5	13.0	1.1	4.5	14.6	8.0	27.0		86.7
2020/10/03 15	15.5	14.1	0.2	3.5	15.7	7.0	38.9		88.1
2020/10/03 16	11.4	10.0	0.1	3.5	14.6	4.0	39.8		84.6
2020/10/03 17	10.5	5.0	1.1	4.4	13.6	7.0	31.0		84.6
2020/10/03 18	18.4	4.2	1.1	4.6	9.8	5.0	5.9		77.1
2020/10/03 19	13.5	8.2	1.2	5.5	10.7	5.0	6.1		70.6
2020/10/03 20	13.5	12.3	0.1	6.4	10.5	6.0	5.8		29.8
2020/10/03 21	13.4	12.3	1.1	7.6	10.7	2.0	5.9		31.9
2020/10/03 22	8.5	12.4	1.1	5.4	9.5	3.0	6.9		29.5
2020/10/03 23	8.5	6.1	1.2	2.6	10.7	2.0	3.0		28.2
2020/10/04 00	9.5	4.1	1.1	3.5	9.6	3.0	6.0		28.4

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/10/04 01	8.4	3.1	1.1	4.5	10.7	1.0	6.9		28.2
2020/10/04 02	10.4	4.1	0.1	3.5	9.5	3.0	5.9		29.8
2020/10/04 03	10.5	3.1	1.1	3.7	10.6	2.0	4.9		28.5
2020/10/04 04	10.5	4.1	1.2	3.6	9.6	2.0	4.0		28.2
2020/10/04 05	7.5	3.1	1.1	3.5	10.6	2.0	7.0		27.2
2020/10/04 06	8.5	4.1	1.1	3.6	9.6	3.0	4.9		29.9
2020/10/04 07	9.3	3.1	1.1	4.6	10.6	2.0	6.8		26.4
2020/10/04 08	7.5	4.0	0.2	1.6	10.7	3.0	8.0		28.6
2020/10/04 09	9.5	3.0	0.1	3.5	15.5	6.0	18.0		56.9
2020/10/04 10	10.5	4.0	0.1	2.6	18.5	5.0	39.9		76.1
2020/10/04 11	8.4	3.0	0.1	2.5	18.8	5.0	39.8		81.1
2020/10/04 12	8.5	4.0	0.2	2.5	18.8	6.0	41.0		84.1
2020/10/04 13	8.4	4.0	0.1	2.5	17.8	4.0	38.9		85.0
2020/10/04 14	8.5	3.0	0.1	3.4	17.6	6.0	40.8		124.8
2020/10/04 15	7.4	4.0	0.1	3.6	14.6	5.0	30.0		125.6
2020/10/04 16	6.5	3.0	1.2	1.4	14.6	5.0	43.0		126.3
2020/10/04 17	7.5	4.1	1.1	4.5	12.8	7.0	38.9		107.6
2020/10/04 18	10.4	3.1	1.1	4.4	10.9	4.0	8.0		81.0
2020/10/04 19	12.4	4.1	1.1	4.5	9.6	6.0	3.9		69.1
2020/10/04 20	13.5	4.1	0.1	4.5	10.8	6.0	6.9		30.4
2020/10/04 21	8.5	4.1	1.2	4.5	9.7	2.0	4.0		30.6
2020/10/04 22	8.4	3.1	1.1	5.5	9.6	1.0	6.8		28.5
2020/10/04 23	10.5	4.1	1.1	3.5	9.6	4.0	6.8		28.2
2020/10/05 00	10.4	3.1	1.1	3.5	10.5	1.0	5.0		29.2
2020/10/05 01	8.5	4.1	1.2	3.4	9.5	2.0	4.9		28.0
2020/10/05 02	10.4	3.2	1.1	4.6	9.5	3.0	6.9		27.8
2020/10/05 03	8.5	4.1	1.1	2.4	9.5	2.0	4.0		28.4
2020/10/05 04	10.5	3.1	1.1	4.6	10.4	1.0	6.9		27.1
2020/10/05 05	11.5	4.0	1.2	1.5	9.5	3.0	3.9		28.1
2020/10/05 06	7.3	3.1	0.1	4.5	9.5	2.0	7.0		30.1
2020/10/05 07	8.5	4.1	2.1	3.5	9.6	3.0	5.6		26.7
2020/10/05 08	28.5	9.0	5.1	9.5	10.5	2.0	6.1		28.1
2020/10/05 09	33.5	15.0	16.2	15.5	18.4	6.0	26.8		64.9
2020/10/05 10	38.4	18.0	25.8	15.4	25.4	5.0	41.9		124.4
2020/10/05 11	36.5	23.0	19.2	15.1	28.4	7.0	44.0		129.1
2020/10/05 12	34.4	22.0	20.4	15.4	26.4	5.0	39.9		132.1
2020/10/05 13	35.5	21.1	19.7	17.6	20.6	6.0	32.0		133.9
2020/10/05 14	41.5	24.0	17.7	18.6	25.4	6.0	29.8		139.2
2020/10/05 15	39.4	23.0	21.1	19.5	24.4	5.0	43.9		141.3
2020/10/05 16	37.5	27.0	12.2	19.6	24.4	6.0	44.9		137.3
2020/10/05 17	46.5	23.1	10.2	14.5	23.5	6.0	40.9		142.4
2020/10/05 18	33.5	11.1	4.3	13.6	16.3	12.0	17.9		97.7
2020/10/05 19	26.4	33.1	4.2	13.5	13.6	14.0	5.0		75.1
2020/10/05 20	27.4	42.3	2.2	12.6	12.5	17.0	4.9		38.4
2020/10/05 21	24.5	14.3	1.2	10.6	12.5	3.0	6.0		35.5
2020/10/05 22	18.5	10.2	1.2	5.7	10.5	1.0	7.0		34.4
2020/10/05 23	11.5	5.2	1.2	3.7	11.6	3.0	5.0		32.8
2020/10/06 00	9.4	4.1	0.2	3.6	10.5	2.0	5.9		33.6
2020/10/06 01	13.5	4.1	1.2	3.7	10.5	2.0	4.8		36.3
2020/10/06 02	8.4	4.1	1.3	3.6	9.4	2.0	5.1		31.7
2020/10/06 03	9.5	4.1	1.2	3.7	9.4	3.0	4.9		32.2
2020/10/06 04	8.5	5.0	1.2	4.6	10.6	2.0	8.0		26.1
2020/10/06 05	9.5	4.1	1.2	2.7	9.4	1.0	3.9		26.2
2020/10/06 06	10.4	4.1	1.2	4.7	10.5	4.0	5.9		26.2
2020/10/06 07	10.5	4.1	1.2	3.6	9.5	2.0	6.1		27.2
2020/10/06 08	26.5	10.0	7.2	9.7	11.5	2.0	5.9		25.7
2020/10/06 09	37.5	14.1	18.3	17.6	17.5	8.0	10.1		39.8
2020/10/06 10	41.4	16.0	28.2	19.7	21.4	8.0	37.9		38.5
2020/10/06 11	42.5	23.0	26.2	19.6	20.4	14.0	42.0		39.6
2020/10/06 12	41.4	20.0	21.2	19.7	20.4	27.0	37.9		42.5
2020/10/06 13	37.5	18.0	15.2	20.7	16.5	27.0	38.9		41.5
2020/10/06 14	34.5	18.0	15.2	24.5	20.4	23.0	37.9		43.8
2020/10/06 15	38.5	15.0	25.2	19.6	20.4	16.0	36.9		42.7
2020/10/06 16	38.5	32.1	23.3	16.5	24.4	18.0	18.9		41.0
2020/10/06 17	45.5	26.3	12.2	13.6	23.5	15.0	6.8		39.7
2020/10/06 18	25.3	7.1	5.2	13.5	17.4	16.0	9.0		37.5
2020/10/06 19	20.5	6.1	11.2	11.6	13.4	16.0	3.9		34.3
2020/10/06 20	25.5	10.1	13.2	7.6	11.6	16.0	8.1		32.5
2020/10/06 21	17.5	14.1	9.2	7.7	12.4	4.0	5.9		33.2
2020/10/06 22	12.4	7.1	1.3	6.7	9.6	3.0	3.9		32.2
2020/10/06 23	10.5	5.1	1.2	6.6	9.4	1.0	8.0		32.1
2020/10/07 00	9.5	4.1	1.2	5.7	10.5	2.0	5.1		32.2

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/10/07 01	9.4	4.1	1.2	6.6	9.4	3.0	4.0		32.3
2020/10/07 02	11.5	4.1	1.2	5.7	10.5	2.0	6.9		26.2
2020/10/07 03	15.5	4.1	1.2	6.6	9.4	1.0	5.9		26.1
2020/10/07 04	12.4	5.1	1.2	5.7	10.4	4.0	5.1		24.9
2020/10/07 05	11.5	4.0	0.3	5.6	9.4	1.0	7.0		25.9
2020/10/07 06	11.5	4.1	1.2	4.7	10.5	2.0	4.0		26.1
2020/10/07 07	17.5	4.1	1.3	2.7	10.4	3.0	8.0		26.0
2020/10/07 08	19.5	8.0	5.2	9.6	11.5	4.0	7.9		25.6
2020/10/07 09	28.5	14.0	16.2	10.7	17.4	7.0	16.0		58.3
2020/10/07 10	27.5	17.0	21.2	9.6	22.2	11.0	13.1		82.6
2020/10/07 11	27.4	17.0	18.3	9.7	25.2	11.0	37.7		83.7
2020/10/07 12	26.4	21.0	23.2	10.6	24.4	9.0	41.0		82.6
2020/10/07 13	25.5	22.0	13.2	24.7	21.5	9.0	37.9		79.8
2020/10/07 14	33.5	23.0	16.2	28.5	24.4	11.0	39.9		78.6
2020/10/07 15	26.5	22.0	24.2	20.6	26.4	9.0	38.9		80.3
2020/10/07 16	28.5	32.1	22.2	23.6	25.7	11.0	39.0		83.4
2020/10/07 17	37.5	26.2	11.3	15.5	20.5	13.0	42.0		85.2
2020/10/07 18	33.4	15.2	7.2	13.6	15.5	8.0	11.0		80.9
2020/10/07 19	23.4	34.1	4.2	10.6	10.4	11.0	4.0		74.6
2020/10/07 20	24.5	41.1	3.2	8.7	9.6	11.0	7.8		38.2
2020/10/07 21	24.5	39.1	2.2	7.6	10.5	4.0	6.0		34.3
2020/10/07 22	16.4	12.1	1.2	6.7	9.5	2.0	5.0		32.6
2020/10/07 23	13.5	8.1	1.2	6.7	9.5	1.0	5.0		31.5
2020/10/08 00	17.5	4.1	0.3	5.6	10.4	4.0	7.9		25.3
2020/10/08 01	10.5	5.1	1.2	5.8	9.5	1.0	4.0		28.3
2020/10/08 02	9.5	4.1	1.2	5.6	9.4	2.0	6.1		26.9
2020/10/08 03	9.4	4.1	1.2	6.7	10.4	3.0	5.0		26.9
2020/10/08 04	9.4	4.1	1.2	5.6	9.4	2.0	6.9		26.3
2020/10/08 05	8.5	4.0	1.2	6.6	9.5	1.0	4.9		26.1
2020/10/08 06	10.5	3.1	1.3	3.6	10.5	3.0	6.0		26.2
2020/10/08 07	9.5	4.1	1.2	4.7	9.5	4.0	6.1		25.1
2020/10/08 08	29.5	12.1	9.2	10.7	11.5	1.0	6.0		28.1
2020/10/08 09	41.5	26.1	22.2	21.7	21.6	6.0	20.9		63.1
2020/10/08 10	42.5	30.1	31.2	22.7	31.2	5.0	22.0		86.0
2020/10/08 11	43.5	28.0	30.2	25.5	28.5	6.0	43.9		88.1
2020/10/08 12	42.3	26.1	25.4	19.7	27.3	5.0	37.6		88.9
2020/10/08 13	40.5	26.0	21.2	22.6	25.6	5.0	39.4		84.7
2020/10/08 14	46.5	28.0	27.2	25.7	27.2	8.0	45.2		89.6
2020/10/08 15	43.5	31.0	24.2	25.6	28.4	8.0	33.6		88.2
2020/10/08 16	40.5	37.1	8.2	25.7	36.4	7.0	48.3		92.2
2020/10/08 17	49.5	32.1	6.3	17.7	36.4	8.0	38.2		89.4
2020/10/08 18	29.5	12.1	8.2	13.6	26.3	9.0	9.5		82.8
2020/10/08 19	21.5	8.1	17.2	12.8	20.5	7.0	5.9		76.0
2020/10/08 20	26.5	12.2	17.2	13.6	19.5	8.0	5.9		38.5
2020/10/08 21	25.4	14.4	10.2	10.7	18.5	3.0	7.1		36.3
2020/10/08 22	16.5	6.1	1.2	8.6	16.5	3.0	3.9		33.7
2020/10/08 23	16.4	4.1	1.3	5.7	16.5	2.0	7.0		33.3
2020/10/09 00	12.5	4.1	1.2	6.7	15.4	1.0	6.9		32.9
2020/10/09 01	12.5	4.1	1.2	5.6	15.5	4.0	6.1		32.3
2020/10/09 02	10.5	5.1	1.2	6.7	15.4	1.0	4.9		28.2
2020/10/09 03	11.4	4.1	1.2	5.6	15.4	2.0	6.0		24.9
2020/10/09 04	16.5	4.1	0.2	6.7	15.4	2.0	4.9		26.9
2020/10/09 05	10.5	4.1	1.3	5.6	15.4	3.0	5.1		23.8
2020/10/09 06	12.5	4.1	1.3	3.7	15.4	1.0	5.9		26.9
2020/10/09 07	10.5	4.0	1.2	3.7	16.5	4.0	5.0		24.9
2020/10/09 08	22.5	11.0	5.2	8.6	17.4	3.0	7.0		30.6
2020/10/09 09	31.4	29.0	17.2	15.7	22.4	7.0	17.0		59.8
2020/10/09 10	29.5	31.0	25.2	15.6	28.4	6.0	33.9		81.9
2020/10/09 11	33.5	27.0	24.3	17.7	27.2	6.0	38.0		85.1
2020/10/09 12	32.4	28.0	23.2	19.6	27.3	7.0	37.9		82.9
2020/10/09 13	36.5	27.0	19.2	19.7	24.4	7.0	39.8		83.4
2020/10/09 14	34.5	19.0	22.2	21.6	26.3	7.0	40.9		85.2
2020/10/09 15	38.5	21.0	27.2	8.7	27.4	17.0	23.0		82.3
2020/10/09 16	34.5	29.0	15.3	10.7	24.3	19.0	20.1		82.6
2020/10/09 17	46.5	28.1	4.2	9.6	21.4	16.0	28.8		83.3
2020/10/09 18	38.0	10.1	5.2	10.7	16.3	19.0	7.0		81.0
2020/10/09 19	30.7	12.1	2.2	7.6	13.3	16.0	7.9		72.6
2020/10/09 20	28.5	41.1	11.2	3.7	11.5	18.0	5.1		38.2
2020/10/09 21	21.5	43.1	12.3	5.6	9.5	14.0	5.0		33.1
2020/10/09 22	15.2	10.1	7.3	7.7	10.5	13.0	6.9		34.5
2020/10/09 23	9.5	4.1	1.2	4.7	9.4	12.0	5.9		32.7
2020/10/10 00	10.5	4.2	1.2	5.6	9.5	14.0	5.2		34.3

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/10/10 01	9.4	4.1	1.2	6.7	10.4	13.0	4.8		34.2
2020/10/10 02	10.2	4.1	0.2	5.6	9.4	12.0	6.1		31.3
2020/10/10 03	14.5	4.0	1.2	6.7	9.4	13.0	4.9		32.8
2020/10/10 04	8.5	3.1	1.3	5.5	9.4	11.0	6.1		31.8
2020/10/10 05	11.5	4.1	1.2	6.7	10.4	16.0	4.9		25.9
2020/10/10 06	11.5	4.1	0.2	3.6	9.5	13.0	6.0		25.9
2020/10/10 07	11.5	4.1	1.2	6.7	9.5	13.0	8.9		24.0
2020/10/10 08	14.5	4.1	0.2	13.7	10.4	13.0	6.0		31.3
2020/10/10 09	28.4	6.0	1.2	13.6	9.6	16.0	19.0		59.5
2020/10/10 10	32.2	8.0	0.3	11.7	14.5	17.0	26.8		77.9
2020/10/10 11	27.5	5.0	1.2	12.6	15.5	15.0	41.1		82.1
2020/10/10 12	21.5	6.1	0.2	13.7	15.5	16.0	40.0		82.1
2020/10/10 13	15.5	9.0	1.2	13.6	16.6	18.0	43.1		82.1
2020/10/10 14	12.5	15.3	0.3	13.7	14.5	16.0	39.8		81.1
2020/10/10 15	13.3	14.2	1.2	13.7	15.6	17.0	42.1		81.0
2020/10/10 16	11.6	8.2	0.3	8.6	14.7	16.0	42.0		81.2
2020/10/10 17	13.7	5.1	1.2	6.8	12.6	16.0	41.1		82.2
2020/10/10 18	16.8	4.1	1.2	5.6	10.5	16.0	5.9		82.0
2020/10/10 19	16.7	4.1	1.2	5.7	10.5	17.0	5.0		77.8
2020/10/10 20	15.8	13.4	0.2	7.6	9.6	17.0	6.0		33.4
2020/10/10 21	15.8	12.3	1.2	6.7	10.5	13.0	6.9		27.2
2020/10/10 22	10.8	12.4	1.2	6.6	9.5	5.0	5.1		26.2
2020/10/10 23	9.5	4.1	1.3	3.7	9.6	1.0	6.9		26.1
2020/10/11 00	8.5	3.1	1.2	4.7	10.4	3.0	4.1		25.1
2020/10/11 01	8.5	3.2	1.2	2.6	9.5	2.0	6.7		26.2
2020/10/11 02	9.5	3.1	0.2	4.6	10.5	2.0	6.0		26.2
2020/10/11 03	8.5	4.1	1.2	4.6	9.4	2.0	4.9		26.0
2020/10/11 04	8.3	3.0	1.2	3.7	9.4	3.0	5.9		24.8
2020/10/11 05	11.5	3.1	1.3	3.6	9.5	2.0	4.1		25.0
2020/10/11 06	13.5	3.1	0.2	3.7	10.4	2.0	5.9		25.1
2020/10/11 07	8.5	3.1	1.3	3.7	9.5	4.0	7.0		25.8
2020/10/11 08	10.5	4.1	1.2	4.6	9.5	2.0	5.0		28.9
2020/10/11 09	13.4	3.0	5.2	1.7	10.5	5.0	45.0		61.4
2020/10/11 10	19.5	3.0	11.2	3.6	13.6	6.0	41.0		78.0
2020/10/11 11	16.5	3.0	11.2	3.7	15.5	6.0	41.9		80.2
2020/10/11 12	15.5	4.0	9.3	2.6	16.5	5.0	42.2		80.1
2020/10/11 13	9.4	3.0	7.2	2.8	15.6	5.0	38.9		81.1
2020/10/11 14	8.5	3.0	0.2	2.7	15.6	7.0	41.1		87.4
2020/10/11 15	10.4	3.1	1.2	3.6	15.6	5.0	41.9		89.2
2020/10/11 16	9.5	3.0	0.2	4.7	16.6	6.0	42.1		87.8
2020/10/11 17	9.5	4.1	1.2	2.6	14.6	12.0	30.0		86.9
2020/10/11 18	10.5	3.1	1.3	6.7	10.5	13.0	6.9		80.6
2020/10/11 19	12.5	3.2	1.2	4.6	10.6	14.0	4.9		77.7
2020/10/11 20	14.4	4.1	1.2	4.7	9.5	14.0	5.0		32.4
2020/10/11 21	10.4	3.1	1.2	5.6	10.6	3.0	5.9		27.1
2020/10/11 22	9.5	3.1	1.2	5.7	9.5	2.0	7.0		26.3
2020/10/11 23	9.5	3.1	1.2	6.7	9.7	2.0	5.9		26.3
2020/10/12 00	8.5	3.1	0.4	5.6	10.6	3.0	5.0		26.3
2020/10/12 01	9.4	3.1	1.2	6.7	9.6	1.0	6.0		27.5
2020/10/12 02	7.5	3.1	1.2	6.5	10.5	3.0	4.9		27.2
2020/10/12 03	8.5	3.1	1.2	5.7	9.6	2.0	5.8		26.3
2020/10/12 04	9.5	3.1	1.2	6.6	9.5	3.0	6.2		25.2
2020/10/12 05	8.3	3.1	0.2	5.7	9.5	1.0	3.8		26.0
2020/10/12 06	10.5	3.1	1.2	4.7	9.6	3.0	5.1		25.1
2020/10/12 07	15.5	3.0	1.3	3.6	9.6	2.0	6.8		24.9
2020/10/12 08	27.5	8.1	9.2	3.7	12.5	4.0	7.1		27.7
2020/10/12 09	38.5	18.2	23.2	4.6	18.6	5.0	27.2		59.7
2020/10/12 10	39.4	24.0	29.2	2.7	29.7	9.0	26.5		83.0
2020/10/12 11	39.4	21.0	30.2	3.6	32.9	8.0	35.3		85.0
2020/10/12 12	37.5	17.0	31.2	4.6	33.6	9.0	39.4		85.1
2020/10/12 13	43.5	17.7	22.3	3.5	28.7	7.0	46.3		86.0
2020/10/12 14	50.5	20.0	27.2	3.6	30.4	16.0	40.4		82.8
2020/10/12 15	48.5	24.2	27.2	3.6	31.4	18.0	42.0		85.0
2020/10/12 16	49.4	25.1	28.2	3.5	30.5	21.0	27.9		84.1
2020/10/12 17	53.5	31.1	25.2	7.6	28.5	19.0	42.9		86.2
2020/10/12 18	41.4	26.1	7.3	7.5	23.6	15.0	6.2		82.9
2020/10/12 19	27.5	8.2	4.2	8.6	14.4	14.0	7.9		74.7
2020/10/12 20	22.5	9.1	2.2	11.5	13.7	8.0	3.7		31.9
2020/10/12 21	12.4	12.3	1.2	8.6	14.7	7.0	6.0		29.4
2020/10/12 22	9.5	9.3	1.2	5.6	12.7	2.0	7.0		28.4
2020/10/12 23	8.5	4.1	0.2	3.5	9.6	3.0	2.9		28.4
2020/10/13 00	10.5	3.1	1.4	3.5	9.6	2.0	6.9		30.4

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/10/13 01	8.5	4.1	1.2	3.5	10.6	3.0	5.9		27.5
2020/10/13 02	10.5	3.1	1.2	4.6	9.6	1.0	5.1		26.5
2020/10/13 03	7.5	3.0	1.2	2.5	9.6	1.0	4.9		26.3
2020/10/13 04	9.3	3.1	0.2	4.6	9.5	4.0	4.9		26.4
2020/10/13 05	10.5	4.1	1.2	3.6	9.6	2.0	6.9		26.1
2020/10/13 06	11.5	3.1	1.2	3.4	9.5	1.0	6.0		26.4
2020/10/13 07	11.5	3.1	1.3	5.6	9.5	5.0	3.9		26.3
2020/10/13 08	26.5	8.0	7.2	8.5	11.6	1.0	8.0		27.9
2020/10/13 09	39.5	17.0	16.2	15.6	16.5	9.0	6.9		60.5
2020/10/13 10	36.3	22.0	21.2	19.5	20.5	7.0	6.8		78.9
2020/10/13 11	35.5	22.0	19.2	20.6	19.5	9.0	6.9		79.2
2020/10/13 12	37.5	19.0	13.2	18.5	20.6	8.0	6.0		79.4
2020/10/13 13	33.5	14.0	11.3	19.6	14.8	10.0	6.7		80.2
2020/10/13 14	36.5	15.0	23.2	21.5	19.6	9.0	8.9		110.5
2020/10/13 15	37.5	20.1	26.2	21.5	21.4	8.0	5.8		129.0
2020/10/13 16	40.4	32.1	24.2	26.5	18.7	9.0	7.9		90.9
2020/10/13 17	50.5	28.3	8.2	15.5	19.7	5.0	6.9		84.8
2020/10/13 18	32.4	19.3	4.2	12.6	19.6	7.0	6.9		80.3
2020/10/13 19	23.5	7.1	4.3	14.4	13.4	5.0	6.1		72.6
2020/10/13 20	29.5	11.1	3.2	7.7	11.7	6.0	6.9		33.1
2020/10/13 21	18.4	14.1	3.2	7.6	10.7	4.0	4.0		29.6
2020/10/13 22	12.5	6.1	2.2	5.7	9.6	2.0	5.9		28.5
2020/10/13 23	16.5	4.1	2.2	3.7	9.6	2.0	7.0		28.2
2020/10/14 00	11.5	3.1	1.2	3.6	10.6	2.0	5.0		28.6
2020/10/14 01	9.4	4.1	1.4	3.7	9.5	2.0	3.8		27.5
2020/10/14 02	10.5	3.1	1.2	4.6	10.6	2.0	7.1		29.3
2020/10/14 03	9.4	3.1	1.2	4.8	9.5	3.0	5.0		28.3
2020/10/14 04	11.5	4.1	0.2	3.6	9.5	1.0	8.0		26.8
2020/10/14 05	10.5	3.1	1.2	5.7	9.6	2.0	5.9		26.2
2020/10/14 06	9.5	4.1	1.2	3.7	10.5	3.0	6.0		26.2
2020/10/14 07	12.5	3.0	1.3	4.6	10.5	2.0	4.0		26.0
2020/10/14 08	25.5	6.0	6.2	8.7	11.6	5.0	8.9		26.8
2020/10/14 09	33.4	12.0	13.2	13.6	17.5	4.0	17.0		54.5
2020/10/14 10	34.4	17.0	18.2	19.7	24.5	5.0	37.9		70.3
2020/10/14 11	34.5	17.0	18.2	16.6	25.5	5.0	40.0		76.2
2020/10/14 12	35.5	19.0	22.2	18.7	25.6	6.0	38.9		80.5
2020/10/14 13	39.5	12.0	17.3	19.7	21.8	5.0	37.0		82.0
2020/10/14 14	35.5	14.0	19.2	22.6	26.6	7.0	37.9		80.8
2020/10/14 15	36.5	18.0	19.3	19.7	27.5	5.0	40.8		80.9
2020/10/14 16	41.5	24.1	18.2	21.6	29.6	6.0	22.1		80.5
2020/10/14 17	49.5	30.3	10.2	16.7	26.7	7.0	26.9		84.7
2020/10/14 18	34.3	28.4	6.3	13.6	16.6	9.0	6.9		79.7
2020/10/14 19	22.5	35.1	4.2	13.7	12.7	9.0	6.1		73.4
2020/10/14 20	26.5	41.1	3.2	11.7	10.6	11.0	3.9		35.6
2020/10/14 21	23.5	32.1	1.2	7.6	9.7	2.0	7.1		33.0
2020/10/14 22	15.5	11.1	1.2	5.7	10.6	2.0	5.9		29.1
2020/10/14 23	14.4	6.1	1.2	4.6	9.7	3.0	3.9		26.2
2020/10/15 00	12.5	4.1	1.2	2.7	9.6	1.0	6.1		27.3
2020/10/15 01	8.5	3.1	1.3	5.6	9.6	3.0	5.8		27.2
2020/10/15 02	11.4	4.1	0.2	6.8	10.5	2.0	5.0		26.4
2020/10/15 03	9.5	3.1	1.2	5.6	9.6	2.0	8.0		25.3
2020/10/15 04	10.5	3.1	1.2	6.7	9.5	2.0	4.0		24.9
2020/10/15 05	10.5	4.1	1.2	6.7	10.6	3.0	6.0		26.1
2020/10/15 06	11.4	4.1	1.2	3.6	9.5	2.0	6.0		27.1
2020/10/15 07	9.5	3.1	1.3	5.7	9.6	2.0	5.9		26.0
2020/10/15 08	29.5	9.1	9.2	11.6	11.6	4.0	5.0		26.8
2020/10/15 09	42.4	17.0	20.2	22.7	19.6	2.0	21.2		62.1
2020/10/15 10	46.5	24.0	20.2	23.6	25.5	3.0	39.6		77.4
2020/10/15 11	43.5	23.0	16.2	21.7	27.5	2.0	43.3		81.2
2020/10/15 12	43.4	24.0	14.2	21.6	28.5	2.0	42.0		76.2
2020/10/15 13	38.5	24.0	15.2	22.7	22.9	2.0	19.8		81.4
2020/10/15 14	40.5	26.0	21.3	23.6	26.5	2.0	36.0		123.9
2020/10/15 15	49.5	27.1	16.2	23.6	25.5	2.0	21.9		130.4
2020/10/15 16	44.4	33.0	7.3	14.6	28.7	4.0	35.0	35.7	94.1
2020/10/15 17	51.5	36.0	10.2	17.7	25.9	3.0	26.5	42.7	81.7
2020/10/15 18	39.4	25.1	5.2	14.7	18.6	2.0	12.3	47.8	75.0
2020/10/15 19	22.5	7.2	1.3	14.6	14.6	4.0	6.1	48.7	66.6
2020/10/15 20	24.5	11.2	2.2	12.7	13.7	2.0	8.0	37.9	37.3
2020/10/15 21	27.5	13.3	1.2	10.7	13.8	2.0	5.0	33.2	26.9
2020/10/15 22	18.5	6.2	2.2	8.6	10.6	3.0	6.9	33.2	25.8
2020/10/15 23	16.5	4.1	3.2	6.7	10.6	2.0	6.1	33.3	24.9
2020/10/16 00	13.3	4.1	1.2	6.6	10.5	1.0	5.1	32.2	26.3

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/10/16 01	11.5	4.1	0.2	7.8	10.6	4.0	5.9	33.2	26.8
2020/10/16 02	12.5	4.1	1.3	6.6	9.5	1.0	5.0	33.2	24.0
2020/10/16 03	12.5	3.1	1.2	6.7	10.5	2.0	5.1	32.2	26.8
2020/10/16 04	13.5	4.1	1.2	6.7	11.5	2.0	5.9	33.2	23.6
2020/10/16 05	12.4	4.1	1.2	6.6	10.5	2.0	7.0	32.2	24.8
2020/10/16 06	12.5	4.1	0.2	4.7	10.5	3.0	5.0	33.2	24.7
2020/10/16 07	16.4	4.1	1.2	3.5	9.5	2.0	6.0	36.3	23.6
2020/10/16 08	29.5	7.0	4.3	8.7	12.5	4.0	6.0	39.1	25.3
2020/10/16 09	38.5	21.0	11.2	16.6	18.6	5.0	17.1	36.1	58.7
2020/10/16 10	35.5	28.0	18.2	13.7	25.6	8.0	27.8	34.0	78.6
2020/10/16 11	36.4	26.0	16.3	14.6	25.5	11.0	40.0	33.8	80.0
2020/10/16 12	36.5	26.0	17.2	17.7	25.5	9.0	27.0	34.9	82.2
2020/10/16 13	32.5	25.0	11.2	16.7	22.8	9.0	33.9	34.8	78.1
2020/10/16 14	35.5	29.0	16.3	23.6	25.4	11.0	40.1	35.8	79.6
2020/10/16 15	37.5	28.0	21.2	20.7	26.5	9.0	40.9	36.8	81.0
2020/10/16 16	48.5	28.0	25.2	18.6	26.6	11.0	38.0	36.7	80.1
2020/10/16 17	50.4	34.1	10.2	18.7	22.5	19.0	40.9	46.7	84.3
2020/10/16 18	37.5	25.3	9.2	12.6	17.5	19.0	9.0	48.8	78.4
2020/10/16 19	29.4	9.1	3.2	11.7	16.6	19.0	5.0	49.7	74.5
2020/10/16 20	32.5	38.1	2.3	4.6	12.7	22.0	5.0	45.0	37.4
2020/10/16 21	24.5	43.1	1.2	5.8	12.6	11.0	7.1	32.2	33.5
2020/10/16 22	16.5	10.1	1.2	7.7	10.6	5.0	5.0	33.2	32.5
2020/10/16 23	14.5	4.1	0.2	6.6	11.6	8.0	5.9	33.2	32.0
2020/10/17 00	10.5	4.2	1.2	5.7	10.4	2.0	7.0	32.1	27.0
2020/10/17 01	13.5	4.1	1.2	6.6	9.4	3.0	4.9	32.1	26.1
2020/10/17 02	12.3	4.1	1.4	6.7	9.4	2.0	6.1	33.1	26.0
2020/10/17 03	11.5	4.0	1.2	6.6	10.5	1.0	3.9	32.2	24.8
2020/10/17 04	12.5	4.1	1.2	6.7	10.4	3.0	7.0	32.1	25.7
2020/10/17 05	11.5	4.1	0.2	5.7	9.4	1.0	5.1	32.2	23.9
2020/10/17 06	12.5	4.1	1.2	4.5	9.5	2.0	5.9	33.1	25.9
2020/10/17 07	14.5	4.1	1.2	2.7	9.5	4.0	6.1	35.2	24.7
2020/10/17 08	13.5	5.1	0.3	5.6	9.5	3.0	5.9	39.0	29.5
2020/10/17 09	14.4	14.1	1.2	4.7	11.4	6.0	15.1	37.0	54.3
2020/10/17 10	21.5	17.0	0.2	5.7	14.5	9.0	23.0	37.0	72.9
2020/10/17 11	20.5	16.0	0.2	6.7	14.6	24.0	31.9	38.0	79.6
2020/10/17 12	17.5	16.0	0.2	4.6	13.6	21.0	40.0	37.0	81.2
2020/10/17 13	14.4	15.0	0.2	4.7	14.5	14.0	41.1	37.8	81.1
2020/10/17 14	11.5	15.1	0.3	7.7	14.6	16.0	38.9	35.6	81.6
2020/10/17 15	15.5	15.2	1.2	5.6	13.6	14.0	41.0	37.7	86.0
2020/10/17 16	10.5	12.1	1.2	5.7	14.5	17.0	44.1	38.7	84.1
2020/10/17 17	13.4	4.1	0.2	5.6	13.6	17.0	43.3	44.6	85.7
2020/10/17 18	19.5	5.1	1.3	5.7	9.5	23.0	5.0	43.8	78.6
2020/10/17 19	16.5	4.1	1.3	4.6	10.6	25.0	6.0	36.2	68.1
2020/10/17 20	12.5	35.2	1.2	8.8	10.5	22.0	5.9	33.1	28.5
2020/10/17 21	15.5	43.1	0.2	6.7	9.5	7.0	5.1	33.2	24.0
2020/10/17 22	12.4	6.1	1.2	7.6	10.4	1.0	5.9	33.1	26.9
2020/10/17 23	10.5	4.1	1.2	5.7	9.5	3.0	6.0	32.2	25.5
2020/10/18 00	11.5	4.1	1.2	6.6	9.5	2.0	5.0	33.1	28.1
2020/10/18 01	13.4	4.1	0.3	5.7	10.4	2.0	5.9	32.1	25.2
2020/10/18 02	12.5	4.1	1.2	6.6	9.4	2.0	5.1	32.1	26.2
2020/10/18 03	11.5	4.1	1.2	5.7	10.4	3.0	7.0	33.1	23.8
2020/10/18 04	13.5	4.1	1.2	6.6	9.4	1.0	3.9	32.2	23.7
2020/10/18 05	13.5	4.0	1.2	5.7	10.4	3.0	7.1	33.1	24.5
2020/10/18 06	11.5	4.1	1.2	4.7	9.4	1.0	4.0	32.2	25.8
2020/10/18 07	12.4	4.1	0.4	3.6	10.4	4.0	7.0	33.2	23.5
2020/10/18 08	9.4	4.0	0.2	2.7	9.5	3.0	3.9	39.1	25.4
2020/10/18 09	8.5	6.0	0.2	2.6	11.4	39.0	16.9	37.1	53.1
2020/10/18 10	8.5	8.0	0.2	3.7	15.5	26.0	34.9	34.8	73.8
2020/10/18 11	9.5	6.0	0.2	2.6	15.5	25.0	26.8	36.7	76.0
2020/10/18 12	9.5	6.0	0.2	2.7	15.5	23.0	37.9	37.8	77.0
2020/10/18 13	5.5	4.0	0.2	2.7	14.6	17.0	40.2	36.8	77.0
2020/10/18 14	8.5	5.0	0.3	2.6	15.5	14.0	37.8	35.7	77.3
2020/10/18 15	12.5	4.0	0.2	2.7	14.6	14.0	36.0	37.6	76.0
2020/10/18 16	7.5	4.0	0.2	3.7	14.5	14.0	39.0	36.7	75.9
2020/10/18 17	8.4	4.0	1.2	2.7	11.5	15.0	39.0	39.9	78.0
2020/10/18 18	15.5	4.2	1.2	5.6	10.6	14.0	7.0	43.9	72.8
2020/10/18 19	13.5	4.1	0.2	7.7	10.6	16.0	4.8	33.2	58.3
2020/10/18 20	12.4	3.1	1.3	6.7	9.5	15.0	7.0	34.1	29.0
2020/10/18 21	8.5	4.1	1.2	5.5	9.5	4.0	5.0	32.2	25.8
2020/10/18 22	10.5	3.1	1.3	7.7	10.5	2.0	5.1	33.2	23.8
2020/10/18 23	11.5	4.1	0.2	6.7	8.5	2.0	6.0	32.1	25.8
2020/10/19 00	12.4	3.1	1.2	5.7	10.5	2.0	6.9	32.1	24.9

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/10/19 01	12.5	4.1	1.2	6.6	9.4	3.0	5.0	33.1	25.8
2020/10/19 02	13.5	3.1	1.3	5.7	9.4	2.0	6.9	33.1	23.8
2020/10/19 03	11.5	4.1	0.2	6.6	10.4	2.0	5.0	32.1	24.6
2020/10/19 04	12.5	3.1	1.2	5.7	10.4	3.0	7.0	32.1	23.4
2020/10/19 05	12.5	4.1	1.2	6.7	9.4	2.0	4.1	33.1	24.6
2020/10/19 06	12.4	3.1	1.2	2.5	9.5	1.0	6.0	32.1	24.6
2020/10/19 07	14.4	4.0	2.2	4.7	9.5	4.0	4.9	33.2	23.7
2020/10/19 08	30.5	7.1	11.3	8.7	12.4	2.0	5.0	33.1	31.1
2020/10/19 09	38.5	14.0	14.2	14.7	19.5	20.0	18.9	32.1	61.5
2020/10/19 10	41.5	18.0	20.2	16.5	25.3	20.0	27.9	38.1	78.8
2020/10/19 11	37.5	21.0	20.2	13.7	27.3	16.0	40.9	37.2	84.8
2020/10/19 12	39.5	18.0	26.3	15.7	28.4	16.0	39.9	37.0	85.1
2020/10/19 13	44.1	12.0	19.3	19.6	22.5	26.0	37.9	38.1	81.2
2020/10/19 14	42.2	16.0	18.2	22.7	27.4	25.0	32.9	34.1	82.1
2020/10/19 15	46.4	24.1	23.2	22.6	26.3	25.0	12.9	33.2	82.1
2020/10/19 16	48.5	29.2	21.2	23.7	26.4	18.0	38.0	33.0	82.1
2020/10/19 17	50.5	34.3	14.2	18.6	23.5	17.0	39.9	33.1	84.1
2020/10/19 18	41.5	25.3	7.2	18.6	17.3	16.0	9.8	34.2	82.9
2020/10/19 19	32.5	26.1	5.3	16.6	14.2	15.0	7.0	34.2	74.1
2020/10/19 20	26.5	41.1	3.2	7.7	11.4	14.0	6.2	34.2	35.1
2020/10/19 21	20.4	27.2	3.2	7.8	12.5	5.0	3.9	33.3	30.8
2020/10/19 22	18.5	8.1	2.2	8.6	11.5	1.0	6.0	33.1	30.8
2020/10/19 23	12.5	4.1	2.2	5.7	11.5	3.0	5.9	33.2	28.7
2020/10/20 00	13.5	4.1	1.3	6.6	9.4	2.0	7.1	33.2	24.9
2020/10/20 01	12.5	4.1	1.3	5.7	10.5	2.0	7.0	33.2	26.9
2020/10/20 02	12.5	4.1	0.2	6.6	9.4	2.0	3.9	32.1	23.8
2020/10/20 03	12.4	4.1	1.2	5.7	9.4	2.0	6.1	34.2	24.7
2020/10/20 04	14.6	4.1	1.2	6.7	10.4	2.0	5.0	33.2	24.5
2020/10/20 05	11.5	4.0	0.2	6.6	10.4	3.0	6.0	33.1	24.6
2020/10/20 06	13.5	4.1	1.2	4.7	9.4	1.0	5.0	32.2	23.6
2020/10/20 07	13.5	3.1	1.3	4.6	10.5	4.0	4.9	35.2	24.6
2020/10/20 08	28.5	8.0	7.2	9.8	11.5	3.0	7.0	38.6	27.2
2020/10/20 09	40.5	17.0	13.2	15.6	17.4	4.0	6.8	34.8	41.0
2020/10/20 10	40.5	17.0	14.2	18.7	20.4	6.0	6.9	34.7	57.1
2020/10/20 11	41.5	16.0	13.2	15.6	20.3	4.0	8.0	34.8	63.3
2020/10/20 12	42.4	14.0	12.3	20.7	19.3	5.0	6.9	33.7	62.4
2020/10/20 13	43.5	17.0	11.3	21.6	17.6	6.0	5.8	36.8	58.7
2020/10/20 14	56.6	26.0	13.2	21.6	20.7	5.0	7.9	37.6	60.9
2020/10/20 15	51.7	27.1	15.2	20.7	20.9	5.0	7.9	36.7	62.6
2020/10/20 16	48.3	30.0	15.2	16.5	21.9	6.0	6.9	36.6	60.6
2020/10/20 17	55.7	29.3	12.2	14.7	20.7	7.0	8.0	45.7	41.1
2020/10/20 18	38.5	24.3	4.2	12.6	17.4	5.0	8.0	49.7	35.8
2020/10/20 19	24.5	8.1	1.3	10.7	16.4	7.0	7.1	48.8	30.8
2020/10/20 20	21.6	12.3	2.2	7.6	13.5	4.0	4.9	46.2	31.8
2020/10/20 21	17.5	13.3	0.2	6.7	12.5	4.0	7.0	33.2	29.5
2020/10/20 22	12.5	8.2	1.2	7.7	11.5	2.0	6.1	32.3	29.6
2020/10/20 23	14.5	4.1	1.3	6.6	9.5	4.0	4.9	33.2	29.6
2020/10/21 00	14.5	4.1	1.2	7.7	10.5	1.0	6.0	32.2	31.0
2020/10/21 01	12.6	4.1	0.3	6.6	10.4	3.0	5.1	34.2	25.9
2020/10/21 02	14.5	4.1	1.2	5.7	10.5	2.0	5.0	32.2	23.9
2020/10/21 03	15.5	4.1	1.2	6.6	9.5	3.0	6.0	33.2	23.4
2020/10/21 04	15.5	4.1	1.2	7.7	10.4	2.0	4.9	32.1	25.5
2020/10/21 05	12.5	4.2	0.2	6.7	9.5	1.0	5.9	33.2	24.6
2020/10/21 06	15.5	4.1	1.2	3.6	10.4	4.0	5.2	32.2	23.6
2020/10/21 07	19.6	4.0	2.3	5.7	10.5	2.0	8.0	33.2	23.5
2020/10/21 08	31.5	10.0	7.2	8.6	11.5	2.0	13.9	39.9	27.2
2020/10/21 09	42.5	14.0	10.2	14.7	18.5	10.0	28.8	34.8	68.6
2020/10/21 10	43.5	13.0	9.2	12.6	26.5	20.0	29.0	33.7	90.2
2020/10/21 11	44.5	14.0	11.2	8.7	25.7	18.0	32.8	33.8	111.2
2020/10/21 12	44.5	21.0	11.2	10.7	26.5	17.0	37.9	34.8	105.1
2020/10/21 13	42.5	19.0	23.4	17.6	20.5	15.0	40.1	34.7	108.8
2020/10/21 14	41.5	17.0	16.2	19.7	24.4	16.0	40.9	35.7	76.6
2020/10/21 15	47.0	23.0	17.2	19.6	24.4	16.0	43.8	36.8	78.2
2020/10/21 16	46.7	32.2	14.2	20.7	29.5	17.0	39.0	34.7	84.1
2020/10/21 17	52.8	36.3	8.2	18.6	22.5	16.0	40.9	44.7	109.1
2020/10/21 18	39.5	24.3	4.2	13.7	16.4	17.0	9.1	46.7	106.9
2020/10/21 19	25.5	16.1	4.3	11.6	13.5	18.0	7.1	47.7	81.1
2020/10/21 20	25.4	18.1	2.2	8.7	11.8	20.0	5.9	45.7	33.2
2020/10/21 21	23.5	12.1	1.2	7.8	9.6	3.0	5.0	33.1	34.0
2020/10/21 22	16.5	9.1	2.2	7.6	10.5	3.0	6.9	32.1	30.1
2020/10/21 23	14.5	4.2	0.2	5.7	10.6	2.0	5.0	32.2	27.8
2020/10/22 00	14.5	4.1	1.4	6.6	9.5	2.0	5.9	33.2	26.6

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/10/22 01	13.6	5.1	1.2	6.7	10.5	2.0	5.9	33.1	24.9
2020/10/22 02	13.5	4.1	1.2	5.7	11.5	3.0	6.1	32.1	27.5
2020/10/22 03	13.6	4.1	0.2	6.7	9.4	1.0	5.0	31.1	26.9
2020/10/22 04	13.7	4.1	1.2	6.7	10.5	4.0	5.9	33.1	25.2
2020/10/22 05	13.1	4.1	1.2	5.6	9.5	1.0	6.0	32.0	26.0
2020/10/22 06	11.5	5.1	1.2	3.7	10.6	2.0	5.0	33.1	25.9
2020/10/22 07	13.5	4.0	1.3	3.5	9.5	4.0	6.9	34.1	24.9
2020/10/22 08	31.3	11.1	10.2	9.7	12.5	3.0	7.9	38.0	44.3
2020/10/22 09	42.5	23.0	18.2	17.6	20.5	17.0	15.9	37.0	93.2
2020/10/22 10	45.5	24.0	19.2	17.7	23.2	17.0	39.0	36.9	108.8
2020/10/22 11	49.7	22.0	23.2	20.7	25.2	16.0	41.0	34.9	112.8
2020/10/22 12	49.1	22.0	24.2	22.6	27.3	16.0	40.8	35.9	110.5
2020/10/22 13	40.5	20.0	21.3	19.7	23.7	14.0	38.9	37.0	110.6
2020/10/22 14	46.8	15.0	24.2	19.6	28.4	14.0	22.0	36.8	109.0
2020/10/22 15	51.9	23.1	21.2	19.6	26.5	13.0	40.9	37.5	101.8
2020/10/22 16	52.5	10.0	17.2	16.5	26.5	14.0	43.8	35.6	97.6
2020/10/22 17	51.5	6.1	6.2	16.6	23.4	16.0	44.0	42.6	111.0
2020/10/22 18	44.3	8.1	3.2	14.6	17.4	14.0	7.9	49.5	106.8
2020/10/22 19	27.5	15.1	4.4	15.7	16.5	13.0	9.0	50.6	95.5
2020/10/22 20	25.5	41.1	3.2	13.7	14.4	13.0	7.0	40.9	38.6
2020/10/22 21	22.5	34.1	1.2	8.6	12.2	6.0	3.9	32.0	31.1
2020/10/22 22	16.5	7.1	0.2	8.8	10.6	2.0	6.0	33.0	28.2
2020/10/22 23	13.5	5.2	1.2	6.6	10.5	2.0	5.9	32.1	29.2
2020/10/23 00	10.5	5.1	1.2	6.7	10.5	1.0	7.0	33.1	29.4
2020/10/23 01	10.7	5.1	1.2	5.6	10.6	4.0	6.0	32.0	27.4
2020/10/23 02	11.7	5.1	0.3	6.7	9.5	1.0	4.9	32.0	28.0
2020/10/23 03	11.0	5.1	1.2	7.7	10.5	3.0	7.0	32.0	29.0
2020/10/23 04	9.6	4.1	1.2	5.6	10.5	2.0	3.9	32.9	28.1
2020/10/23 05	12.6	5.1	1.2	6.7	9.5	2.0	6.0	32.0	27.0
2020/10/23 06	9.6	4.1	1.2	4.6	10.5	2.0	7.9	32.0	29.0
2020/10/23 07	13.8	5.1	1.2	3.7	9.5	4.0	4.9	33.0	27.2
2020/10/23 08	27.1	13.1	12.4	11.6	11.5	1.0	4.9	37.5	27.3
2020/10/23 09	43.5	24.0	22.2	20.7	20.5	8.0	20.9	36.6	55.5
2020/10/23 10	49.6	23.0	22.2	19.6	25.5	6.0	38.1	35.6	74.4
2020/10/23 11	50.5	21.0	22.2	23.7	27.5	14.0	42.9	34.7	81.8
2020/10/23 12	59.1	21.1	23.2	23.7	26.5	14.0	40.9	35.5	89.3
2020/10/23 13	50.3	20.0	21.2	25.6	23.7	17.0	36.2	37.5	85.4
2020/10/23 14	51.1	23.0	25.3	30.7	27.9	16.0	45.4	36.5	115.2
2020/10/23 15	51.7	32.1	18.2	26.6	27.9	17.0	44.1	37.4	109.7
2020/10/23 16	56.3	31.1	20.2	24.7	27.8	15.0	43.0	41.5	113.5
2020/10/23 17	57.9	33.2	18.2	20.6	27.5	15.0	46.1	44.5	114.6
2020/10/23 18	41.9	24.1	6.2	13.7	19.4	14.0	19.2	49.4	105.9
2020/10/23 19	26.5	11.1	3.2	6.7	16.4	13.0	9.8	47.5	89.9
2020/10/23 20	29.5	39.1	3.2	5.6	14.4	14.0	5.0	44.5	35.3
2020/10/23 21	25.5	34.1	1.3	5.7	11.2	6.0	4.9	32.9	32.5
2020/10/23 22	15.5	8.1	1.2	6.6	10.5	4.0	7.1	33.0	27.3
2020/10/23 23	9.5	4.1	1.2	5.6	9.5	1.0	6.9	30.9	25.2
2020/10/24 00	11.5	5.1	1.2	6.6	10.4	3.0	3.9	32.0	28.3
2020/10/24 01	11.5	4.1	1.2	6.7	10.5	2.0	6.9	32.9	26.3
2020/10/24 02	10.5	4.1	0.2	6.6	10.5	3.0	5.1	30.9	25.2
2020/10/24 03	10.5	4.1	1.4	6.7	9.4	2.0	5.9	32.9	24.9
2020/10/24 04	13.5	4.1	1.2	5.7	10.5	3.0	6.1	31.9	26.9
2020/10/24 05	9.5	4.1	1.2	6.5	10.4	3.0	6.9	32.9	25.1
2020/10/24 06	12.5	4.1	0.2	4.7	9.4	1.0	6.1	31.0	24.8
2020/10/24 07	13.5	4.1	2.2	2.6	11.6	5.0	4.9	35.9	27.0
2020/10/24 08	16.6	6.0	6.2	4.7	10.4	1.0	8.0	36.8	25.5
2020/10/24 09	17.5	14.0	16.2	3.6	11.5	17.0	26.0	38.8	71.4
2020/10/24 10	16.5	17.0	13.3	5.7	16.5	16.0	39.1	34.7	96.9
2020/10/24 11	15.5	19.0	14.2	5.7	15.5	18.0	36.9	37.7	81.1
2020/10/24 12	15.5	19.0	11.2	3.6	15.4	20.0	39.8	37.7	79.7
2020/10/24 13	11.5	14.0	14.2	5.7	15.6	16.0	37.9	35.5	81.5
2020/10/24 14	12.5	13.0	0.2	5.6	15.5	18.0	38.1	37.2	78.1
2020/10/24 15	10.5	14.0	3.2	5.7	15.6	19.0	38.0	36.7	79.5
2020/10/24 16	12.5	10.0	1.3	6.6	15.5	20.0	40.9	38.6	82.7
2020/10/24 17	17.5	6.1	2.2	3.7	13.6	18.0	31.0	48.6	86.4
2020/10/24 18	22.5	5.1	1.3	5.6	11.6	17.0	8.2	48.8	77.5
2020/10/24 19	24.5	8.2	1.2	5.7	9.5	16.0	6.0	34.2	63.5
2020/10/24 20	21.5	39.3	1.2	6.7	10.5	19.0	6.0	33.2	28.3
2020/10/24 21	20.5	43.3	0.2	7.6	10.6	7.0	6.1	33.2	27.0
2020/10/24 22	15.6	12.2	1.3	7.7	10.5	1.0	6.0	33.1	26.2
2020/10/24 23	11.5	4.1	1.2	6.6	10.6	4.0	6.0	32.2	25.9
2020/10/25 00	10.5	4.1	1.2	6.7	10.4	2.0	7.0	33.1	25.1

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/10/25 01	12.5	4.1	1.2	5.6	10.5	3.0	5.8	32.1	26.1
2020/10/25 02	13.5	3.1	0.2	6.7	11.4	3.0	4.1	32.1	24.8
2020/10/25 03	10.5	4.1	1.2	6.7	9.5	3.0	5.0	32.1	23.7
2020/10/25 04	12.5	4.1	1.3	6.6	10.4	1.0	7.9	32.1	25.8
2020/10/25 05	11.5	4.1	1.2	5.7	9.5	5.0	6.1	32.1	24.8
2020/10/25 06	12.5	4.1	0.2	4.6	10.4	1.0	3.9	33.2	24.9
2020/10/25 07	13.5	4.1	1.3	3.7	11.5	4.0	7.1	34.1	25.9
2020/10/25 08	14.5	4.0	0.2	2.6	9.6	3.0	5.9	36.6	26.4
2020/10/25 09	13.5	6.0	8.2	4.7	13.5	6.0	42.0	37.7	63.6
2020/10/25 10	20.5	13.0	10.2	4.6	15.5	5.0	40.0	35.8	97.9
2020/10/25 11	12.6	13.0	12.3	6.7	15.6	11.0	40.9	37.9	98.8
2020/10/25 12	14.6	13.0	11.2	6.7	15.6	11.0	70.7	37.9	100.5
2020/10/25 13	10.5	6.0	2.2	4.6	15.7	12.0	84.2	37.9	101.4
2020/10/25 14	14.5	5.0	0.2	5.7	15.7	8.0	68.3	37.8	104.7
2020/10/25 15	11.5	5.0	0.2	5.6	14.6	7.0	52.3	37.9	99.2
2020/10/25 16	12.5	4.1	1.2	3.7	15.6	5.0	61.7	35.9	103.8
2020/10/25 17	14.5	4.0	1.3	4.6	13.6	8.0	45.1	45.8	100.6
2020/10/25 18	18.5	4.2	0.2	4.7	10.7	6.0	6.9	46.2	94.9
2020/10/25 19	20.6	5.1	1.2	5.7	9.5	21.0	6.0	34.3	81.0
2020/10/25 20	19.5	4.1	1.3	4.6	11.6	21.0	6.1	34.4	30.1
2020/10/25 21	15.5	4.1	1.2	4.7	10.5	7.0	4.9	32.4	26.0
2020/10/25 22	17.5	4.1	1.2	7.6	10.5	4.0	6.9	33.3	27.0
2020/10/25 23	11.5	4.1	1.3	5.8	9.6	3.0	7.9	32.4	26.2
2020/10/26 00	13.5	4.1	1.2	6.6	10.5	2.0	5.1	32.3	25.0
2020/10/26 01	10.5	4.1	1.2	6.7	11.4	5.0	5.0	34.4	27.2
2020/10/26 02	9.6	4.1	1.2	5.7	9.5	2.0	6.0	32.3	26.0
2020/10/26 03	8.5	4.1	1.2	6.6	10.5	3.0	6.0	33.3	23.8
2020/10/26 04	11.5	4.1	0.2	6.8	10.5	5.0	5.1	32.4	26.9
2020/10/26 05	11.6	4.1	1.3	4.6	10.5	3.0	5.8	34.3	26.1
2020/10/26 06	12.5	4.1	1.2	5.7	10.4	2.0	5.0	32.3	23.8
2020/10/26 07	10.5	4.1	1.2	2.6	10.6	5.0	8.0	33.4	26.0
2020/10/26 08	8.5	11.0	0.3	10.7	12.4	3.0	7.5	32.3	26.3
2020/10/26 09	11.5	22.0	0.2	16.7	19.4	7.0	35.8	33.3	57.8
2020/10/26 10	11.5	23.0	0.2	19.6	26.1	14.0	51.6	33.4	80.7
2020/10/26 11	12.5	23.0	0.2	23.7	27.3	18.0	36.1	33.3	82.1
2020/10/26 12	10.5	20.0	0.3	21.6	26.3	17.0	48.4	32.3	82.2
2020/10/26 13	10.6	15.0	0.2	22.7	22.6	18.0	44.5	33.3	79.6
2020/10/26 14	11.5	26.0	0.2	26.5	27.8	16.0	32.5	32.4	80.2
2020/10/26 15	10.5	30.0	0.2	22.7	27.8	16.0	49.4	33.3	80.1
2020/10/26 16	5.5	31.2	0.2	20.7	25.6	20.0	59.2	32.4	79.2
2020/10/26 17	7.5	24.3	3.2	15.6	23.5	11.0	55.3	34.3	80.4
2020/10/26 18	12.5	12.1	13.3	13.7	19.5	11.0	9.1	34.5	77.1
2020/10/26 19	16.5	18.1	13.2	10.7	17.5	12.0	8.0	33.4	69.2
2020/10/26 20	20.6	41.3	13.3	7.7	15.7	11.0	7.0	33.4	39.7
2020/10/26 21	16.5	32.4	14.2	7.6	12.5	7.0	6.0	34.4	28.8
2020/10/26 22	12.6	9.2	2.2	8.7	10.5	2.0	6.0	33.4	26.2
2020/10/26 23	9.5	4.1	0.2	6.7	10.6	4.0	8.1	32.4	26.9
2020/10/27 00	11.5	4.1	1.3	6.6	11.5	2.0	3.9	33.4	27.6
2020/10/27 01	11.5	4.1	1.2	6.8	9.4	2.0	5.9	33.5	26.6
2020/10/27 02	10.5	3.1	1.2	6.6	11.5	5.0	6.1	33.4	27.2
2020/10/27 03	11.5	4.1	1.2	6.7	9.5	2.0	4.9	32.4	27.5
2020/10/27 04	9.5	4.1	1.2	6.6	10.4	3.0	7.1	33.4	25.7
2020/10/27 05	11.6	4.1	0.2	6.7	11.5	3.0	5.0	32.4	26.9
2020/10/27 06	10.6	4.1	1.3	3.6	10.5	2.0	6.0	34.3	26.5
2020/10/27 07	11.5	4.1	1.2	4.7	10.5	4.0	5.9	34.4	25.7
2020/10/27 08	9.5	12.6	7.3	10.7	12.5	3.0	7.9	40.5	26.2
2020/10/27 09	11.5	24.6	15.2	15.6	18.5	6.0	5.1	37.4	55.0
2020/10/27 10	24.5	24.0	13.2	20.7	24.4	8.0	8.7	37.4	71.9
2020/10/27 11	17.5	24.0	13.3	21.6	24.4	8.0	5.0	35.4	85.5
2020/10/27 12	11.5	20.0	20.2	20.7	22.4	19.0	5.0	36.2	112.0
2020/10/27 13	7.5	17.0	13.2	21.6	17.6	22.0	7.0	36.9	110.6
2020/10/27 14	8.6	20.1	21.2	24.0	26.4	23.0	5.9	37.9	106.9
2020/10/27 15	6.5	30.0	15.2	21.7	24.5	21.0	5.8	37.9	88.3
2020/10/27 16	6.5	21.1	25.2	20.6	23.4	24.0	9.1	38.0	83.3
2020/10/27 17	7.5	23.1	10.4	19.7	22.5	22.0	7.9	45.9	116.1
2020/10/27 18	9.5	17.1	6.2	13.6	23.4	26.0	7.1	49.0	114.2
2020/10/27 19	14.5	7.1	12.2	10.7	18.4	28.0	5.0	52.0	105.6
2020/10/27 20	16.6	12.1	15.2	7.7	17.4	26.0	5.9	48.1	35.1
2020/10/27 21	11.5	15.1	7.2	6.7	16.2	11.0	6.1	34.5	31.2
2020/10/27 22	10.6	7.1	1.2	8.7	9.5	3.0	7.0	33.5	33.4
2020/10/27 23	11.5	4.1	0.3	5.6	10.5	3.0	4.9	33.4	26.3
2020/10/28 00	10.5	4.1	1.2	6.7	10.5	5.0	6.0	33.4	26.6

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シーブラザ釜石
2020/10/28 01	11.5	4.1	1.2	6.7	10.5	2.0	5.9	34.5	27.7
2020/10/28 02	10.5	4.1	1.2	6.7	10.4	4.0	7.1	33.4	25.0
2020/10/28 03	11.5	4.1	1.3	6.6	10.4	3.0	4.1	33.4	24.8
2020/10/28 04	14.5	4.1	0.3	5.7	10.4	3.0	7.0	34.4	25.8
2020/10/28 05	10.5	4.1	1.2	6.6	10.5	6.0	5.9	33.4	23.9
2020/10/28 06	10.6	4.1	1.2	4.7	10.4	2.0	6.1	33.4	24.8
2020/10/28 07	12.5	4.0	1.2	4.7	11.5	4.0	5.0	34.5	24.9
2020/10/28 08	26.6	12.1	3.2	6.6	11.5	7.0	12.9	40.3	56.6
2020/10/28 09	38.5	25.0	11.3	11.7	20.4	20.0	126.5	38.4	97.2
2020/10/28 10	38.5	26.0	12.2	18.6	31.5	16.0	88.7	38.3	114.6
2020/10/28 11	36.5	26.0	12.2	21.8	27.7	18.0	45.9	34.3	116.5
2020/10/28 12	35.5	22.0	24.3	17.6	26.5	23.0	44.0	35.3	116.9
2020/10/28 13	38.5	17.0	17.2	19.7	22.6	25.0	47.5	36.0	115.3
2020/10/28 14	37.6	20.0	18.2	21.7	27.0	22.0	50.7	36.0	102.9
2020/10/28 15	39.5	26.1	20.2	20.6	28.9	23.0	46.6	38.0	86.6
2020/10/28 16	25.6	22.0	17.2	19.7	27.8	23.0	49.9	37.1	85.5
2020/10/28 17	27.5	29.1	8.2	12.7	22.5	24.0	49.4	45.1	88.7
2020/10/28 18	30.5	27.1	5.3	13.7	16.4	22.0	18.3	47.9	87.5
2020/10/28 19	24.5	36.1	3.2	6.6	16.4	23.0	13.3	49.0	81.9
2020/10/28 20	33.5	38.1	2.3	7.7	13.5	18.0	10.2	45.0	34.1
2020/10/28 21	27.6	24.1	1.2	7.8	13.6	8.0	7.3	33.1	32.8
2020/10/28 22	18.5	4.1	1.2	6.6	12.5	2.0	5.8	32.0	30.6
2020/10/28 23	9.5	5.1	1.2	5.7	11.5	4.0	6.0	32.1	32.1
2020/10/29 00	12.5	4.1	0.2	6.6	12.5	5.0	6.0	33.0	31.8
2020/10/29 01	10.5	4.1	1.2	6.7	10.5	2.0	6.0	32.1	31.3
2020/10/29 02	10.6	4.1	1.2	6.7	10.5	3.0	5.9	33.0	32.5
2020/10/29 03	10.6	4.1	1.2	6.7	10.4	4.0	5.9	31.0	29.8
2020/10/29 04	9.5	4.1	1.3	6.7	10.5	2.0	4.0	32.0	31.6
2020/10/29 05	10.5	4.1	0.2	6.6	10.5	3.0	9.0	33.0	30.7
2020/10/29 06	9.5	4.1	1.3	4.7	10.4	3.0	4.9	32.0	31.7
2020/10/29 07	12.5	4.1	4.2	4.6	11.6	3.0	6.1	34.1	31.9
2020/10/29 08	26.5	9.0	4.2	7.8	13.5	4.0	7.8	37.9	29.9
2020/10/29 09	46.5	23.0	12.2	15.6	20.5	40.0	44.2	35.9	69.2
2020/10/29 10	45.5	24.0	17.2	13.7	25.4	35.0	46.9	34.0	74.3
2020/10/29 11	46.5	23.0	11.2	20.7	26.3	30.0	44.9	34.0	80.9
2020/10/29 12	47.7	26.0	13.3	20.6	25.5	26.0	45.7	35.0	108.8
2020/10/29 13	43.5	25.0	8.2	21.7	21.7	25.0	40.9	36.9	111.4
2020/10/29 14	48.5	24.1	11.2	22.6	25.5	27.0	43.0	37.9	109.1
2020/10/29 15	52.5	26.0	11.2	25.7	26.7	31.0	48.8	38.0	115.5
2020/10/29 16	50.5	25.0	12.2	18.6	27.1	32.0	50.3	36.9	118.8
2020/10/29 17	56.5	25.1	1.2	15.7	28.6	32.0	52.2	43.9	120.3
2020/10/29 18	46.5	17.1	10.3	14.6	19.4	33.0	14.1	49.9	115.6
2020/10/29 19	29.5	15.2	14.3	12.7	15.4	36.0	12.4	51.9	96.1
2020/10/29 20	38.5	32.1	13.2	8.7	13.4	36.0	13.2	43.2	32.8
2020/10/29 21	33.6	17.1	7.2	6.6	13.5	19.0	6.2	33.4	32.4
2020/10/29 22	21.5	4.1	1.2	8.7	12.6	8.0	8.0	33.4	29.8
2020/10/29 23	19.5	4.1	1.3	5.7	12.5	4.0	6.9	33.4	24.0
2020/10/30 00	83.5	4.1	1.2	7.7	10.5	3.0	6.1	32.4	27.5
2020/10/30 01	90.6	3.1	1.2	6.6	10.4	4.0	5.1	33.4	27.6
2020/10/30 02	90.5	4.1	0.2	5.7	11.5	2.0	6.0	33.4	23.8
2020/10/30 03	92.5	4.1	1.2	6.7	10.4	4.0	6.0	32.4	27.2
2020/10/30 04	88.5	4.1	1.3	5.7	10.5	4.0	6.2	33.3	25.2
2020/10/30 05	82.6	4.0	1.3	6.7	11.4	2.0	5.9	32.4	26.0
2020/10/30 06	69.5	3.1	0.2	3.6	10.5	3.0	5.9	33.4	25.0
2020/10/30 07	38.5	4.1	2.2	4.7	11.5	4.0	7.0	33.4	25.1
2020/10/30 08	34.5	12.0	3.2	8.6	13.4	4.0	6.1	39.3	26.0
2020/10/30 09	42.5	29.0	5.2	14.7	21.3	25.0	20.9	38.3	96.6
2020/10/30 10	43.5	30.0	7.2	19.6	27.4	23.0	37.0	36.2	110.7
2020/10/30 11	41.5	25.0	4.3	18.7	27.3	29.0	38.0	37.4	109.3
2020/10/30 12	52.5	19.0	2.2	21.1	29.4	25.0	27.8	37.2	118.2
2020/10/30 13	48.5	20.0	3.2	22.1	21.7	21.0	42.1	37.9	117.1
2020/10/30 14	43.6	25.0	4.2	24.2	25.4	25.0	38.0	39.8	118.1
2020/10/30 15	41.6	24.0	10.2	20.9	26.5	29.0	32.9	37.9	110.3
2020/10/30 16	42.5	21.0	5.4	24.8	25.5	43.0	18.0	39.9	88.5
2020/10/30 17	53.5	21.3	3.2	14.7	23.5	42.0	27.0	44.9	100.8
2020/10/30 18	43.5	22.3	3.2	12.7	20.5	41.0	7.0	49.9	116.4
2020/10/30 19	37.5	12.1	2.2	7.7	17.3	42.0	5.0	47.8	106.4
2020/10/30 20	36.5	32.1	10.2	6.5	15.4	43.0	9.0	46.9	36.7
2020/10/30 21	34.5	32.1	13.2	4.7	13.5	28.0	5.9	33.0	29.8
2020/10/30 22	22.5	4.1	5.3	4.7	12.5	24.0	6.1	32.0	26.0
2020/10/30 23	15.5	4.1	0.2	5.7	10.4	13.0	6.1	31.0	24.8
2020/10/31 00	46.6	4.1	1.2	2.6	10.5	4.0	6.9	33.1	27.6

釜石市CEMS接続施設における時間別使用電力量

(単位:kWh)

日時	1	2	3	4	5	6	7	8	9
	釜石中学校	大平中学校	甲子小学校	双葉小学校	教育センター	情報交流センター	鉄の歴史館	市営プール	シープラザ釜石
2020/10/31 01	71.5	4.1	1.2	5.7	11.5	6.0	4.1	32.0	26.3
2020/10/31 02	86.5	4.1	1.3	3.7	10.5	5.0	6.9	33.1	25.0
2020/10/31 03	90.5	4.1	0.3	4.7	11.4	5.0	7.1	32.1	25.2
2020/10/31 04	86.6	3.1	1.2	4.7	10.5	4.0	2.9	32.1	25.8
2020/10/31 05	77.5	4.1	1.2	3.6	11.5	5.0	10.1	33.1	26.4
2020/10/31 06	68.5	4.1	1.2	4.7	11.5	6.0	6.0	32.2	26.0
2020/10/31 07	37.5	4.1	0.2	3.6	12.5	5.0	6.1	34.1	26.3
2020/10/31 08	17.5	11.0	0.3	3.7	11.4	5.0	6.0	38.2	25.9
2020/10/31 09	17.6	25.1	0.2	4.8	14.6	25.0	111.7	38.2	91.0
2020/10/31 10	21.5	25.0	0.3	4.6	19.6	25.0	96.7	38.2	105.5
2020/10/31 11	21.5	25.0	0.2	5.7	20.7	19.0	73.5	38.3	106.5
2020/10/31 12	13.5	22.0	0.2	4.6	17.6	20.0	62.2	39.2	108.9
2020/10/31 13	13.5	25.0	0.2	3.7	16.7	19.0	64.5	39.0	107.3
2020/10/31 14	16.5	22.0	0.3	5.6	16.6	22.0	56.9	37.0	81.1
2020/10/31 15	19.5	15.0	0.2	6.8	15.7	20.0	58.7	39.0	82.1
2020/10/31 16	17.5	15.0	1.2	6.6	15.6	22.0	70.4	39.9	102.2
2020/10/31 17	16.5	11.1	1.2	6.6	12.7	25.0	87.7	45.9	112.1
2020/10/31 18	20.5	8.1	0.2	6.7	11.6	22.0	15.7	47.3	106.6
2020/10/31 19	15.5	4.1	1.3	8.6	9.5	24.0	5.9	33.4	99.9
2020/10/31 20	17.6	4.1	1.3	7.8	11.5	25.0	6.1	33.5	31.9
2020/10/31 21	14.5	4.1	1.2	8.6	11.5	9.0	5.9	33.4	26.9
2020/10/31 22	16.5	4.1	1.2	7.7	11.5	4.0	7.1	34.5	24.9
2020/10/31 23	15.6	4.1	0.2	2.7	10.5	3.0	8.0	32.4	25.9
2020/11/01 00	39.5	4.2	1.2	4.7	11.4	3.0	4.0	33.4	25.9